

Table S1. Results of cell and colony morphology, physiological and biochemical tests performed on LAB isolates. Isolates identified from multiple sources such as kefir (K), CWK and/or CWK-fermented sourdough (CWKS) have been labelled accordingly.

Test	Isolate 1 (Source-K, CWK, CWKS)	Isolate 2 (Source-K, CWK, CWKS)	Isolate 3 (Source-K, CWK, CWKS)	Isolate 4 (Source-K, CWK, CWKS)	Isolate 5 (Source-K, CWK, CWKS)	Isolate 6 (Source-K, CWK, CWKS)	Isolate 7 (Source-K, CWK, CWKS)	Isolate 8 (Source-K, CWK, CWKS)	Isolate 9 (Source-K, CWK, CWKS)	Isolate 10 (Source-K, CWK, CWKS)
Colony colour	Transparent									
Surface appearance	Smooth/moist									
Cell morphology	Bacilli									
Gram reaction	+	+	+	+	+	+	+	+	+	+
Catalase test	-	-	-	-	-	-	-	-	-	-
Spore formation	-	-	-	-	-	-	-	-	-	-
Nitrate reduction test	-	-	-	-	-	-	-	-	-	-
Indole test	-	-	-	-	-	-	-	-	-	-
6.5% NaCl growth test	-	-	-	+	+	+	+	+	+	+
10% NaCl growth test	-	-	-	-	-	-	-	-	-	-
4 °C growth test	-	-	-	-	-	-	-	-	-	-
15 °C growth test	+	+	+	+	+	+	+	+	+	+
45 °C growth test	-	-	-	-	-	-	-	-	-	-
Growth at pH 3	-	-	-	-	-	-	-	-	-	-
Growth at pH 4	-	-	-	-	-	-	-	-	-	-
Growth at pH 5	-	-	-	-	-	-	-	-	-	-
0.1% Bile salt	+	+	+	+	+	+	+	+	+	+
0.9% Bile salts	+	+	+	+	+	+	+	+	+	+
1.5% bile salts	+	+	+	+	+	+	+	+	+	+
2% bile salts	+	+	+	+	+	+	+	+	+	+
Gas production during glucose fermentation in a Durham tube	+	+	+	+	+	+	+	+	+	+
Glycerol	-	-	-	+	+	+	-	-	-	-
D-Ribose	-	-	-	+	+	+	+	+	+	-
D-xylose	+	+	+	-	-	-	-	-	-	-

D-Galactose	+	+	+	+	+	+	+	+	+	+	+
D-Glucose	+	+	+	+	+	+	+	+	+	+	+
D-Fructose	+	+	+	+	+	+	+	-	-	-	+
D-Mannose	+	+	+	+	+	+	+	-	-	-	-
Mannitol	-	-	-	+	+	+	+	+	+	+	+
Sorbitol	-	-	-	+	+	+	-	-	-	-	-
N-acetyl-glucosamine	-	-	-	+	+	+	+	-	-	-	-
Amygdalin	-	-	-	-	-	-	-	+	+	+	-
Arbutin	-	-	-	+	+	+	-	+	+	+	-
Esculin	-	-	-	+	+	+	-	+	+	+	-
Salicin	-	-	-	+	+	+	+	-	-	-	-
Cellobiose	-	-	-	+	+	+	-	-	-	-	-
Maltose	+	+	+	+	+	+	+	+	+	+	-
Lactose	+	+	+	+	+	+	-	+	+	+	-
Melibiose	+	+	+	+	+	+	-	+	+	+	+
Sucrose	+	+	+	+	+	+	+	+	+	+	+
Trehalose	-	-	-	+	+	+	+	-	-	-	+
Melezitose	-	-	-	-	-	-	-	-	-	-	-
D-Raffinose	-	-	-	+	+	+	-	+	+	+	-
Starch	+	+	+	-	-	-	-	-	-	-	-
Glycogen	+	+	+	-	-	-	-	-	-	-	-
D-Gentiobiose	-	-	-	+	+	+	-	-	-	-	-
D-Turanose	-	-	-	+	+	+	-	-	-	-	-
D-Lyxose	-	-	-	-	-	-	-	-	-	-	-
D-Tagatose	-	-	-	+	+	+	-	-	-	-	-
D-Arabinol	-	-	-	+	+	+	-	-	-	-	-
Gluconate	+	+	+	+	+	+	-	-	-	-	+
Fermentation	Obligately Heterofermen tative	Obligately Heterofermen tative	Obligately Heterofermen tative	Facultatively Heterofermen tative	Facultatively Heterofermen tative	Facultatively Heterofermen tative	Obligately Heterofermen tative	Obligately Heterofermen tative	Obligately Heterofermen tative	Obligately Heterofermen tative	Obligately Heterofermen tative
Isolate identified	<i>Limosilactoba</i> <i>cillus</i> <i>fermentum</i>	<i>Limosilactoba</i> <i>cillus</i> <i>fermentum</i>	<i>Limosilactoba</i> <i>cillus</i> <i>fermentum</i>	<i>Lactobacillus</i> <i>plantarum</i>	<i>Lactobacillus</i> <i>plantarum</i>	<i>Lactobacillus</i> <i>plantarum</i>	<i>Lactobacillus</i> <i>fusant</i>	<i>Lactobacillus</i> <i>reuteri</i>	<i>Lactobacillus</i> <i>reuteri</i>	<i>Lactobacillus</i> <i>kunkeei</i>	

Table S2. Results of cell and colony morphological, physiological and biochemical tests performed on AAB isolates. Isolates identified from multiple sources such as kefir (K), CWK and/or CWK-fermented sourdough (CWKS) have been labelled accordingly.

Tests	Isolate 1 (Source-K, CWK, CWKS)	Isolate 2 (Source- K, CWK, CWKS)	Isolate 3 (Source -K, CWK, CWKS)	Isolate 4 (Source- K, CWK, CWKS)	Isolate 5 (Source-K, CWK, CWKS)
Colony colour	White and opaque	White and opaque	White and opaque	White and opaque	Cream colour and opaque
Surface appearance	Smooth	Smooth	Smooth	Smooth	Smooth
Cell morphology	Bacilli or oblong	Bacilli or oblong	Bacilli or oblong	Bacilli or oblong	Oblong
Gram reaction test	-	-	-	-	-
Catalase test	+	+	+	+	+
Oxidation of ethanol	+	+	-	-	-
Oxidation of acetic acid	-	-	-	-	-
Methyl red test	-	-	-	-	-
Voges–Proskauer test	-	-	-	-	-
30% glucose growth test	-	-	-	-	-
arginine dihydrolase	-	-	-	-	+
Lysine	-	-	-	-	-
Ornithine decarboxylase	-	-	-	-	-
Citrate Utilisation	-	-	-	-	-
Dihydrogen sulphide	-	-	-	-	-
Carr's medium	+	+	+	+	+
Urease test	-	-	-	-	+
tryptophane deaminase	-	-	-	-	-
Indole test	-	-	-	-	-
Acetoin	-	-	-	-	+
Fructose	+	+	+	+	+
Ribose	+	+	+	+	+
Xylose	+	+	+	+	+
Galactose	+	+	+	+	+
Mannitol	-	-	-	-	-
Raffinose	-	-	-	-	-
Inositol	-	-	-	-	-
Sorbitol	-	-	-	-	-

Rhamnose	+	+	-	-	-
Sucrose	-	-	-	-	-
Melibiose	+	+	+	+	-
Amygdalin	+	+	+	+	-
Arabinose	+	+	+	+	-
Nitrogen dioxide	-	-	+	+	-
Nitrite	-	-	+	+	-
Isolate identified		<i>Acetobacter aceti</i>	<i>Acetobacter aceti</i>	<i>Acetobacter lovaniensis</i>	<i>Acetobacter lovaniensis</i>
					<i>Acetobacter pasteurianus</i>

Table S3. Results of cell and colony morphology, physiological and biochemical tests performed on yeast isolates. Isolates identified from multiple sources such as kefir (K), CWK and/or CWK-fermented sourdough (CWKS), have been labelled accordingly.

Test	<i>Isolate 1</i> (Source- K, CWK, CWKS)	<i>Isolate 2</i> (Source- K, CWK, CWKS)	<i>Isolate 3</i> (Source- K, CWK, CWKS)	<i>Isolate 4</i> (Source- K, CWK, CWKS)	<i>Isolate 5</i> (Source- K, CWK, CWKS)	<i>Isolate 6</i> (Source- K, CWK, CWKS)	<i>Isolate 7</i> (Source- K, CWK, CWKS)
Colony colour	Cream	Pink-red	Milky white	Milky white	Milky white	White	White
Surface appearance	Glossy and smooth	Smooth and glossy	Smooth	Smooth	Smooth	Smooth	Smooth
Cell morphology	Oval						
Vegetative propagation	Budding						
Mycelium growth test	Pseudohypha						
Urease test	-	-	-	-	-	-	-
Nitrate reduction test	-	-	-	-	-	-	-
D-Glucose as a carbon source	+	+	+	+	+	+	+
Glycerol	+	-	-	-	-	+	+
Calcium 2-Keto-Gluconate	-	-	-	-	-	+	-
L-Arabinose	-	-	-	-	-	+	-
D-Xylose as a carbon source	+	-	-	-	-	+	-
Adonitol	-	+	-	-	-	+	-
Xylitol	+	+	-	-	-	+	-
D-Galactose as a carbon source	+	+	+	+	+	+	-
Inositol	-	-	-	-	-	-	-
D-Sorbitol as a carbon source	+	-	-	-	-	+	+
Methyl- α -D-Glucopyranoside	-	-	-	-	-	+	-

N-Acetyl-Glucosamine	-	-	-	-	-	+	-
D-Cellobiose as a carbon source	+	-	-	-	-	+	-
D-Lactose as a carbon source	+	-	-	-	-	-	-
D-Maltose as a carbon source	-	+	+	+	+	+	-
D-Saccharose as a carbon source	+	+	+	+	+	+	+
D-Trehalose as a carbon source	-	-	-	-	-	+	+
D-Melezitose as a carbon source	-	-	-	-	-	+	-
D-Raffinose as a carbon source	+	+	+	+	+	+	+
Isolate identified	<i>Candida kefyr</i>	<i>Rhodotorula mucilaginosa</i>	<i>Saccharomyces cerevisiae</i>	<i>Saccharomyces cerevisiae</i>	<i>Saccharomyces cerevisiae</i>	<i>Candida guilliermondii</i>	<i>Candida colliculosa</i>

Table S4. Sanger sequencing of each isolate of the LAB and AAB species.

Identified organisms (% identity match)	Accession number*	E-value*	Maximum score*
<i>Limosilactobacillus fermentum</i> strain CAU6479 16S ribosomal RNA gene, partial sequence (100)	MF582851.1	0.0	2619
<i>Lactobacillus plantarum</i> strain RS66X 16S ribosomal RNA gene, partial sequence (100)	MN450268.1	0.0	2536
<i>Lactobacillus Fusant</i> XU1 16S ribosomal RNA gene, partial sequence (99)	KT335719.1	0.0	2687
<i>Lactobacillus reuteri</i> DSM 20016, 16S ribosomal RNA gene, partial sequence (100)	NR_119069.1	0.0	2883
<i>Lactobacillus kunkeei</i> strain H14_2_1BCO2 16S ribosomal RNA gene, partial sequence (100)	KF599421.1	0.0	2582
<i>Acetobacter aceti</i> strain W1 16S ribosomal RNA gene, partial sequence (100)	KC662508.1	0.0	2676
<i>Acetobacter lovaniensis</i> strain NBRC 13753 16S ribosomal RNA, partial sequence (100)	NR_040832.1	0.0	2665
<i>Acetobacter pasteurianus</i> strain bh12 16S ribosomal RNA gene, partial sequence (100)	FJ227313.1	0.0	2326

The E-value* determines the number of hits one can “expect” to see by chance when searching a database of a particular size, which in this case is 0. Therefore, this implies that there were no random hits in the identification of LAB and AAB species on NCBI BLAST. The accession number* is the unique identification number on the NCBI BLAST database. The maximum score* is the total score that has been identified as that particular microorganism, which is the highest alignment score of a set of aligned segments from the same subject (database) sequence. The percentage of identity was determined by performing multiple sequence alignments in BLAST.

Supplementary File S1. Sanger sequencing output: 16s rDNA partial sequences for LAB and AAB.

LAB Isolate 1: *Limosilactobacillus fermentum* strain CAU6479 16S ribosomal RNA gene.

```
5'ACTGATTGATGGTGCTTGCACCTGATTGACGATGGATCAC
CACTGAGTGGCGGACGGGTAGTAACACAGTAGGTAACCTGCC
GGAGCCGGGATAACATTGAAACAGATGCTAACCGCATA
ACAACAAAAGCCACATGGCTTTGTTGAAAGATGGCTTG
TATCACTCTGGATGGACCTGCGGTGCATTAGCTAGTTGGTAAG
GTAACGGCTTACCAAGGGCATGATGCATAGCCGAGTTGAGAGA
CTGATCGGCCACAATGGAACTGAGACACGGTCATACTCCTAC
GGGAGGCAGCAGTAGGAAATCTTCACAATGGCGCAAGCCT
GATGGAGCAACACCGCGTGAGTGAAGAAGGGTTCGGCTCGT
AAAGCTCTGTTGGAGAAGAACGTGCGTGAGAGTAAC
CACGCAGTGACGGTATCCAACCAGAAAGTCACGGCTAACTACG
TGGCAGCAGCCCGGTAATACGTAGGTGGCAAGCGTTATCCGG
ATTATTGGCGTAAAGCGAGCGCAGGCCGTTGCTTAGGTCTG
ATGTGAAAGCCTCGGCTAACCGAAGAAGTGCATCGAAACC
GGCGACTTGAGTGCAGAAAGAGGACAGTGGAACTCCATGTGT
AGCGGTGGAATGCGTAGATATGGAAAGAACACCAGTGGCGAA
GGCGGCTGTCTGGTCTGCAACTGACGCTGAGGCTCGAAAGC
GGTAGCGAACAGGATTAGATACCCCTGGTAGTCCATGCCGTAA
ACGATGAGTGCTAGGTGTTGGAGGGTTCCGCCCTCAGTGCC
GGAGCTAACGCTTAAGCACTCCGCTGGGAGTACGACCGCA
```

AGGGTCAAAGGAATTGACGGGGCCGCACAAGCGG
TGGAGCATGTGGTTAACATCGAAGCTACCGAAGAACCTTACCC
AGGTCTTGACATCTTGCACACCTTAGAGATAAGGGTCCCTT
CGGGGACGCAATGACAGGTGGTGCATGGTCGTAGCTCGT
GTCGTGAGATGTTGGGTTAACCTCCGCAACGAGCGCAACCCTT
GTTACTAGTTGCCAGCATTAAAGTGGGCACTCTAGTGAGACTGC
CGGTGACAAACCGGAGGAAGGTGGGACGACGTAGATCATC
ATGCCCTTATGACCTGGCTACACACGTGCTACAATGGACGGT
ACAACGGACTCGCAAGCTCGCGAGAGTAAGCTAATCTTAAAG
CCGTTCTCAGTCGGACTGTAGGCTGCAACTCGCCTACACGAA
GTCGGAATCGCTAGAACCGGATCAGCATGCCCGGTGAATA
CGTCCCCGGGCTTGTACACACCGCCGTACACCCATGGAGT
TTGTAACGCCAAAGTCGGTGGCTAACCATAGGAGGGAGCC
3'

LAB Isolate 2: *Lactobacillus plantarum* strain RS66X 16S ribosomal RNA gene, partial sequence.

5'TTACCCCCACCGACTTTGGGTGTTACAAACTCTCATGGTGT
GACGGGCAGGTGTACAAGGCCGGAACGTATTCCCGACTTCATGAGCGA
ATGCTGATCCCGGATTACTAGCGATTCCGACTTCATGAGCGA
GTTGCAGCCTACAATCCGAAGTGAGATGGCTTAAGAGATTA
GCTTACTCTCGCGAGTCGCAACTCGTTGACTCATCATTGAG
CACGTGTGAGCCCAGGTCTATAAGGGGATGATGATTGACGTC
ATCCCCACCTCCTCCGGTTGTCACCGGACTCTCACCAAGAGT
GCCCAACTTAATGCTGGCAACTGATAATAAGGGTTCGCTCGTT
GCGGGAACCTAACCCAACATCTCACGACACGAGCTGACGACAA
CCATGCACCACCTGTATCCATGTCGGCAAGGGAACGTCTAAC
TCTTAGATTGCACTAGTATGTCAGAACCTGTAAGGGTCTTCGCG
TAGCTTCAATTAAACCACATGCTCCACCGCTTGTGCGGGCCCC
CGTCAATTCTTGTAGTTCAGCCTGCGGGCGTACTCCCCAGG
CGGAATGCTTAATGCGTAGCTGCAGCACTGAAGGGCGAAC
CCTCCAACACTTAGCATTCTACGTTACGGTATGGACTACCAGG
GTATCTAATCCTGTTGCTACCCATACCTTCGAGCCTCAGCGTCA
GTTACAGACCAGACAGCCCTCGCCACTGGTGTCTTCCATA
TATCTACGCAATTCCACCGCTACACATGGAGTCCACTGCTCTT
CTGCACTCAAGTTCCCAGTTCCGATGCACTCTCGGTGAG
CCGAAGGCTTACATCAGACTTAAAAAACGCCCTGCGCTCGC
TTTACGCCAATAAATCCGACAACGCTGCCACCTACGTATTA
CCGCGGCTGCTGGCACGTAGTTAGCCGTGGCTTCTGGTAAAT
ACCGTCAATACCTGAACAGTTACTCTCAGATATGTTCTTAA
CAACAGAGTTTACGAGCCGAAACCCCTCTCACTCACGCC
GTTGCTCCATCAGACTTCGTCCTGAAAGATTCCCTACTG
CTGCCTCCCGTAGGAGTTGGCCGTCTCAGTCCAAATGTGG
CCGATTACCCCTCTCAGTCGGCTACGTATCATTGCCATGGTGA
CCGTTACCCACCATCTAGCTAACGCCGGGACCATCCAA
AAAGTGTAGCCGAAAGCCATCTTCAAACACTCGGACCATGCGGTC
CAAGTTGTTATGCGGTATTAGCATCTGTTCCAGGTGTTATCCCC
CGCTTCTGGCAGGTTCCCACGTGTTACTCACCAGTTCGCCAC
TCACTCAAATGTAATCATGATGCAAGCACCAATCAATACCAAG
A 3'

LAB Isolate 3: *Lactobacillus Fusant* XU1 16S ribosomal RNA gene, partial sequence.

5'ATGCAGTCGAACGAGTTCTCGTGATTGCATCGTGCTTG
CACCAGAGATTCAACATGGAACGAGTGGCGGACGGGTGACTAA
CACGTGGGTAACCTGCCCTTAAGTGGGGATAACATTGGAAA

CAGATGCTAATACCGCATAGATCCAAGAACCGCATGGTTCTTGG
 CTGAAAGATGGCGTAAGCTATCGCTTGGATGGACCCGC
 GTATTGCTAGTTGGTAGGTAATGGCTCACCAAGGGCATGATAC
 GTAGCCGAACGTGAGAGGTTGATCGGCCACATTGGGACTGAGAC
 ACGGCCAAACTCCTACGGGAGGCAGCAGTAGGAAATCTTCC
 ACAATGGACGCAAGTCTGATGGAGCAACGCCGCTGAGTGA
 GAAGGCTTTCGGCTGAAAACCTCTGTTGGAGAAGAATGG
 TCGGCAGACTAACTCTGTCGGCTGACGGTATCCAACCAGAA
 AGCCACGGCTAACTACGTGCCAGCAGCCGGTAAACGTAGGT
 GGCAAGCGTTATCCGGATTATTGGGCGTAAAGCGAGCGCAGG
 CGGTTTTAAGTCTGATGTGAAAGCCCTCGGCTAACCGAGGA
 AGCGCATCGGAAACTGGGAAACTTGAGTGCAGAAGAGGACAG
 TGGAACTCCATGTGAGCGGTGAAATGCGTAGATATATGGAAG
 AACACCAGTGGCGAAGGGCGTGTCTGGTCTGTAACTGACGCT
 GAGGCTCGAAAGCATGGTAGCGAACAGGATTAGATAACCTGG
 TAGTCCATGCCGAAACGATGAATGCTAGGTGTTGGAGGGTTTC
 CGCCCTTCAGTGCCGCAAGCTAACGCATTAAGCATTCCGCCTGG
 GGACTACGACCGCAAGGTTGAAACTCAAAGGAATTGACGGGG
 GCCCGCACAGCGGTGGAGCATGTTAATTGAAGCAACG
 CGAAGAACCTTACCAAGGTTGACATCTTGTACACCTGAGAG
 ATCAGGTTCCCCTCGGGGGCAAAATGACAGGTGGTGCATGG
 TTGTCGTCAGCTCGTGTGAGATGTTGGGTTAAGTCCCACAA
 CGAGCGCAACCCCTATGACTAGTTGCCAGCATTAGTGGGAC
 TCTAGTAAGACTGCCGTGACAAACCGGAGGAAGGTGGGAT
 GACGTCAAATCATCATGCCCTTATGACCTGGCTACACACGTG
 CTACAATGGATGGTACAACGAGTTGCGAGACCGCGAGGTCAA
 GCTAATCTTAAAGCATTCTCAGTTCGGACTGTAGGCTGCAA
 CTCGCCTACACGAAGTCGAATCGCTAGTAATCGGGATCAGC
 ACGCCGGGTGAATACGTTCCGGGCTTGTACACACCGCCCC
 TCACACCATGAGAGTTGTAACACCCGAAGCCGGTGGCGTAAC
 TCCCTTACGGAGCGAGCCGCTAACGGTACAATT3'

LAB Isolate 4: *Lactobacillus reuteri* DSM 20016, 16S ribosomal RNA gene, partial sequence.

5'AGAGTTGATNNTGGCTCAGGATGAACGCCGGCGGTGTG
 CCTAATACATGCAAGTCGTACGCACTGGCCAACGTGATTGATGG
 TGCTTGACCTGATTGACCGATGGATCACCAAGTGTAGTGGCGGAC
 GGGTAGTAACACGTAGGTAACCTGCCGGAGCGGGGATA
 ACATTGGAAACAGATGCTAATACCGATAACAACAAAAGCCG
 CATGGCTTGTGAAAGATGGCTTGGCTATCACTCTGGGATG
 GACCTCGGTGCAATTAGCTAGTTGTAAGGTAACGGCTTACCA
 AGCGATGATGCATACCGAGTTGAGAGACTGATGGCCACAA
 TGGAACTGAGACACGGTCCATACTCCTACGGGAGGCAGCAGTA
 GGGAACTTCCACAATGGCGCAAGCCTGATGGAGGAACGCC
 GCGTAGTGAAGAAGGGTTCGGCTCGTAAAGCTCTGTTG
 GAGAAGAACGTGCGTGAGAGTAACGTTNCGCAGTGACGGT
 ATCCAACCAGAAAGTCACGGTAACACTACGTGCCAGGCC
 GGTAAACGTAGGTGGCAAGCGTTATCCGGATTATTGGCGTA
 AAGCGAGCGCAGCGGTTGCTTAGGTCTGATGTGAAAGCCTTC
 GGCTTAACCGAAGAAGTGCATGGAAACCGGGCGACTTGAGT
 GCAGAAAGAGGACAGTGGAACTCCATGTGTAGCGGTGGAATGC
 GTAGATATGGAAAGAACACCAGTGGCGAAGGCGGCTGCTGG
 TCTGCAACTGACGCTGAGGCTCGAAAGCATGGTAGCGAAC
 GGATTAGATACCGTGGTAGTCCATGCCGTAAACGATGAGTGCTA
 GGTGTTGGAGGGTTCCGCCCTCAGTGCCGGAGCTAACGCATT
 AAGCACTCCGCCTGGGAGTACGACCGCAAGGTTGAAACTCA

AAGGAATTGACGGGGCCCGACAAGCGGTGGAGCATGTGGT
TTAATTCGAAGCTACCGAAGAACCTTACCAAGGTCTTG1ACATC
TTGCGCTAACCTAGAGATAAGGCCTTCCTCGGGGACGCAA
TGACAGGTGGT1CATGGTCGTCAGCTCGTGTGAGATG
TTGGGTTAAGTCTGCAACGAGCGAACCCCTGTTACTAGTTGC
CAGCATTAAAGTTGGGCACTCTAGTGAGACTGCCGGTACAAAC
CGGAGGAAGGTGGGACGACGTAGATCATCATGCCCTTATG
ACCTGGGCTACACACCGTCTACAATGGACGGTACAACGAGTCG
CAAGCTCGAGATAAGCTAATCTTAAAGCCGTTCTCAGTTC
GGACTGTAGGCTGCAACTCGCCTACACGAAGTCGAATCGCTA
GTAATCGCGGATCAGCATGCCCGGTGAATACGTTCCGGGCC
TTGTACACACCAGCCGTACACCATGGGAGTTGTAACGCCA
AAGTCGGTGGCTAACCTTATGGAGGGAGCCGCTAAGGCCG
GACAGATGACTGGGTGAAGTCGAACAAGTAGCCGTAGGA
GAGCTCGGGCTGGATCACCTCCTTNT3'

LAB Isolate 5: *Lactobacillus kunkeei* strain H14_2_1 BCO2 16S ribosomal RNA gene, partial sequence.

5'GACGAGCTCTCTGAATTGATTGTTATGCTGCATAAATGAT
TTTAGATTGGAGCGAGTGGCGAAGTGGAGTAACACGTGG
GTAACCTGCCCGAAGCGGGGATAACATTGAAACAAATGC
TAATACCGCATAATTAGTGGAACCGCATGGTCCAAC TGAAA
GATGGCTCTGCTATCACTTGGATGGACCCGCGCCGTATTAGT
TAGTTGGTGGAGATAAAAGCCCACCAAGACCATGATACTGAGCC
GACCTGAGAGGTAATCGGCCACATTGGACTGAGACACGGC
CCAGACTCCTACGGAGGCAGCAGTAGGAAATCTCCACAATG
GACGAAAGTCTGATGGAGCAACGCCCGTGAGTGTAGAAGGT
TTCCGGATCGTAAACTCTGTTAAAGAAGAACAAAGTGTAG
AGTAACGTAAACACTTGACGGTATTAAACCAGAAAGCCACG
GCTAACTACGTGCCAGCAGCCCGTAATACGTAGGTGGCAAG
CGTGTCCGGATTATTGGCGTAAGCGAGCGCAGGCGGATT
GTAACTCTGCTGTGAAAGCCCTCAGCTCAACTGAGGAAC
GTGAAACTACAAACTTGAGTACAGAACAGGAAAGTGGAAC
TCCATGTGTAGCGGTGAAATCGTAGATATGGAAAGAACACC
AGTGGCGAACGGCGCTTCTGGTCTGTTACTGACGCTGAGGCT
CGAAAGCATGGTAGCGAACAGGATTAGATACCCCTGGTAGTCC
ATGCCGTAAACGATGAATACTAGGTGTGGAGGGTTCCGCCCT
TCAGTGCCCGAGCTAACGCTTAAGTATTCCGCTGGGAGTAC
GACCGCAAGGTGAAACTCAAAGGAATTGACGGGGCCCGCA
CAAGTGGTAGCGATGTGTTAATCGATGCTACCGAAGAA
CCTTACCAAGCTTGCACATCTCTGCCAACCAAGAGATTGGGC
GTTCCCTCGGGACAGAACGATGACAGCTGGCATGTTGTGCGT
CAGCTCGTGTGAGATGTTGGGTAAGTCCCACGAGCG
CAACCCTATTATTAGTGGCAGCATTAGTGGGACTCTAGTG
AGACTGCCGGTGATAAACCGGAGGAAGGTGGGACGACGTCA
AATCATCATGCCCTTATGAGCTGGCTACACACGTGCTACAAT
GGATGGTACAACGAGTCGCAACCGCGAGGTCAAGCTAATCT
CTTAAAGCCATTCTCAGTCGGATTGCAGGCTGCAACTCGCCTG
CATGAAGTTGAAATCACTAGTAATCGTGGATCAGCATGCCACG
GTGAATACGTTCCCGGGCTTGTACACACCGCCGTACACCCAT
GAGAGTTGTAACACCCAAAGACGATGGGTA3'

AAB Isolate 1: *Acetobacter aceti* strain W1 16S ribosomal RNA gene, partial sequence.

5'AGAGTTGATTCTGGCTCAGAGCGAACGCTGGCGGCATG
CTTAACACATGCAAGTCGCCACGAAGGCTCGGCCCTAGTGGCG
GACGGGTGAGTAACCGTAGGAATCTATCCATGGTGGGGAT

AACTCCGGAACTGGAGCTAACCGCATGATACCTGAGGGTC
AAAGGCAGAAGTCGCCGTGGAGGAGTCTCGTTGATTAGCT
TGTGTTGGGGTAAAGGCCTACCAAGGGCATGATCAATAGCTG
GTCTGAGAGGATGATCAGCCACACTGGGACTGAGACACGGCC
CAGACTCCTACGGGAGGCAGCAGTGGGAATATTGACAATGG
GGGCAACCCCTGATCCAGCAATGCCCGTGTGAAGAAAGGTTT
TCGGATTGTAAGCACTTCGGCGGGACGGATGATGACGGTAC
CCGCAGAAGAACCCCCGGCTAACCTCGTGCCACGCCGG
TAATACGAAGGGGCTAGCGTTGCTCGAATGACTGGCGTAA
AGGGCGTAGGCGGTTGTACAGTCAGATGTGAAATCCCCGG
GCTTAACCTGGGAGCTGCATTGATACGTGCAGACTAGAGTATG
AGAGAGGGITGTGGAATTCTCAGTGTAGAGGTGAAATTCTGAG
ATATTGGGAAGAACACCGGTGGCAAGGGCAACCTGGCTC
ATTACTGACGCTGAGGCAGAACCGTGGGAGCAAACAGGA
TTAGATACCTGGTAGTCCACGCTGAAACGATGTGCTGGAT
GTTGGGTAACCTAGTTACTCAGTGTCTAGCTAACCGATAAGC
ACACCCGCTGGGAGTACGGCCGCAAGGGTAAACTCAAAGG
AATTGACGGGGGCCCGACAAGGGTGGAGCATGTGTTAAT
TCGAAGCAACGCGCAGAACCTTACCAAGGGCTGTATGGAGAG
GCTGTATTAGAGATGGATATTCCGCAAGGGACCTTGCAC
AGGTGCTGCATGGCTGTCGTCAAGCTCGTGTGAGATGTTGGG
TTAAGTCCCACACCGTGTACAATGGCGTGTGACAGTGGAAAGCTA
GATGGCGACATCGTGGCATCTCTAAAAACCGTCTCAGTCGG
ATTGCACTCTGCAACTCGAGTGCATGAAGGTGAAATCGCTAGT
AATCGCGATCAGCATGCCCGGTGAATACGTTCCGGGCTT
GTACACACCGCCCGTACACCATTGGAGTTGGTTGACCTAA
GCCGGTGAGCGAACCGCAAGGACGCAGCCGACCGTCGGG
TCAGCGACTGGGTGAAGTCGAACAAGGTAGCC^{3'}

AAB Isolate 2: *Acetobacter lovaniensis* strain NBRC 13753 16S ribosomal RNA, partial sequence.

5'TGAGTTTGATCCTGGCTCAGAGCGAACGCTGGCGGCAT
GCTTAACACATGCAAGTCGCACGAACCTTCGGGGTAGTGGC
GGACGGGTAGTAACCGTAGGAATCTGCCACGGGTGGGG
ATAACTCTGGAAACTGGAGCTAACCGCATGATACTGAGG
GTCAAAGGCAGTCGCCGTGGAGGAGCCTGCGTCA
GCTAGTTGGTGGGTAAAGGCCTACCAAGGGCATGATCGATAG
CTGGTTGAGAGGATGATGCCACACTGGGACTGAGACACGG
CCCAGACTCCTACGGGAGGCAGCAGTGGGAATATTGACAAT
GGGGCAACCTGATCCAGCAATGCCGTGTGAAGAAGG
TCTTCGGATTGAAAGCACTTCGACGGGACGATGATGACGG
TACCCGTAGAAGAAGCCCCGGCTAACCTCGTGCCAGCAGCCG
GGTAATACGAAGGGCTAGCGTTGCTCGAATGACTGGCGT
AAAGGGCGTAGGCGTTACACAGTCAGATGTGAAATCCCC
GGGCTTAACCTGGGAGCTGCATTGATACGTGTAGACTAGAGTG
TGAGAGAGGGTGTGGAATTCCAGTGTAGAGGTGAAATTCTG
AGATATTGGGAAGAACACCGGTGGCGAAGGGCGAACCTGGC
TCATGACTGACGCTGAGGCAGAACAGCTGGGAGGAGCAAACAG
GATTAGATAACCTGGTAGTCCACGCTGAAACGATGTGCTAG
ATGTTGGGTAACTTGTATTCACTGTCGAGCTAACCGTAA
GCACACCGCCTGGGAGTACGGCCGCAAGGGTGAACACTAAA
GGAATTGACGGGGCCCGACAAGGGTGGAGCATGTGTTA
ATTCAAGCAACGCGCAGAACCTTACCAAGGGCTGAATGTAGA

GGCTGTATTCAAGAGATGGATATTCCCGCAAGGGACCTCTAACAA
CAGGTGCTGCATGGCTGTCGTAGCTCGTGTGAGATGTTGG
GTTAAGTCCCGCAACGAGCGAACCCCTATCTTAGTTGCCAGC
ATGTTGGGTGGGACTCTAGAGAGACTGCCGGTGACAAGCCG
GAGGAAGGTGGGATGACGTCAAGTCCTCATGCCCTATGTC
CTGGGCTACACACGTGCTACAATGCCGGTGACAGTGGGAAGCT
AGATGGTGACATCATGCTGATCTAAAAGCCGTCTCAGTCGG
ATTGCACTCTGCAACTCGACTGCATGAAGGTGGAATCGCTAGT
AATCGCGGATCAGCATGCCGGTGAAATACGTTCCCGGGCCTT
GTACACACCGCCCCGTACACCATGGGAGTTGGTTGACCTAA
GCCGGTGAGCGAACCCGCAAGGGCGCAGCCGACCACGGTCG
GGTCCAGCGACTGGGTGAAGTCGTAC3'

AAB Isolate 3: *Acetobacter pasteurianus* strain bh12 16S ribosomal RNA gene, partial sequence.

5'CCAATGGCCGGCAGCTTACACATGCAGTCGCACGAAGGTT
TCGGCCTTACTGGCGGACGGGTGAGTAACCGTAGGTATCTATC
CATGGGTGGGGATAACACTGGGAAACTGGTGCTAATACCGCA
TGACACCTGAGGGTCAAAGGCCAACTCGCCTGTGGAGGAGC
CTGCGTTGATTAGCTAGTTGGTGGGTAAGGCCTACCAAGGC
GATGATCAATAGCTGGTTGAGAGGGATGATCAGCCACACTGGG
ACTGAGACACGGCCCAGACTCCTACGGGAGGGCAGCAGTGGGG
AATATTGGACAATGGGGCAACCTGATCCAGCAATGCCCGT
GTGTGAAGAAGGTCTCGGATTGTAAGCACTTCGACGGGGA
CGATGATGACGGTACCCGTAGAAGAAGCCCGGCTAACCTCGT
GCCAGCAGCCGCCGTAAACGAAGGGGCTAGCGTTGCTCGG
AATGACTGGCGTAAAGGGCGTGTAGCGGTTGTACAGTCAG
ATGTGAAATCCCCGGCTAACCTGGAGCTGCATTGATACTG
GCAGACTAGACTGTGAGAGAGGGTTGTGGAATTCCAGTGTAG
AGGTGAAATTCTGAGATATTGGGAAAGAACACCCGGTGGCGAAG
GCGGCAACCTGGCTATTACTGACGCTGAGGCCGAAAGCGTG
GGGAGCCGACAGGATTAGATAACCTGGTAGTCCACCGCTGTAAA
CGATGTGCTAGATGTTGGGTGACTTAGTCATTCACTGTCGA
GTTAACCGCTTAAGCACACCGCCTGGGAGTACGGGCCGCGA
GGTGAAACTCAAAGGAATTGACGGGGGGCGCCACAAGCG
GTGGAGCATGTGGTGAATTGAAAGCAACCGCAGAACCTTA
CCACGGCTGGAGGTGAGAGGCTGCAAGCAGAGATGTTGTTT
CCCGCAAGGGACCTCTAACACAGGTGCTGGCTGGCTGTCGTC
AGCTCGTGTGAGATGTTGGTTAACGCTCAGCGAGCGC
AACCCGCTATCTTAGTGCATCAAGTTGGCTGGGCACTCT
AGGAGAGACTGCCAGGTGACCGAGCCCCGACAAGGTGGGAG
AATGACGTAAAGTCCTCATGGCCCTTAAGGTTGCCGTGGGAC
ACGTGCTACAATGGCGGTGACAGTGGGAAGCTAGGTGGTGAC
ACCATGCTGATCTAAAAGCCGTCTCAGTCGGATTGACTCT
GCAACTCGAGTGCATGAAGGTGGAATCGCTAGTAATCGCGGAT
CAGCATGCCCGGTGAATACGTTCCGGGCTTGTACACACCG
CCCGTCACACCATGGGAGTTGGTTGACCTTAAGCCGGTGAGC
GAACCGCAAGGACGCAGCCGACCACGTGTCAGCGT3'