

Recyclable Keggin Heteropolyacids as an Environmentally Benign Catalyst for the Synthesis of New 2-Benzoylamino-*N*-phenyl-benzamide Derivatives under Microwave Irradiations at Solvent-Free Conditions and Evaluation of Biological Activity

Karima Ighilahriz-Boubchir^{a,b}, Baya Boutemeur-Kheddis^a, Cherifa Rabia^c, Malika Makhloufi-Chebli, Maamar Hamdi^a, Artur M.S. Silva^d

^a Laboratoire de Chimie Organique Appliquée (Equipe Hétérocycles). Faculté de Chimie. Université des Sciences et de la Technologie Houari Boumediène. BP 32, El-Alia. 16111 Bab-Ezzouar. Algiers, Algeria

^b Laboratoire de Physique et Chimie des Matériaux (LPCM), Université Mouloud Mammeri, BP17RP, 15000, Tizi Ouzou, Algeria

^c Laboratoire de Chimie du Gaz Naturel. Faculté de Chimie. Université des Sciences et de la Technologie Houari Boumediène. BP 32, El -Alia. 16111 Bab-Ezzouar. Algiers, Algeria

^d Department of Chemistry & QOPNA, University of Aveiro, 3810-193 Aveiro, Portugal
Correspondence: bayakheddis@hotmail.com

Supporting Information

Table of Contents:

Figure S1. ¹H NMR spectrum of compound **5a** in DMSO (300.13 MHz)

Figure S2. ¹³C NMR spectrum of compound **5a** in DMSO (75.47 MHz)

Figure S3. ¹H NMR spectrum of compound **5b** in DMSO (300.13 MHz)

Figure S4. ¹³C NMR spectrum of compound **5b** in DMSO (75.47 MHz)

Figure S5. ¹H NMR spectrum of compound **5c** in DMSO (300.13 MHz)

Figure S6. ¹³C NMR spectrum of compound **5c** in DMSO (75.47 MHz)

Figure S7. ¹H NMR spectrum of compound **5d** in DMSO (300.13 MHz)

Figure S8. ¹³C NMR spectrum of compound **5d** in DMSO (75.47 MHz)

Figure S9. ¹H NMR spectrum of compound **5e** in DMSO (300.13 MHz)

Figure S10. ¹³C NMR spectrum of compound **5e** in DMSO (75.47 MHz)

Figure S11. ¹H NMR spectrum of compound **5f** in DMSO (300.13 MHz)

Figure S12. ¹³C NMR spectrum of compound **5f** in DMSO (75.47 MHz)

Figure S13. ¹H NMR spectrum of compound **5g** in DMSO (300.13 MHz)

Figure S14. ¹³C NMR spectrum of compound **5g** in DMSO (75.47 MHz)

Figure S15. ¹H NMR spectrum of compound **5h** in DMSO (300.13 MHz)

Figure S16. ¹³C NMR spectrum of compound **5h** in DMSO (75.47 MHz)




Figure S1. ^1H NMR spectrum of compound **5a** in DMSO (300.13 MHz)




Figure S2. ^{13}C NMR spectrum of compound **5a** in DMSO (75.47 MHz)




Figure S3. ¹H NMR spectrum of compound **5b** in DMSO (300.13 MHz)




Figure S4. ¹³C NMR spectrum of compound **5b** in DMSO (75.47 MHz)




Figure S5. ^1H NMR spectrum of compound **5c** in DMSO (300.13 MHz)




Figure S6. ^{13}C NMR spectrum of compound **5c** in DMSO (75.47 MHz)




Figure S7. ¹H NMR spectrum of compound **5d** in DMSO (300.13 MHz)




Figure S8. ¹³C NMR spectrum of compound **5d** in DMSO (75.47 MHz)




Figure S9. ¹H NMR spectrum of compound **5e** in DMSO (300.13 MHz)




Figure S10. ¹³C NMR spectrum of compound **5e** in DMSO (75.47 MHz)




Figure S11. ¹H NMR spectrum of compound **5f** in DMSO (300.13 MHz)




Figure S12. ¹³C NMR spectrum of compound **5f** in DMSO (75.47 MHz)




Figure S13. ¹H NMR spectrum of compound **5g** in DMSO (300.13 MHz)




Figure S14. ¹³C NMR spectrum of compound **5g** in DMSO (75.47 MHz)




Figure S15. ¹H NMR spectrum of compound **5h** in DMSO (300.13 MHz)




Figure S16. ¹³C NMR spectrum of compound **5h** in DMSO (75.47 MHz)

