

Supplementary Materials

Flavonoid 8-O-glucuronides from the aerial parts of *Malva verticillata* and their recovery effects on alloxan-induced pancreatic islets in zebrafish

Jung-Hwan Ko, Youn Hee Nam, Sun-Woo Joo, Hyoung-Geun Kim, Yeong-Geun Lee, Tong Ho Kang, Nam-In Baek*

*Graduate School of Biotechnology & Department of Oriental Medicine Biotechnology,
Kyung-Hee University, Yongin 17104, Republic of Korea*

* Corresponding author. Tel.: +82-31-201-2610; Fax: +82-31-201-2157.
E-mail address: nibaek@khu.ac.kr (Nam-In Baek).

CONTENTS

Compounds	Data	Page
1	¹ H-NMR (400 MHz, pyridine- <i>d</i> ₅ and D ₂ O) spectrum	3
1	¹³ C-NMR (100 MHz, pyridine- <i>d</i> ₅ and D ₂ O) spectrum	3
1	gHSQC (400 MHz , pyridine- <i>d</i> ₅ and D ₂ O) spectrum	4
1	gHMBC (400 MHz , pyridine- <i>d</i> ₅ and D ₂ O) spectrum	4
1	ESI-QTof-MS spectrum	5




Fig. S1. ^1H -NMR spectrum of compound **1** (400 MHz, pyridine-*d*5 and D₂O).




Fig. S2. ^{13}C -NMR spectrum of compound **1** (100 MHz, pyridine-*d*5 and D₂O).




Fig. S3. gHSQC spectrum of compound **1** (400 MHz, pyridine-*d*5 and D₂O).




Fig. S4. gHMBC spectrum of compound **1** (400 MHz, pyridine-*d*5 and D₂O).




Fig. S5. ESI-QTof-MS data of compound **1**.