Bioassay-guided isolation of triterpenoids as α-glucosidase inhibitors from *Cirsium setosum*

Xiuting Li ^{1,†}, Xiangjian Zhong ^{2,†}, Xin Wang ², Jinjie Li ², Jiachen Liu ², Kaiqi Wang ², Jianyu Yue ², Ximiao Yang ², Xiaoya Shang ^{2*}, Sheng Lin ^{3*}

^a Beijing Advanced Innovation Center for Food Nutrition and Human Health, Beijing Technology and

Business University (BTBU), Beijing, 100048, China

^b Beiijing Key Laboratory of Bioactive Substances and Functional Foods, Beijing Union University,

Beijing, 100191, China

^c State Key Laboratory of Bioactive Substance and Function of Natural Medicines, Institute of Materia

Medica, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing 100050,

China

Electronic Supplementary Information

^{*}Corresponding authors: E-mail address: shangxiaoya@buu.edu.cn. (X.Y. Shang); lsznn@imm.ac.cn (S. Lin);

[†] These authors contributed equally to this work

The List of Contents

No.	Contents	Page
1	Half-maximal inhibitory concentrations (IC ₅₀) of compounds 3 , 5 , 6 and 8 the positive control acarbose on α -glucosidase <i>in vitro</i> .	S4
2	The HRESIMS Spectrum of Compound 1	S 5
3	The IR Spectrum of Compound 1	S6
4	The UV Spectrum of Compound 1 CH ₃ OH	S7
5	The CD Spectrum of Compound 1 CH3OH	S7
6	The 1H NMR Spectrum of Compound 1 in C_5D_5N	S 8
7	The ¹³ C NMR Spectrum of Compound 1 in C_5D_5N	S 9
8	The DEPT Spectrum of Compound 1 in C ₅ D ₅ N	S10
9	The ¹ H- ¹ H COSY Spectrum of Compound 1 C ₅ D ₅ N	S11
10	The HSQC Spectrum of Compound 1 in C ₅ D ₅ N	S12
11	The HMBC Spectrum of Compound 1 in C ₅ D ₅ N	S13
12	The NOESY Spectrum of Compound 1 in C ₅ D ₅ N	S14
13	The HRESIMS Spectrum of Compound 2	S15
14	The IR Spectrum of Compound 2	S16
15	The UV Spectrum of Compound 2 CH ₃ OH	S16
16	The CD Spectrum of Compound 2 CH3OH	S17
17	The 1H NMR Spectrum of Compound 2 in CDCl ₃	S18
18	The ¹³ C NMR Spectrum of Compound 2 in CDCl ₃	S19
19	The DEPT Spectrum of Compound 2 in CDCl ₃	S20
20	The ¹ H- ¹ H COSY Spectrum of Compound 2 CDCl ₃	S21
21	The HSQC Spectrum of Compound 2 in CDCl ₃	S22

22	The HMBC Spectrum of Compound 2 in CDCl ₃	S23
23	The NOESY Spectrum of Compound 2 in CDCl ₃	S24
24	The HRESIMS Spectrum of Compound 3	S25
25	The IR Spectrum of Compound 3	S25
26	The UV Spectrum of Compound 3 CH ₃ OH	S26
27	The CD Spectrum of Compound 3 CH3OH	S27
28	The 1H NMR Spectrum of Compound 3 in CDCl ₃	S28
29	The ¹³ C NMR Spectrum of Compound 3 in CDCl ₃	S29
30	The ¹ H- ¹ H COSY Spectrum of Compound 3 CDCl ₃	S30
31	The HSQC Spectrum of Compound 3 in CDCl ₃	S 31
32	The HMBC Spectrum of Compound 3 in CDCl ₃	S32
33	The NOESY Spectrum of Compound 3 in CDCl ₃	S33



Half-maximal inhibitory concentrations (IC₅₀) of compounds 3, 5, 6 and 8 the positive control acarbose on α -glucosidase *in vitro*.



The HRESIMS Spectrum of Compound 1





傅里叶变换显微镜红外(FT-IR Microscope): Centaurus

分辨率: 8.000

美国热电公司(Thermo)傅里叶变换红外光谱仪:Nicolet 5700

The IR Spectrum of Compound 1





The UV Spectrum of Compound 1

The CD Spectrum of Compound 1















S12











The HRESIMS Spectrum of Compound 2



扫描次数: 100

傅里叶变换显微镜红外(FT-IR Microscope): Centaurus

分辨率: 8.000

美国热电公司(Thermo)傅里叶变换红外光谱仪:Nicolet 5700

The IR Spectrum of Compound 2





The UV Spectrum of Compound 2















S21



S22







The NOESY Spectrum of Compound 2



The HRESIMS Spectrum of Compound 3





扫描次数: 100

傅立叶变换显微镜红外(FT-IR Microscope): Centaurµs

分辨率: 8.000

美国热电公司(Thermo)傅立叶变换红外光谱仪:Nicolet 5700

The IR Spectrum of Compound 3



The UV Spectrum of Compound 3

The CD Spectrum of Compound 3









S30







The HMBC Spectrum of ompound 3



The ROESY Spectrum of Compound 3