

Supplementary Material for:

The genus *Nerine* Herb. (Amaryllidaceae): Ethnobotany, phytochemistry and biological activity

**Lucie Cahlíková^{1*}, Nina Vaněčková¹, Marcela Šafratová², Katerina Breiterová¹, Gerald Blunden³,
Daniela Hulcová¹, Lubomír Opletal¹**

¹ ADINACO Research Group, Department of Pharmaceutical Botany, Faculty of Pharmacy, Charles University,
Heyrovského 1203, 500 05 Hradec Králové, Czech Republic

² Department of Pharmacognosy, Faculty of Pharmacy, Charles University, Heyrovského 1203, 500 05 Hradec
Králové, Czech Republic

³ School of Pharmacy and Biomedical Sciences, University of Portsmouth, Portsmouth, Hampshire, UK

* Correspondence: cahlikova@faf.cuni.cz; Tel.: +420-495067311; Fax: +420-495067162

	[M ⁺] and characteristic ions, m/z (% relative intensity)	Ref for MS data
Belladine-type		
Belladine (1)	315 (2), 194 (70), 152 (90), 151 (100), 135 (10), 121 (18), 107 (18)	[1]
4'-O-Demethylbelladine (2)	301 (1), 181 (70), 137 (100), 121 (10), 107 (15), 93 (15)	[2]
6-O-Demethylbelladine (3)	301 (1), 194 (68), 151 (100), 135 (12), 121 (15), 107 (17)	[2]
N-Demethylbelladine (4)	301 (2), 299 (3), 273 (1), 195 (6), 180 (20), 151 (100), 138 (4), 128 (2), 121 (9), 107 (6)	[1,3]
Crinine-type		
1-O-Acetylbulbisine (5)	EIMS not available in literature; HRESIMS (TFA salt): 362.1581 [M + H] ⁺	[4]
Acetylnerbodine (6)	361 (75), 318 (30), 302 (60), 273 (20), 254 (50), 244 (25), 43 (100)	[1]
Ambelline (7)	331(100), 316(5), 299(30), 287(55), 270(25), 260(50), 257(35), 255(23), 241(27)	[5]
11-O-Acetyl-1,2-epoxyambelline (8)	389 (60), 330 (75), 316 (100), 274 (30), 256 (55), 231 (40), 228 (12), 205 (25), 203 (27), 190 (18)	[1,6]
11-O-Acetylambelline (9)	373 (100), 358 (15), 342 (15), 330 (10), 314 (70), 313 (69), 298 (30), 282 (55), 270 (25)	[1]
1,2-Epoxyambelline (10)	347 (33), 318 (100), 274 (25), 244 (24), 231 (27), 205 (47), 189 (14), 173 (11), 115 (18)	[6]
Bowdensine (11)	403 (82), 344 (80), 288 (75), 284 (50), 272 (40), 230 (40), 217 (42), 189 (28), 173 (50), 43 (100)	[1]
Buphanamine (12)	301 (100), 286 (12), 284 (14), 272 (14), 256 (18), 231 (25), 218 (18), 204 (18)	[1]
6 α -Hydroxybuphanidrine (13)	331 (54), 299 (22), 287 (49), 276 (100), 261 (36), 255 (37), 243 (20), 217 (34), 203 (20), 115 (38), 77 (36), 56 (75)	[3]
6 α -Methoxybuphanidrine (14)	345 (65), 330 (32), 315 (27), 314 (100), 290 (33), 287 (41), 259 (88), 227 (30), 129 (24), 97 (26), 81 (44), 69 (97)	[3]
Buphanidrine (15)	315 (100), 300 (26), 287 (30), 272 (10), 260 (45), 245 (60), 231 (30), 228 (22)	[1]
Buphanisine (16)	285 (100), 270 (23), 253 (25), 230 (28), 215 (80), 201 (22), 187 (20), 157 (15)	[1]
Crinamidine (17)	317 (75), 288 (100), 274 (5), 259 (22), 258 (25), 243 (28), 244 (30), 230 (25), 217 (40), 205 (40)	[1]
Crinamine (18)	301 (1), 269 (100), 240 (35), 225 (20), 224 (25), 211 (17), 181 (58)	[1]
Crinine (19)	271 (100), 254 (8), 242 (8), 228 (25), 216 (14), 199 (48), 187 (43)	[1]
Crinsarnine (20)	EIMS not available in literature; HRESIMS: 376.1766 [M + H] ⁺	[7]
Deacetylbowdesine (21)	EIMS not available in literature	
Filifoline (22)	436(1), 296 (1), 185 (2), 165 (3), 145 (2), 122 (3), 110 (3), 106 (45), 99 (7), 91 (26), 79 (100), 69 (25), 55 (63)	[3]
Flexinine (23)	287(55), 258(100), 229(15), 228(20), 215(30), 215(25), 187(45), 186(15), 175(55), 173(30), 143(70), 115(85)	[6,8]
Nerbowdine (24)	EIMS not available in literature	
Powelline (25)	301 (100), 284 (8), 272 (7), 258 (20), 246 (12), 244 (12), 229 (80), 217 (40)	[1]
Undulatine (26)	331 (100), 316 (6), 302 (9), 300 (6), 286 (20), 272 (5), 260 (18), 258 (40)	[1]
6-Hydroxyundulatine (27)	347 (47), 318 (3), 276 (44), 274 (22), 256 (39), 246 (21), 231 (27), 219 (96), 204 (38), 189 (18), 115 (27, 56 (100)	[6]
Galanthamine-type		
Galanthamine (28)	287(90), 286(100), 270(20), 244(30), 230(5), 216(45)	[5]
Haemanthamine-type		
Haemanthamine (29)	301(15), 272(100), 240(15), 225(5), 211(15)	[5]
Hammayne (30)	287 (5), 259 (18), 258 (100), 214 (10), 186 (14), 181 (14), 115 (13)	[9,10]
Homolycoreine-type		
Krigaine (31)	EIMS not available in literature	
6-O-Methylkrigaine (32)	EIMS not available in literature; HRESIMS: 362.1599 [M + H] ⁺	[11]
Krigenamine (33)	EIMS not available in literature	
Oxokrigenamine (34)	EIMS not available in literature	
Masonine (35)	299 (1), 190 (2), 162 (4), 134 (1), 109 (100), 108 (23), 94 (4), 82 (2)	[5]
N-Demethylmasonine (36)	285(<1), 162(2), 134(1), 115(1), 95 (100)	[5]
Nerinine (37)	347 (-), 330 (7), 329 (3), 236 (1), 221 (9), 191 (2), 109 (100), 94 (2)	[10,12]
O-Methyloduline (38)	315 (<1), 284 (2), 250 (1), 175 (10), 109 (100)	[5]
Lycorine-type		
Caranina (39)	271 (86), 270 (46), 252 (52), 250 (10), 240 (12), 227 (48), 226 (100), 212 (5)	[1]
Acetylcaranina (40)	313 (80), 270 (5), 253 (20), 252 (95), 250 (15), 240 (10), 225 (40), 226 (100)	[1]
Falcatine (41)	EIMS not available in literature	
Acetylfalcatine (42)	343 (75), 300 (5), 283 (25), 282 (80), 266 (30), 257 (77), 256 (100), 241 (12)	[1]
Hippadine (43)	263 (100), 205 (6), 177 (24), 150 (12)	[13]
Lycorine (44)	287(35), 286(30), 268(20), 250(15), 227(70), 226(100)	[5,11]
1-O-Acetyllycorine (45)	329 (52), 268 (37), 250 (24), 240 (9), 226 (100), 192 (3)	[14,15]
Parkamine (46)	331 (76), 312 (60), 287 (70), 286 (100), 282 (17), 256 (17), 44 (54)	[5]
Acetylparkamine (47)	373 (80), 313 (18), 312 (60), 287 (77), 286 (100), 282 (20), 256 (10)	[5]
Ungeremine (48)	EIMS not available in literature; HRAPCI: 266.0817 [M + H] ⁺	[16]
Montanine-type		
Montanine (49)	301(100), 270(75), 257(30), 252(20), 223(15)	[8]
Mesembrine-type		
Sarniensine (50)	EIMS not available in literature; HRESIMS: 332.1871 [M + H] ⁺	[17]
Sarniensinol (51)	EIMS not available in literature; HRESIMS: 318.1712 [M + H] ⁺	[7]
Tazettine-type		
3-Epimacronine (52)	329 (30), 314 (25), 245 (100), 225 (15), 201 (80), 139 (10)	[8,10]
Tazettine (53)	331(21), 298(20), 247(100), 201(20), 115(23), 70(34)	[11]

References

1. Cahlíková, L.; Zavadil, S.; Macáková, K.; Valterová, I.; Kulhánková, A.; Hošťálková, A.; Kuneš, J.; Opletal, L. Isolation and cholinesterase activity of Amaryllidaceae alkaloids from *Nerine bowdenii*. *Nat. Prod. Commun.* **2011**, 6, 1827-1830.

2. Vančková, N. Study of the inhibitory (toxic) effect of the alkaloids from chosen plants of Amaryllidaceae family on some human enzymatic systems (*in vitro* study) II. Hradec Králové. *Doctoral thesis* **2018**. Faculty of Pharmacy, Charles University.
3. Nair, J.J.; Campbell, W.E.; Brun, R.; Viladomat, F.; Codina, C.; Bastida, J. Alkaloids from *Nerine filifolia*. *Phytochemistry* **2005**, *6*, 373-382.
4. Chen, Ch.K.; Lin, F.H.; Tseng, L.H.; Jiang, Ch.L.; Lee, S.S. Comprehensive study of alkaloids from *Crinum asiaticum* var. *sinicum* assisted by HPLC-DAD-SPE-NMR. *J. Nat. Prod.* **2011**, *74*, 411-419.
5. Cahlíková, L.; Benešová, N.; Macáková, K.; Kučera, R.; Hrstka, V.; Klimeš, J.; Jahodář, L.; Opletal, L. Alkaloids from some Amaryllidaceae species and their cholinesterase activity. *Nat. Prod. Commun.* **2012**, *7*, 571-574.
6. Machocho A., Chhabra S.C., Viladomat F., Codina C., Bastida J.: Alkaloids from *Ammocharis tinneana*. *Phytochemistry*, **1999**, *51*, 1185-1191.
7. Masi, M.; Cala, A.; Tabanca, N.; Cimmino, A.; Green, I.R.; Bloomquist, J.R.; van Otterlo, W.A.L.; Macias, F.A.; Evidente, A. Alkaloids with activity against Zika virus vector *Aedes aegypti* (L.) - Crisarnine and Sarniensinol, two new crinine and mesembrine type alkaloids isolated from the South African plant *Nerine sarniensis*. *Molecules* **2016**, *21*, 1432.
8. Cahlíková, L.; Benešová, N.; Macáková, K.; Urbanová, K.; Opletal, L. GC/MS analysis of three Amaryllidaceae species and their cholinesterase activity, *Nat. Prod. Commun.* **2011**, *6*, 1255-1258.
9. Kobayashi, S.; Tokumoto, T.; Kihara, M.; Imakura, Y.; Shingu, T.; Taira, Z. Alkaloidal constituents of *Crinum latifolium* and *Crinum bulbispernum* (Amaryllidaceae). *Chem. Pharm. Bull.* **1984**, *32*, 3015-3022.
10. de Andrade, J.P.; Giordani, R.B.; Torras-Claveria, L.; Pigni, N.B.; Berkov, S.; Font-Bardia, M.; Calvet, T.; Konrath, E.; Bueno, K.; Sachett, G.; Dutilh, J.H.; de Souza Borges, W.; Viladomat, F.; Henriques, A.T.; Nair, J.J.; Zuanazzi, J.A.S.; Batida, J. The Brazilian Amaryllidaceae as a source of acetylcholinesterase inhibitory alkaloids. *Phytochem. Rev.* **2015**, *15*, 147-160.
11. Molander, M.; Christensen, S.B.; Jäger, A.K.; Olsen, C.E.; Rønsted, N. 6-O-Methylkrigeine, a new Amaryllidaceae alkaloid from *Nerine huttoniae* Schönland. *Nat. Prod. Res.* **2012**, *26*, 56-60.
12. de Andrade, J.P.; Guo, Y.; Font-Bardia, M.; Calvet, T.; Dutilh, J.; Viladomat, F.; Codina, C.; Nair, J.J.; Zuanazzi, J.A.S.; Bastida, J. Crinine-type alkaloids from *Hippeastrum aulicum* and *H. calyptratum*. *Phytochemistry*, **2014**, *103*, 188-195.
13. Torres, J.C.; Pinto, A.C.; Garden, S.J. Application of a catalytic palladium biaryl synthesis reaction, via C-H functionalization, to the total synthesis of Amaryllidaceae alkaloids. *Tetrahedron* **2004**, *60*, 9889-9900.
14. Cedrón, J.C.; Gutiérrez, D.; Flores, N.; Ravelo, Á.G.; Estévez-Braun, A. Synthesis and antiplasmodial activity of lycorine derivatives. *Bioorgan. Med. Chem.* **2010**, *18*, 4694-4701.
15. Lamoral-Theys, D.; Andolfi, A.; van Goetsenoven, G.; Cimmino, A.; le Calvé, B.; Wauthoz, N.; Mégalizzi, V.; Gras, T.; Bruyère, C.; Dubois, J.; Mathieu, V.; Kornienko, A.; Kiss, R.; Evidente, A. Lycorine, the main phenanthridine Amaryllidaceae alkaloid, exhibits significant antitumor activity in cancer cells that display resistance to proapoptotic stimuli: an investigation of structure-activity relationship and mechanistic insight. *J. Med. Chem.* **2009**, *52*, 6244-6256.
16. Pettit, G.R.; Meng, Y.; Herald, D.L.; Knight, J.C.; Day, J.F. Antineoplastic agents. 553. The Texas grasshopper *Brachystola magna*. *J. Nat. Prod.* **2005**, *68*, 1256-125.
17. Masi, M.; van der Westhuyzen, A.E.; Tabanca, N.; Evidente, M.; Cimmino, A.; Green, I.R.; Bernier, U.R.; Becnel, J.J.; Bloomquist, J.R.; van Otterlo, W.A.; Evidente, A. Sarniensine, a mesembrine-type alkaloid isolated from *Nerine sarniensis*, an indigenous South African Amaryllidaceae with larvical and adulticidal activities against *Aedes aegypti*. *Fitoterapia* **2017**, *116*, 34-38.