

Supporting Information

Pestalotiones A–D, four new secondary metabolites from the plant endophytic fungus *Pestalotiopsis theae*

Longfang Guo^{1,2,△}, Jie Lin^{3,△}, Shubin Niu⁴, Shuchun Liu¹, Ling Liu^{1,*}

¹ State Key Laboratory of Mycology, Institute of Microbiology, Chinese Academy of Sciences, Beijing 100101, China

² University of Chinese Academy of Sciences, Beijing 100039, China

³ Jiangsu Key Laboratory for Biofunctional Molecules, College of Life Science and Chemistry, Jiangsu Second Normal University, Nanjing, China

⁴ School of Biological Medicine, Beijing City University, Beijing 100083, China

* Corresponding author: Tel: 86-10-64806153; E-mail: liul@im.ac.cn

△ Contributed equally to this work.

Figure S1. ^1H NMR spectrum of pestalotione A (1 ; 500 MHz, DMSO- d_6)	3
Figure S2. ^{13}C NMR spectrum of pestalotione A (1 ; 125 MHz, DMSO- d_6)	4
Figure S3. HSQC spectrum of pestalotione A (1 ; 500 MHz, DMSO- d_6)	5
Figure S4. HMBC spectrum of pestalotione A (1 ; 500 MHz, DMSO- d_6)	6
Figure S5. ^1H NMR spectrum of pestalotione B (2 ; 500 MHz, acetone- d_6)	7
Figure S6. ^{13}C NMR spectrum of pestalotione B (2 ; 125 MHz, acetone- d_6)	8
Figure S7. HSQC spectrum of pestalotione B (2 ; 500 MHz, acetone- d_6)	9
Figure S8. HMBC spectrum of pestalotione B (2 ; 500 MHz, acetone- d_6)	10
Figure S9. ^1H NMR spectrum of pestalotione C (7 ; 400 MHz, methanol- d_4)	11
Figure S10. ^{13}C NMR spectrum of pestalotione C (7 ; 100 MHz, methanol- d_4)	12
Figure S11. ^1H - ^1H COSY spectrum of pestalotione C (7 ; 400 MHz, methanol- d_4)	13
Figure S12. HSQC spectrum of pestalotione C (7 ; 400 MHz, methanol- d_4)	14
Figure S13. HMBC spectrum of pestalotione C (7 ; 400 MHz, methanol- d_4)	15
Figure S14. ^1H NMR spectrum of pestalotione D (8 ; 400 MHz, CDCl_3)	16
Figure S15. ^{13}C NMR spectrum of pestalotione D (8 ; 100 MHz, CDCl_3)	17
Figure S16. HSQC spectrum of pestalotione D (8 ; 400 MHz, CDCl_3)	18
Figure S17. HMBC spectrum of pestalotione D (8 ; 400 MHz, CDCl_3)	19

Figure S1. ^1H NMR spectrum of pestalotione A (**1**; 500 MHz, $\text{DMSO}-d_6$)




Figure S2. ^{13}C NMR spectrum of pestalotione A (**1**; 125 MHz, $\text{DMSO}-d_6$)




Figure S3. HSQC spectrum of pestalotione A (**1**; 500 MHz, DMSO-*d*₆)




Figure S4. HMBC spectrum of pestalotione A (**1**; 500 MHz, DMSO-*d*₆)




Figure S5. ^1H NMR spectrum of pestalotione B (**2**; 500 MHz, acetone- d_6)




Figure S6. ^{13}C NMR spectrum of pestalotione B (**2**; 125 MHz, acetone- d_6)




Figure S7. HSQC spectrum of pestalotione B (**2**; 500 MHz, acetone-*d*₆)




Figure S8. HMBC spectrum of pestalotione B (**2**; 500 MHz, acetone-*d*₆)




Fig. S9 ^1H NMR spectrum of pestalotione C (**7**; 400 MHz, methanol- d_4)




Fig. S10 ^{13}C NMR spectrum of pestalotione C (**7**; 100 MHz, methanol-*d*₄)




Fig. S11 ^1H - ^1H COSY spectrum of pestalotione C (**7**; 400 MHz, methanol-*d*₄)




Fig. S12 HSQC spectrum of pestalotione C (**7**; 400 MHz, methanol-*d*₄)




Fig. S13 HMBC spectrum of pestalotione C (**7**; 400 MHz, methanol-*d*₄)




Fig. S14 ^1H NMR spectrum of pestalotione D (**8**; 400 MHz, CDCl_3)




Fig. S15 ^{13}C NMR spectrum of pestalotione D (**8**; 100 MHz, CDCl_3)




Fig. S16 HSQC spectrum of pestalotione D (**8**; 400 MHz, CDCl_3)




Fig. S17 HMBC spectrum of pestalotione D (**8**; 400 MHz, CDCl_3)

