

Supplementary Materials

Formation of Tetrahydrofurano-, Aryltetralin, and Butyrolactone Norlignans through the Epoxidation of 9-Norlignans

Patrik A. Runeberg¹, Dominique Agustin^{2,3} and Patrik C. Eklund^{1,*}

¹ Laboratory of Molecular Science and Engineering, Åbo Akademi University, Biskopsgatan 8, 20500 Åbo, Finland; patrik.runeberg@abo.fi

² LCC-CNRS, Université de Toulouse, CNRS, UPS, 31077 Toulouse, France; dominique.agustin@iut-tlse3.fr


³ Institut Universitaire de Technologie Paul Sabatier, Département de Chimie, Av. G. Pompidou, CS20258, F-81104 Castres, France

* Correspondence: paeklund@abo.fi; Tel.: + 358-2-215 4720


Table of Contents

¹ H NMR, ¹³ C NMR and HSQC of: 1A	S2 - S4
1B	S5 - S7
2A	S8 - S10
2B	S11 - S13
3A (isomer 1+3)	S14 - S16
3A (isomer 2)	S17 - S19
3A (isomer 4)	S20 - S22
3B	S23 - S25
4B	S26 - S28


^1H NMR (CDCl_3) of two diastereomers of 1A (traces seen of two other diastereomers)




¹³C NMR (CDCl_3) of two diastereomers of 1A




HSQC (CDCl_3) of diastereomeric mixture of 1A (signals solved for the major isomer)




¹H NMR (CDCl_3) of 1B




^{13}C NMR (CDCl_3) of 1B




HSQC (CDCl_3) of 1B




¹H NMR (CDCl_3) of major diastereomer of 2A (traces of 2 other diastereomers seen)




^{13}C NMR (CDCl_3) of major diastereomer of 2A (traces of 2 other diastereomers seen)




HSQC (CDCl_3) of 2A




¹H NMR (CDCl_3) of 2B




¹³C NMR (CDCl_3) of 2B




HSQC (CDCl_3) of 2B




¹H NMR (MeOD) of isomer 1 of 3A (isomer 3 + traces of isomers 2 and 4 also seen)




^{13}C NMR (MeOD) of isomer 1 and isomer 3 of 3A (traces of isomers 2 and 4 also seen)




HSQC of isomer 1 of 3A (isomer 3 + traces of isomers 2 and 4 also seen)




¹H NMR (MeOD) of isomer 2 of 3A




¹³C NMR (MeOD) of isomer 2 of 3A




HSQC (MeOD) of isomer 2 of 3A




¹H NMR (MeOD) of isomer 4 of 3A (traces of other isomers)




^{13}C NMR (MeOD) of isomer 4 of 3A (traces of other isomers)




HSQC of isomer 4 of 3A (traces of other isomers)




¹H NMR (MeOD) of isomer 1 and isomer 2 of 3B




¹³C NMR (MeOD) of isomer 1 and isomer 2 of 3B




HSQC (MeOD) of isomer 1 and isomer 2 3B



¹H NMR (CDCl₃) of 4B (traces of other diastereomers seen)



¹³C NMR (CDCl_3) of 4B (traces of other diastereomers seen)



HSQC (CDCl_3) of 4B

