

Article

Identification of Kaurane-Type Diterpenes as Inhibitors of Leishmania Pteridine Reductase I

Chonny Herrera-Acevedo ^{1,4}, Areli Flores-Gaspar ^{2,*}, Luciana Scotti ¹, Francisco Jaime Bezerra Mendonça-Junior ³, Marcus Tullius Scotti ^{1,*} and Ericsson Coy-Barrera ^{2,4}

¹ Post-Graduate Program in Natural and Synthetic Bioactive Products, Federal University of Paraíba, João Pessoa, PB 58051-900, Brazil; chonny622@gmail.com (C.H-A.); luciana.scotti@gmail.com (L.S.); mtscott@gmail.com (M.S)


² Departamento de Química, Facultad de Ciencias Básicas y Aplicadas, Universidad Militar Nueva Granada, Cajicá 250247, Colombia; areli.flores@unimilitar.edu.co (A.F-G.)

³ Laboratory of Synthesis and Drug Delivery, State University of Paraíba, João Pessoa, Brazil; franciscojbmen-donca@yahoo.com.br (F.M-J)

⁴ Bioorganic Chemistry Laboratory, Facultad de Ciencias Básicas y Aplicadas, Universidad Militar Nueva Granada, Cajicá 250247, Colombia; ericsson.coy@unimilitar.edu.co (E.C-B.)

* Correspondence: mtscott@gmail.com, Tel.: +55-83-99869-0415 (M.S); areli.flores@unimilitar.edu.co Tel: +57 (1)-650-00-00 ext. 1526. (A.F-G.)

Supplementary material






Figure S1. Ramachandran plots for hybrid models of *L. panamensis*, *L. braziliensis* and *L. amazonensis*.