

Chemical structure of compound 10 is shown in the top left corner. The ¹H NMR spectrum (CDCl₃) displays the following peaks (ppm) and integration values:

Chemical Shift (ppm)	Integration
11.38	1.01
8.84	1.01
8.82	1.01
8.81	1.01
7.73	1.11
7.72	1.11
7.70	1.11
7.69	1.11
7.67	1.11
7.64	1.11
7.63	1.11
7.60	1.11
7.59	1.11
7.54	1.11
7.53	1.11
7.52	1.11
7.47	1.11
7.39	1.11
7.38	1.11
7.37	1.11
7.36	1.11
7.31	1.11
7.29	1.11
7.23	1.11
7.22	1.11
7.22	1.11
6.92	1.11
6.90	1.11
6.81	1.11
6.81	1.11
6.77	1.11
6.77	1.11
6.75	1.11
6.58	1.11
5.10	1.11
5.09	1.11
5.08	1.11
5.07	1.11
4.31	1.11
3.19	1.11
3.18	1.11
3.16	1.11
3.14	1.11
3.09	1.11
3.06	1.11
3.05	1.11
2.89	1.11
2.87	1.11
2.85	1.11
2.76	1.11
2.74	1.11
2.27	1.11
2.25	1.11
2.06	1.11
1.53	1.11
1.50	1.11
1.49	1.11
1.47	1.11
1.46	1.11
1.44	1.11





Figure S1. (2R,4R)-1-(5-chloro-2-((3-cyanobenzyl)oxy)-4-((3-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-2-methylbenzyl)oxy)benzyl)-N-((1-(2-((2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)amino)-2-oxoethyl)piperidin-4-yl)methyl)-4-hydroxypyrrolidine-2-carboxamide (**1**).







Figure S2. (2R,4R)-1-(5-chloro-2-((3-cyanobenzyl)oxy)-4-((3-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-2-methylbenzyl)oxy)benzyl)-N-(3-((2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)amino)propyl)-4-hydroxypyrrolidine-2-carboxamide (**2**).







Figure S3. 2-(4-(((5-chloro-2-((3-cyanobenzyl)oxy)-4-((3-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-2-methylbenzyl)oxy)benzyl)amino)methyl)piperidin-1-yl)-N-(2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)acetamide (3).






Figure S4. N-(2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)-2-(4-(((2-methoxy-6-((2-methyl-[1,1'-biphenyl]-3-yl)methoxy)pyridin-3-yl)methyl)amino)methyl)piperidin-1-yl)acetamide (4).




Figure S5. 2-(2-(2,6-dioxopiperidin-3-yl)-4-((3-(((2-methoxy-6-((2-methyl-[1,1'-biphenyl]-3-yl)methoxy)pyridin-3-yl)methyl)amino)propyl)amino)isoindoline-1,3-dione (5).





Figure S6. 2-(2-dioxopiperidin-3-yl)-4-((3-(((2-methoxy-6-((2-methyl-[1,1'-biphenyl]-3-yl)methoxy)pyridin-3-yl)methyl)amino)propyl)amino)isoindoline-1,3-dione (5).







Figure S7. $^3-((2-((1-(tert-butyl)-1H-tetrazol-5-yl)((3-((2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)amino)propyl)amino)methyl)-4-chloro-5-((3-(2,3-dihydrobenzo[b][1,4]dioxin-6-yl)-2-methylbenzyl)oxy)phenoxy)methyl)benzonitrile$ (**6**).







Figure S8. ^{13}C NMR spectrum of 4-((3-(((1-(tert-butyl)-1H-tetrazol-5-yl)(2-methoxy-6-((2-methyl-[1,1'-biphenyl]-3-yl)methoxy)pyridin-3-yl)methyl)amino)propyl)amino)-2-(2,6-dioxopiperidin-3-yl)isoindoline-1,3-dione (7).








Figure S9. (3'-(benzo-1,4-dioxan-6-yl)-2'-chloro-3-methoxy-[1,1'-biphenyl]-4-yl)methyl 4-(4-(2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)piperazin-1-yl)-4-oxobutanoate (**10**).









Figure S11. N1-((3-((3-cyanobenzyl)amino)-6-((4'-fluoro-2-methyl-[1,1'-biphenyl]-3-yl)methoxy)imidazo[1,2-a]pyridin-2-yl)methyl)-N5-(2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)glutaramide (**12**).






Figure S12. N1-(2-(2,6-dioxopiperidin-3-yl)-1,3-dioxoisindolin-4-yl)-N5-((6-((2-methyl-[1,1'-biphenyl]-3-yl)methoxy)-3-((1-phenylethyl)amino)imidazo[1,2-a]pyridin-2-yl)methyl)glutaramide (13).