

Table S1

	<b>CMT (Lom)</b>	<b>CMT4G</b>	<b>CMT4C</b>
<b>Mutated gene</b>	<b>NDRG1</b> - p.R148X in gipsy population - Duplication of exons 6-8 in Turkey	<b>HK1</b> g.9712C	<b>SH3TC2</b> - Many variants reported - p.Arg1109X and p.C737_P738delinsX are exclusive of gypsy population
<b>Epidemiology</b>	- Gypsy population from Spain, Slovenia, Bulgaria and Italy -Turkey	- Gypsy population from Spain - Slovakia and Bulgaria	Mediterranean countries
<b>Mean age of onset (yr)</b>	6.7	11	Variable
<b>Age of upper limb involvement (yr)</b>	12.7	22	Variable
<b>Evolution</b>	Wheelchair bound by the age >25-40 yr	Wheelchair bound by the age of >50 yr	Variable
<b>Other clinical signs</b>	Deafness, lingual atrophy	-	Deafness, lingual atrophy
<b>Median nerve NCV (m/s)</b>	9.6	20-32	13-30 with C. block
<b>SNAP</b>	Absent	Absent	Absent
<b>Biopsy</b>	Onion bulbs	Clusters of regeneratives fibers	Onion bulbs

yr: years; CMAP: compound motor action potential; CMTNS: Charcot-Marie-Tooth Neuropathy Score; MNCV: motor nerve conduction velocity; NR: not response; ND: Not done; SNAP: sensory nerve action potential