

Oxygenated Analogues of Santacruzamate A

Supplementary Material – ^1H and ^{13}C Spectra

Plamen Angelov ^{1,*}, Stanimir Manolov ¹, Pavel Yanev ¹ and Mladen Naydenov ²

University of Plovdiv Paisii Hilendarski, 24 Tsar Asen Str., 4000 Plovdiv, Bulgaria

¹ Department of Organic Chemistry; ² Department of Human Anatomy and Physiology

* Correspondence: angelov@uni-plovdiv.bg; Tel.: +359 32 261349

Table of Contents:

Figure S1. ^1H NMR spectrum of compound 4a		2
Figure S2. ^{13}C NMR spectrum of compound 4a		2
Figure S3. ^1H NMR spectrum of compound 4b		3
Figure S4. ^{13}C NMR spectrum of compound 4b		3
Figure S5. ^1H NMR spectrum of compound 4c		4
Figure S6. ^{13}C NMR spectrum of compound 4c		4
Figure S7. ^1H NMR spectrum of compound 5a		5
Figure S8. ^{13}C NMR spectrum of compound 5a		5
Figure S9. ^1H NMR spectrum of compound 5b		6
Figure S10. ^{13}C NMR spectrum of compound 5b		6




Figure S1. ^1H NMR spectrum of compound 4a




Figure S2. ^{13}C NMR spectrum of compound 4a




Figure S3. ^1H NMR spectrum of compound **4b**




Figure S4. ^{13}C NMR spectrum of compound **4b**




Figure S5. ^1H NMR spectrum of compound 4c




Figure S6. ^{13}C NMR spectrum of compound 4c




Figure S7. ^1H NMR spectrum of compound 5a




Figure S8. ^{13}C NMR spectrum of compound 5a

