

**Supplementary Material:****5,6-dihydro-[1,2,5]oxadiazolo[3,4-d]pyridazine-4,7-dione**

Timofey N. Chmovzh<sup>1,2</sup>, Karim S. Gaisin<sup>1,3</sup> and Oleg A. Rakitin<sup>1\*</sup>


<sup>1</sup> N. D. Zelinsky Institute of Organic Chemistry Russian Academy of Sciences, 47 Leninsky Prospekt, Moscow, 119991, Russia; orakitin@ioc.ac.ru

<sup>2</sup> Nanotechnology Education and Research Center, South Ural State University, 76 Lenina Avenue, Chelyabinsk, 454080, Russia; chmovzhtn@susu.ru


<sup>3</sup> Department of Chemistry, Moscow State University, 119899 Moscow, Russia

\* Correspondence: orakitin@ioc.ac.ru; Tel.: +7-499-1355327


**Figure S1.** <sup>1</sup>H NMR spectrum of 5,6-dihydro-[1,2,5]oxadiazolo[3,4-d]pyridazine-4,7-dione **1**.




**Figure S2.**  $^{13}\text{C}$  NMR spectrum of 5,6-dihydro-[1,2,5]oxadiazolo[3,4-d]pyridazine-4,7-dione **1**.



**Figure S3.** IR spectrum of 5,6-dihydro-[1,2,5]oxadiazolo[3,4-d]pyridazine-4,7-dione **1**.



**Figure S4.** HRMS spectrum of 5,6-dihydro-[1,2,5]oxadiazolo[3,4-d]pyridazine-4,7-dione **1**.

**Figure S5.** Mass-spectrum of 5,6-dihydro-[1,2,5]oxadiazolo[3,4-d]pyridazine-4,7-dione **1**.

