

# 3-(4-(benzyloxy)-3-methoxyphenyl)-[1,2,4]triazolo[4,3-*a*]pyridine

Katrina E. Doherty, Arturo León Sandoval, Ethan T. Mercier and Nicholas E. Leadbeater\*

Department of Chemistry, University of Connecticut, 55 North Eagleville Road, Storrs, Connecticut 06269-3060, United States


\* Correspondence e-mail: nicholas.leadbeater@uconn.edu

## SUPPORTING INFORMATION

<i>Characterization of N-[(3-methoxy-4-phenylmethoxyphenyl)methylideneamino]pyridin-2-amine (1)</i> .....	S2
<sup>1</sup> H-NMR Spectrum (400 MHz CDCl <sub>3</sub> ).....	S3
<sup>13</sup> C-NMR Spectrum(101 MHz CDCl <sub>3</sub> ).....	S4
IR Spectrum.....	S5
<i>Characterization of 3-(4-(benzyloxy)-3-methoxyphenyl)-[1,2,4]triazolo[4,3-<i>a</i>]pyridine (2)</i> .....	S6
<sup>1</sup> H-NMR Spectrum (400 MHz CDCl <sub>3</sub> ).....	S7
<sup>13</sup> C-NMR Spectrum(101 MHz CDCl <sub>3</sub> ).....	S8
IR Spectrum.....	S9


## Product Characterization

**N-[(3-methoxy-4-phenylmethoxyphenyl)methylideneaminolpyridin-2-amine (1):**  $^1\text{H}$  NMR (400 MHz, DMSO)




$\delta$  10.72 (s, 1H), 8.09 (dd,  $J$  = 4.8, 0.9 Hz, 1H), 7.95 (s, 1H), 7.66 – 7.58 (m, 1H), 7.49 – 7.31 (m, 6H), 7.24 (d,  $J$  = 8.4 Hz, 1H), 7.12 – 7.02 (m,  $J$  = 15.9, 5.0 Hz, 2H), 6.73 (dd,  $J$  = 6.5, 5.2 Hz, 1H), 5.11 (s, 2H), 3.84 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz, DMSO)  $\delta$  157.16, 149.40, 148.48, 147.70, 138.94, 137.79, 136.95, 128.63, 128.39, 127.86, 127.81, 119.72, 114.60, 113.38, 108.25, 106.21, 69.90, 55.48. HRMS (ESI)  $m/z$  calculated for  $\text{C}_{20}\text{H}_{20}\text{N}_3\text{O}_2$  [M + H]<sup>+</sup> 334.1556, found 334.1553 MP: 175–176 °C.


<sup>1</sup>H-NMR Spectrum (400 MHz CDCl<sub>3</sub>)



<sup>13</sup>C-NMR Spectrum 101 MHz CDCl<sub>3</sub>)




## IR Spectrum




## Product Characterization


**N -(4-(benzyloxy)-3-methoxyphenyl)-[1,2,4]triazolo[4,3-*a*]pyridine (2):** <sup>1</sup>H NMR (400 MHz, DMSO) δ 8.55 (d, *J* = 7.0 Hz, 1H), 7.83 (d, *J* = 9.3 Hz, 1H), 7.53 – 7.47 (m, *J* = 7.2 Hz, 2H), 7.46 – 7.32 (m, 6H), 7.27 (d, *J* = 8.3 Hz, 1H), 7.00 (t, *J* = 6.6 Hz, 1H), 5.21 (s, 2H), 3.88 (s, 3H). <sup>13</sup>C NMR (101 MHz, DMSO) δ 149.78, 149.43, 149.15, 145.96, 136.80, 128.45, 127.94, 127.82, 127.62, 123.93, 120.66, 119.21, 115.54, 114.19, 113.65, 111.85, 69.93, 55.73. HRMS (ESI) *m/z* calculated for C<sub>20</sub>H<sub>18</sub>N<sub>3</sub>O<sub>2</sub> [M + H]<sup>+</sup> 332.1399, found 332.1402. MP: 136–139 °C.



<sup>1</sup>H-NMR Spectrum (400 MHz CDCl<sub>3</sub>)



**$^{13}\text{C}$ -NMR Spectrum 101 MHz  $\text{CDCl}_3$**



## IR Spectrum

