

Marine Fungi: Biotechnological Perspectives from Deep-Hypersaline Anoxic Basins

Giulio Barone ^{1,†}, Stefano Varrella ^{2,†}, Michael Tangherlini ¹, Eugenio Rastelli ¹, Antonio Dell'Anno ³, Roberto Danovaro ^{1,3} and Cinzia Corinaldesi ^{2,*}

¹ Stazione Zoologica Anton Dohrn, Villa Comunale, 80121 Naples, Italy

² Department of Materials, Environmental Sciences and Urban Planning, Polytechnic University of Marche, 60131 Ancona, Italy

³ Department of Life and Environmental Sciences, Polytechnic University of Marche, 60131 Ancona, Italy

* Correspondence: c.corinaldesi@univpm.it

† These authors contributed equally.

Table S1. Enzymes potentially produced by DHABs fungi: bioactivity and environmental conditions.

Enzyme	Class	Bioactivity	Fungi	Environmental conditions	References
α -Amylase (EC 3.2.1.1)	Hydrolase	Hydrolysis of alpha bonds of alpha-linked polysaccharides, such as starch and glycogen, yielding glucose and maltose	<i>Aspergillus penicilloides TISTR 3639</i>	Hypersaline man-made saltern	[1]
			<i>Aspergillus gracilis</i>	Hypersaline man-made saltern	[2]
			<i>Aspergillus oryzae</i>		[3]
CMCase (EC 3.2.1.4), β -Glucosidase (EC 3.2.1.21), FPase EC 3.2.1.91)	Hydrolase	Break-down of the cellulose molecule into monosaccharides	<i>Aspergillus niger NS-2</i>	Agricultural and kitchen waste residues	[4]
Cellulase (EC 3.2.1.4)			<i>Aspergillus terreus</i>	Sea water	[5]
endo- β -1,4-glucanases (EC 3.2.1.4), exo- β -1,4-glucanases (EC 3.2.1.91) and cellobiases (EC 3.2.1.21)			<i>Aspergillus ZJUBE-1</i>	Coastal sea sediments	[6]
Chitinase (EC 3.2.1.14)	Hydrolase	Break-down of the glycosidic bonds in chitin	<i>Aspergillus terreus</i>	Antarctica	[7]
Chitinase (EC 3.2.1.14)			<i>Penicillium sp.</i>		[8]
Chitinase (EC 3.2.1.14)			<i>Aspergillus flavus (AUMC 13576)</i>	Suez Gulf sediment	[9]
β -Glucosidase 1 (EC 3.2.1.21)	Hydrolase	Hydrolysis of terminal, non-reducing β -D-glucosyl residues releasing of β -D-glucose	<i>Aspergillus aculeatus</i>	Soil	[10]
β -Glucosidase (EC 3.2.1.21)			<i>Aspergillus fumigatus ABK9</i>	Compost	[11]
β -Glucosidase (EC 3.2.1.21)			<i>Aspergillus niger</i>	East China Sea	[12]
β -Glucosidase (EC 3.2.1.21)			<i>Aspergillus terreus</i>	Soil	[13]
β -Glucosidase (EC 3.2.1.21)			<i>Penicillium canescens</i>		[14]
Laccase (EC 1.10.3.2)	Oxidoreductases	Catalysis of the monoelectronic oxidation of various substrates (e.g. phenols, and aromatic or aliphatic amines) to the corresponding radicals, using molecular oxygen as the final electron acceptor	<i>Aspergillus sclerotiorum, Cladosporium cladosporioides</i>	Cnidarians	[15]
Mn-peroxidase (EC 1.11.1.13)			<i>Aspergillus sclerotiorum, Cladosporium cladosporioides</i>	Cnidarians	[15]
Laccase, Li/Mn-peroxidase (1.10.3.2)			several strains	<i>Posidonia oceanica</i>	[16]

Table S1. Continued.

Enzyme	Class	Bioactivity	Fungi	Environmental conditions	References
Lipase (EC 3.1.1.3)	Hydrolase	Hydrolysis of acylglycerols to release a fatty acid and lower acylglycerols or glycerol	several strains	Antarctica	[17]
Lipase (EC 3.1.1.3)			<i>Aspergillus awamori</i> BTMFW032	Coastal seawater	[18]
Lipase (EC 3.1.1.3)			<i>Candida intermedia</i> YA01a	<i>Sargassum pallidum</i> from sea-water	[19]
Lipase (EC 3.1.1.3)			<i>Rhodotorula mucilaginosa</i> L10-2	<i>Laminaria japonica</i> from sea-water	[19]
Lipase (EC 3.1.1.3)			<i>Aspergillus pullulans</i> HN2.3	Salterns	[19]
Lipase (EC 3.1.1.3)			<i>Candida parapsilosis</i> 3eA2	<i>Apostichopus japonicus</i> from seawater	[19]
Lipase (EC 3.1.1.3)			<i>Candida quercitrusa</i> JHSb	Salterns	[19]
Lipase (EC 3.1.1.3)			<i>Candida rugosa</i> w18	<i>Nemipterus virgatus</i> from sea-water	[19]
Protease (EC 3.4.21)		Hydrolysis of peptide bonds	and several strains	Antarctica	[17]
Protease (EC 3.4.21)			<i>Aspergillus ustus</i> (NIOCC #20)	Deep-sea sediments	[20]
Protease (EC 3.4.21)			<i>Penicillium chrysogenum</i> FS010	Seawater	[21]
Protease (EC 3.4.21)			<i>Rhodotorula mucilaginosa</i> L7	Antarctica	[22]
Tannase (EC 3.1.1.20)	Hydrolase	Hydrolysis of ester and depsidic linkage in hydrolysable tannins such as tannic acid, releasing glucose and gallic acid	<i>Aspergillus fumigatus</i> CAS-21	<i>Posidonia oceanica</i>	[23]
Tannase (EC 3.1.1.20)			several strains		[16]
Tannase (EC 3.1.1.20)			<i>Aspergillus candidus</i> MTTC 9628	Solid waste	[24]
Tannase (EC 3.1.1.20)			<i>Aspergillus awamori</i> BTMFW032	Seawater	[25]
Tannase (E.C.3.1.20)			<i>Penicillium notatum</i> NCIM 923		[26]
Xylanase (EC 3.2.1.8)	Hydrolase	Hydrolysis of the bond between lignin and hemicellulose	several strains	Antarctica	[17]
Xylanase (EC 3.2.1.8)			<i>Aspergillus niger</i>	Chagos trench	[27]
Xylanase (EC 3.2.1.8)			<i>Aspergillus niger</i>	Forest soil	[28]

Table S1. Continued.

Enzyme	Class	Bioactivity	Fungi	Environmental conditions	References
α -rhamnosidase (EC 3.2.1.40)	Hydrolase	Hydrolysis of terminal non-reducing alpha-L-rhamnose residues in alpha-L-rhamnosides	<i>Aspergillus aculeatus</i>	Soil	[29]
α -rhamnosidase (EC 3.2.1.40)			<i>Aspergillus niger</i> JMUTS528		[30]
α -rhamnosidase (EC 3.2.1.40)			<i>Penicillium decumbens</i>	Soil	[31]
GH7 endo-1,4- β -glucanase (EC 3.2.1.73)	Hydrolase	Cleavage of internal glucosidic bonds in the cellulose microfibril crystalline structure	<i>Aspergillus fumigatus</i>	Compost	[32]
β -glucanase (EC 3.2.1.6)	Hydrolase	Endohydrolysis of linkages in beta-D-glucans	<i>Aspergillus terreus</i> DSM 826	Sugar cane bagasse	[33]
β -glucanase (EC 3.2.1.6)			<i>Aspergillus terreus</i> NIH2624		[34]
Endoglucanase (EC 3.2.1.4)	Cellulase	Endohydrolysis of (1->4)-beta-D-glucosidic linkages	<i>Aspergillus terreus</i>	Rice straw	[35]
Xylanase (EC 3.2.1.8)	Hydrolase	Degradation of the linear polysaccharide xylan into xylose	<i>Cladosporium</i> sp.	Antarctic marine sponges	[36]
Inulinase (3.2.1.7)	Hydrolase	Endohydrolysis of beta-D-fructosidic linkages in inulin	<i>Candida membranifaciens</i> subspecie <i>flavinogenie</i> W14-3	Seawater	[37]
Inulinase (3.2.1.7)			Several strains of <i>Aspergillus</i> and <i>Penicillium</i>	Seawater and sediments	[38]
AtFAE-1, AtFAE-2, AtFAE-3	Feruloyl esterase	Cleavage of covalent ester linkage between a phenolic acid and poly- or oligosaccharide liberating hydroxycinnamic acids	<i>Aspergillus terreus</i> MTCC 11096	Soil	[39]
Feruloyl esterase (EC 3.1.1.73)			<i>Aspergillus terreus</i> CBS138435		[40]
L-asparaginase (EC 3.5.1.1)	Hydrolase	Deamination of L-asparagine to L-aspartate and ammonia	Several strains	Diverse	[41]
L-methioninase (EC 4.4.1.11)	Lyases	Conversion of sulphur containing amino acids such as methionine and cysteine to α -keto acids, ammonia, and volatile thiols by α , γ - elimination and γ replacement reactions	Several strains of <i>Aspergillus</i>	Soil	[42]

References

- Ali, I.; Akbar, A.; Anwar, M.; Prasongsuk, S.; Lotrakul, P.; Punnapayak, H. Purification and Characterization of a Polyextremophilic α -Amylase from an Obligate Halophilic *Aspergillus penicillioides* Isolate and Its Potential for Souse with Detergents. *Biomed Res. Int.* **2015**, *2015*, 1–8.
- Ali, I.; Akbar, A.; Yanwisetpakdee, B.; Prasongsuk, S.; Lotrakul, P.; Punnapayak, H. Purification, characterization, and potential of saline waste water remediation of a polyextremophilic α -amylase from an obligate halophilic *Aspergillus gracilis*. *Biomed Res. Int.* **2014**, *2014*, 1–7.
- Carlsen, M.; Nielsen, J. Influence of carbon source on α -amylase production by *Aspergillus oryzae*. *Appl. Microbiol. Biotechnol.* **2001**, *57*, 346–349.
- Bansal, N.; Tewari, R.; Soni, R.; Soni, S.K. Production of cellulases from *Aspergillus niger* NS-2 in solid state fermentation on agricultural and kitchen waste residues. *Waste Manag.* **2012**, *32*, 1341–1346.
- Padmavathi, T.; Nandy, V.; Agarwal, P. Optimization of the medium for the production of cellulases by *Aspergillus terreus* and *Mucor plumbeus*. *Eur. J. Exp. Biol.* **2012**, *2*, 1161–1170.
- Liu, J.; Xue, D.; He, K.; Yao, S. Cellulase production in solid-state fermentation by marine *Aspergillus ZJUBE-1* and Its enzymological properties. *Adv. Sci. Lett.* **2012**, *16*, 381–386.
- Farag, A.M.; Abd-Elnabey, H.M.; Ibrahim, H.A.H.; El-Shenawy, M. Purification, characterization and antimicrobial activity of chitinase from marine-derived *Aspergillus terreus*. *Egypt. J. Aquat. Res.* **2016**, *42*, 185–192.
- Bradner, J.R.; Gillings, M.; Nevalainen, K.M.H. Qualitative assessment of hydrolytic activities in antarctic microfungi grown at different temperatures on solid media. *J. Microbiol.* **1999**, *15*, 131–132.

9. Beltagy, E.A.; Rawway, M.; Abdul-Raouf, U.M.; Elshenawy, M.A.; Kelany, M.S. Purification and characterization of theromohalophilic chitinase producing by halophilic *Aspergillus flavus* isolated from Suez Gulf. *Egypt. J. Aquat. Res.* **2018**, *44*, 227–232.
10. Baba, Y.; Sumitani, J.; Tani, S.; Kawaguchi, T. Characterization of *Aspergillus aculeatus* β -glucosidase 1 accelerating cellulose hydrolysis with Trichoderma cellulase system. *AMB Express* **2015**, *5*, 1–9.
11. Das, A.; Paul, T.; Ghosh, P.; Halder, S.K.; Das Mohapatra, P.K.; Pati, B.R.; Mondal, K.C. Kinetic Study of a Glucose Tolerant β -Glucosidase from *Aspergillus fumigatus* ABK9 Entrapped into Alginate Beads. *Waste and Biomass Valorization* **2015**, *6*, 53–61.
12. Xue, D.-S.; Chen, H.-Y.; Ren, Y.-R.; Yao, S.-J. Enhancing the activity and thermostability of thermostable β -glucosidase from a marine *Aspergillus niger* at high salinity. *Process Biochem.* **2012**, *47*, 606–611.
13. Giraldo, M.A.; Gonçalves, H.B.; Furriel, R. dos P.M.; Jorge, J.A.; Guimarães, L.H.S. Characterization of the co-purified invertase and β -glucosidase of a multifunctional extract from *Aspergillus terreus*. *World J. Microbiol. Biotechnol.* **2014**, *30*, 1501–1510.
14. Dubrovskaya, Y. V.; Sova, V. V.; Slinkina, N.N.; Anastyuk, S.D.; Pivkin, M. V.; Zvyagintseva, T.N. Extracellular β -D-glucosidase of the *Penicillium canescens* marine fungus. *Appl. Biochem. Microbiol.* **2012**, *48*, 401–408.
15. Bonugli-Santos, R.C.; Durrant, L.R.; da Silva, M.; Sette, L.D. Production of laccase, manganese peroxidase and lignin peroxidase by Brazilian marine-derived fungi. *Enzyme Microb. Technol.* **2010**, *46*, 32–37.
16. Panno, L.; Bruno, M.; Voyron, S.; Anastasi, A.; Gnavi, G.; Miserere, L.; Varese, G.C. Diversity, ecological role and potential biotechnological applications of marine fungi associated to the seagrass *Posidonia oceanica*. *N. Biotechnol.* **2013**, *30*, 685–694.
17. Duarte, A.W.F.; Dayo-Owoyemi, I.; Nobre, F.S.; Pagnocca, F.C.; Chaud, L.C.S.; Pessoa, A.; Felipe, M.G.A.; Sette, L.D. Taxonomic assessment and enzymes production by yeasts isolated from marine and terrestrial Antarctic samples. *Extremophiles* **2013**, *17*, 1023–1035.
18. Basheer, S.M.; Chellappan, S.; Beena, P.S.S.; Sukumaran, R.K.; Elyas, K.K.K.; Chandrasekaran, M. Lipase from marine *Aspergillus awamori* BTMFW032: Production, partial purification and application in oil effluent treatment. *N. Biotechnol.* **2011**, *28*, 627–638.
19. Wang, L.; Chi, Z.; Wang, X.; Liu, Z.; Li, J. Diversity of lipase-producing yeasts from marine environments and oil hydrolysis by their crude enzymes. *Ann. Microbiol.* **2009**, *57*, 495–501.
20. Damare, S.; Raghukumar, C.; Muraleedharan, U.D.; Raghukumar, S. Deep-sea fungi as a source of alkaline and cold-tolerant proteases. *Enzyme Microb. Technol.* **2006**, *39*, 172–181.
21. Zhu, H.Y.; Tian, Y.; Hou, Y.H.; Wang, T.H. Purification and characterization of the cold-active alkaline protease from marine cold-adaptive *Penicillium chrysogenum* FS010. *Mol. Biol. Rep.* **2009**, *36*, 2169–2174.
22. Chaud, L.C.S.; Lario, L.D.; Bonugli-Santos, R.C.; Sette, L.D.; Pessoa Junior, A.; Felipe, M. das G. de A. Improvement in extracellular protease production by the marine antarctic yeast *Rhodotorula mucilaginosa* L7. *N. Biotechnol.* **2016**, *33*, 807–814.
23. Cavalcanti, R.M.F.; Jorge, J.A.; Guimarães, L.H.S. Characterization of *Aspergillus fumigatus* CAS-21 tannase with potential for propyl gallate synthesis and treatment of tannery effluent from leather industry. *3 Biotech* **2018**, *8*, 1–11.
24. Murugan, K.; Al-Sohaiba, S.A. Biocompatible Removal of Tannin and Associated Color from Tannery Effluent using the Biomass and Tannin Acyl Hydrolase (E.C.3.1.1.20) Enzymes of Mango Industry Solid Waste Isolate *Aspergillus candidus* MTTC 9628. *Res. J. Microbiol.* **2010**, *5*, 262–271.
25. Beena, P.S.; Soorej, M.B.; Elyas, K.K.; Sarita, G.B.; Chandrasekaran, M. Acidophilic tannase from marine *Aspergillus awamori* BTMFW032. *J. Microbiol. Biotechnol.* **2010**, *20*, 1403–1414.
26. Gayen, S.; Ghosh, U. Purification and characterization of tannin acyl hydrolase produced by mixed solid state fermentation of wheat bran and marigold flower by *Penicillium notatum* NCIM 923. *Biomed Res. Int.* **2013**, *2013*, 1–6.
27. Raghukumar, C.; Raghukumar, S.; Sheelu, G.; Gupta, S.M.; Nagender Nath, B.; Rao, B.R. Buried in time: Culturable fungi in a deep-sea sediment core from the Chagos Trench, Indian Ocean. *Deep. Res. Part I Oceanogr. Res. Pap.* **2004**, *51*, 1759–1768.
28. Sridevi, A.; Sandhya, A.; Ramanjaneyulu, G.; Narasimha, G.; Devi, P.S. Biocatalytic activity of *Aspergillus niger* xylanase in paper pulp biobleaching. *3 Biotech* **2016**, *6*, 165.
29. Manzanares, P.; Van Den Broeck, H.C.; De Graaff, L.H.; Visser, J. Purification and Characterization of Two Different α -L-Rhamnosidases, RhaA and RhaB, from *Aspergillus aculeatus*. *Appl. Environ. Microbiol.* **2001**, *67*, 2230–2234.
30. Li, L.; Yu, Y.; Zhang, X.; Jiang, Z.; Zhu, Y.; Xiao, A.; Ni, H.; Chen, F. Expression and biochemical characterization of recombinant α -l-rhamnosidase r-Rha1 from *Aspergillus niger* JMU-TS528. *Int. J. Biol. Macromol.* **2016**, *85*, 391–399.

31. Young, N.M.; Johnston, R.A.Z.; Richards, J.C. Purification of the α -l-rhamnosidase of *Penicillium decumbens* and characterisation of two glycopeptide components. *Carbohydr. Res.* **1989**, *191*, 53–62.
32. Bernardi, A.V.; de Gouvêa, P.F.; Gerolamo, L.E.; Yonamine, D.K.; de Lourdes de Lima Balico, L.; Uyemura, S.A.; Dinamarco, T.M. Functional characterization of GH7 endo-1,4- β -glucanase from *Aspergillus fumigatus* and its potential industrial application. *Protein Expr. Purif.* **2018**, *150*, 1–11.
33. Elshafei, A.M.; Hassan, M.M.; Haroun, B.M.; Abdel-Fatah, O.M.; Atta, H.M.; Othman, A.M. Purification and properties of an endoglucanase of *Aspergillus terreus* DSM 826. *J. Basic Microbiol.* **2009**, *49*, 426–432.
34. Segato, F.; Dias, B.; Berto, G.L.; de Oliveira, D.M.; De Souza, F.H.M.; Citadini, A.P.; Murakami, M.T.; Damásio, A.R.L.; Squina, F.M.; Polikarpov, I. Cloning, heterologous expression and biochemical characterization of a non-specific endoglucanase family 12 from *Aspergillus terreus* NIH2624. *Biochim. Biophys. Acta* **2017**, *1865*, 395–403.
35. Narra, M.; Dixit, G.; Divecha, J.; Kumar, K.; Madamwar, D.; Shah, A.R. Production, purification and characterization of a novel GH 12 family endoglucanase from *Aspergillus terreus* and its application in enzymatic degradation of delignified rice straw. *Int. Biodeterior. Biodegrad.* **2014**, *88*, 150–161.
36. Del-Cid, A.; Ubilla, P.; Ravanal, M.-C.; Medina, E.; Vaca, I.; Levicán, G.; Eyzaguirre, J.; Chávez, R. Cold-Active Xylanase Produced by Fungi Associated with Antarctic Marine Sponges. *Appl. Biochem. Biotechnol.* **2014**, *172*, 524–532.
37. Zhang, L.L.; Tan, M.J.; Liu, G.L.; Chi, Z.; Wang, G.Y.; Chi, Z.M. Cloning and Characterization of an Inulinase Gene From the Marine Yeast *Candida membranifaciens* subsp. *flavinogenie* W14-3 and Its Expression in *Saccharomyces* sp. W0 for Ethanol Production Lin-Lin. *Mol. Biotechnol.* **2015**, *57*, 337–347.
38. Doi, S.A.; Pinto, A.B.; Canali, M.C.; Polezel, D.R.; Merguizo Chinellato, R.A.; de Oliveira, A.J. Density and diversity of filamentous fungi in the water and sediment of Araca bay in São Sebastião, São Paulo, Brazil. *BIOTA Neotrop.* **2018**, *18*, e20170416.
39. Kumar, C.G.; Kamle, A.; Kamal, A. Purification and biochemical characterization of feruloyl esterases from *Aspergillus terreus* MTCC 11096. *Biotechnol. Prog.* **2013**, *29*, 924–932.
40. Mäkelä, M.R.; Dilokpimol, A.; Koskela, S.M.; Kuuskeri, J.; de Vries, R.P.; Hildén, K. Characterization of a feruloyl esterase from *Aspergillus terreus* facilitates the division of fungal enzymes from Carbohydrate Esterase family 1 of the carbohydrate-active enzymes (CAZy) database. *Microb. Biotechnol.* **2018**, *11*, 869–880.
41. Souza, P.M.; de Freitas, M.M.; Cardoso, S.L.; Pessoa, A.; Guerra, E.N.S.; Magalhães, P.O. Optimization and purification of L-asparaginase from fungi: A systematic review. *Crit. Rev. Oncol. Hematol.* **2017**, *120*, 194–202.
42. Khalaf, S.A.; El-Sayed, A.S.A. L-Methioninase Production by Filamentous Fungi: I-Screening and Optimization Under Submerged Conditions. *Curr. Microbiol.* **2009**, *58*, 219–226.