

The effect of long-term agricultural use on the bacterial microbiota of chernozems of the forest-steppe zone

Supplementary materials

Konstantin S. Boyarshin, Valeria V. Adamova, Zheng Wentao, Olga Y. Obuhova, Marina V. Kolkova, Vitaliy A. Nesterenko, Olga S. Bespalova, Violetta V. Kluyeva, Kristina A. Degtyareva, Yulia N. Kurkina, Olesia A. Makanina, Irina V. Batlutskaya




Figure S1 (Beginning) Shares of bacterial families in microbiota of chernozem. Blue bars mean arable sites, orange not arable. 95% confidence intervals were calculated for n=10.

The effect of long-term agricultural use on the bacterial microbiota of chernozems of the forest-steppe zone

Supplementary materials

Konstantin S. Boyarshin, Valeria V. Adamova, Zheng Wentao, Olga Y. Obuhova, Marina V. Kolkova, Vitaliy A. Nesterenko, Olga S. Bespalova, Violetta V. Kluyeva, Kristina A. Degtyareva, Yulia N. Kurkina, Olesia A. Makanina, Irina V. Batlutskaya




Figure S1 (Ending) Shares of bacterial families in microbiota of chernozem. Blue bars mean arable sites, orange not arable. 95% confidence intervals were calculated for n=10.

The effect of long-term agricultural use on the bacterial microbiota of chernozems of the forest-steppe zone

Konstantin S. Boyarshin, Valeria V. Adamova, Zheng Wentao, Olga Y. Obuhova, Marina V. Kolkova, Vitaliy A. Nesterenko, Olga S. Bespalova, Violetta V. Kluyeva, Kristina A. Degtyareva, Yulia N. Kurkina, Olesia A. Makanina, Irina V. Batlutskaya

Supplementary materials




Figure S2 (Beginning) Shares of bacterial genera in microbiota of chernozem. Blue bars mean arable sites, orange not arable. 95% confidence intervals were calculated for n=10.

The effect of long-term agricultural use on the bacterial microbiota of chernozems of the forest-steppe zone

Konstantin S. Boyarshin, Valeria V. Adamova, Zheng Wentao, Olga Y. Obuhova, Marina V. Kolkova, Vitaliy A. Nesterenko, Olga S. Bespalova, Violetta V. Kluyeva, Kristina A. Degtyareva, Yulia N. Kurkina, Olesia A. Makanina, Irina V. Batlutskaya

Supplementary materials




Figure S2 (Ending) Shares of bacterial genera in microbiota of chernozem. Blue bars mean arable sites, orange not arable. 95% confidence intervals were calculated for n=10.