

Supporting Information

Table of Contents

Figure S1. Gel filtration chromatography of YD on a Sephadex-G10 Gel column.	2
Figure S2. Gel filtration chromatography of YT on a Sephadex-G10 Gel column.	3
Figure S3. ^1H -NMR of G2 .	4
Figure S4. DEPTQ (C-NMR) of G2 .	5
Figure S5. HMBC spectrum of G2 .	6
Figure S6. 2D HSQC spectrum of G2 .	7
Figure S7. 2D TOCSY of G2 .	8
Figure S8. ^1H -NMR of G3 .	9
Figure S9. DEPTQ (C-NMR) of G3 .	10
Figure S10. ^1H -NMR of G3 .	11
Figure S11. DEPTQ (C-NMR) of G3 .	12
Figure S12. ^1H -NMR of YT .	13
Figure S13. DEPTQ (C-NMR) of YT .	14



Figure S1. Gel filtration chromatography of **YD** on a Sephadex-G10 Gel column.**Figure S2.** Gel filtration chromatography of **YT** on a Sephadex-G10 Gel column.

Figure S3. ^1H -NMR of G2.




Figure S4. DEPTQ (C-NMR) of G2.




Figure S5. HMBC spectrum of G2.





Figure S6. 2D HSQC spectrum of G2.

Figure S7. 2D TOCSY of G2.




Figure S8. ^1H -NMR of G3.





Figure S9. DEPTQ (C-NMR) of G3.

Figure S10. ^1H -NMR of G3.





Figure S11. DEPTQ (C-NMR) of G3.

Figure S12. ^1H -NMR of YT.




Figure S13. DEPTQ (C-NMR) of YT.

