

Supplementary Information

Figure S1. ^1H NMR spectrum (400 MHz, CDCl_3) of eurothiocin A (**1**).





Figure S2. ^{13}C NMR spectrum (100 MHz, CDCl_3) of eurothiocin A (**1**).


Figure S3. DEPT 90 spectrum of eurothiocin A (**1**).


Figure S4. DEPT 135 spectrum of eurothiocin A (**1**).


Figure S5. H–H COSY spectrum of eurothiocin A (**1**).


Figure S6. HSQC spectrum of eurothiocin A (**1**).

Figure S7. HMBC spectrum of eurothiocin A (**1**).




Figure S8. ^1H NMR spectrum (400 MHz, CDCl_3) of eurothiocin B (**2**).




Figure S9. ^{13}C NMR spectrum (100 MHz, CDCl_3) of eurothiocin B (**2**).





Figure S10. DEPT 90 spectrum of eurothiocin B (**2**).


Figure S11. DEPT 135 spectrum of eurothiocin B (**2**).


Figure S12. ^1H - ^1H COSY spectrum of eurothiocin B (**2**).


Figure S13. HSQC spectrum of eurothiocin B (**2**).



Figure S14. HMBC spectrum of eurothiocin B (2).

Figure S15. Calculated ECD spectra of the four most stable conformers of (*R*)-**1**.

© 2014 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).