

Supplementary Materials

A New Sesquiterpenoid Aminoquinone from an Indonesian Marine Sponge

Walter Balansa ^{1,2}, Ute Mettal ^{1,3}, Zerlina G. Wuisan ^{1,3}, Anuchit Plubrukarn ⁴,
Frans G. Ijong ^{2,5}, Yang Liu ^{1,3,*} and Till F. Schäberle ^{1,3,6,*}

¹ Institute for Insect Biotechnology, Justus-Liebig-University of Giessen, 35392 Giessen, Germany; walterbalansa1@gmail.com (W.B.); Ute.Mettal@chemie.uni-giessen.de (U.M.); Zerlina.G.Wuisan@bio.uni-giessen.de (Z.G.W)

² Department of Fisheries and Marine Science, Nusa Utara Polytechnic, 95812 Tahuna, North Sulawesi, Indonesia; ijongfrans@yahoo.com

³ Department of Bioresources of the Fraunhofer Institute for Molecular Biology and Applied Ecology, 35394 Giessen, Germany

⁴ Department of Pharmacognosy and Pharmaceutical Botany, Faculty of Pharmaceutical Sciences, Prince of Songkla University, 90110 Songkhla, Thailand; anuchit.pl@psu.ac.th

⁵ Faculty of Fisheries and Marine Science, Sam Ratulangi University, 95115 Manado, Indonesia

⁶ German Center for Infection Research (DZIF), Partner Site Giessen-Marburg-Langen, 35392 Giessen, Germany

* Correspondence: Liu.Yang@agrar.uni-giessen.de (Y.L.); Till.F.Schaeberle@agrar.uni-giessen.de (T.F.S.); Tel.: +49-641-99-37140 (T.F.S.)

Contents

Figure S1. ^1H NMR spectrum of compound **1** (600 MHz, CD_3OD , δ in ppm).

Figure S2. ^{13}C NMR spectrum of compound **1** (150 MHz, CD_3OD , δ in ppm).

Figure S3. COSY spectrum of compound **1** (CD_3OD , δ in ppm).

Figure S4. HSQC spectrum of compound **1** (CD_3OD , δ in ppm).

Figure S5. HMBC spectrum of compound **1** (CD_3OD , δ in ppm).

Figure S6. NOESY spectrum of compound **1** (CD_3OD , δ in ppm).

Figure S7. LC-HRESIMS of compound **1**.

Figure S8. UV spectra of compounds **1–4**.

Figure S9. Diagrams for MIC determination of compounds **2–4**.




Figure S1. ¹H NMR spectrum of compound 1 (600 MHz, CD₃OD, δ in ppm).




Figure S2. ¹³C NMR spectrum of compound 1 (150 MHz, CD₃OD, δ in ppm).




Figure S3. COSY spectrum of compound 1 (CD₃OD, δ in ppm).




Figure S4. HSQC spectrum of compound 1 (CD₃OD, δ in ppm).




Figure S5. HMBC spectrum of compound 1 (CD₃OD, δ in ppm).




Figure S6. NOESY spectrum of compound 1 (CD₃OD, δ in ppm).




Figure S7. LC-HRESIMS of compound 1.




Figure S8. UV spectra of compounds 1–4. (a) UV absorption of compound 1; (b) UV absorption of compound 2; (c) UV absorption of compound 3; (d) UV absorption of compound 4.




Figure S9. Diagram for MIC determination of compounds 2–4. (a) MIC diagram of compound 2–4 against *B. megaterium*; (b) MIC diagram of compound 2–4 against *M. luteus*.