

## Supplementary Information

# Seven New Alkaloids Isolated from Marine *Flavobacterium Tenacibaculum discolor* sv11

Lei Wang <sup>1,2</sup>, Michael Marner <sup>2</sup>, Ute Mettal <sup>1,2</sup>, Yang Liu <sup>1,2,\*</sup> and Till F. Schäberle <sup>1,2,3,\*</sup>

<sup>1</sup> Institute for Insect Biotechnology, Justus-Liebig-University Giessen, 35392 Giessen, Germany

<sup>2</sup> Fraunhofer Institute for Molecular Biology and Applied Ecology (IME), Branch for Bioresources, 35392 Giessen, Germany



<sup>3</sup> German Center for Infection Research (DZIF), Partner Site Giessen-Marburg-Langen, 35392 Giessen, Germany

\* Correspondence: Till.F.Schaeberle@agrar.uni-giessen.de; Tel.: +49-(0)641-97219-140 (T.F.S.);  
Liu.Yang@agrar.uni-giessen.de (Y.L.)

## Contents

Figure S1. The HR-ESI-MS and HR-ESI-MS/MS of compound 1.....	1
Figure S2. The $^1\text{H}$ -NMR (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1.....	2
Figure S3. The $^{13}\text{C}$ -NMR (175 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1.....	2
Figure S4. The HSQC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1.....	3
Figure S5. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1. ....	3
Figure S6. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1. ....	4
Figure S7. The $^1\text{H}$ - $^{15}\text{N}$ HMBC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1.....	4
Figure S8. The $^1\text{H}$ - $^{15}\text{N}$ HMBC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1 (measured with non-uniform sampling).....	5
Figure S9. The $^1\text{H}$ -NMR (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added. ....	5
Figure S10. The HSQC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added. ....	6
Figure S11. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added. ....	6
Figure S12. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added. ....	7
Figure S13. The $^1\text{H}$ - $^{15}\text{N}$ HMBC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added. ....	7
Figure S14. The HR-ESI-MS and HR-ESI-MS/MS of compound 2.....	8
Figure S15. The $^1\text{H}$ -NMR (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 2.....	9
Figure S16. The $^{13}\text{C}$ -NMR (175 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 2.....	9
Figure S17. The HSQC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 2.....	10
Figure S18. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 2. ....	10
Figure S19. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 2. ....	11
Figure S20. The HR-ESI-MS and HR-ESI-MS/MS of compound 3.....	12
Figure S21. The $^1\text{H}$ -NMR (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 3.....	13
Figure S22. The $^{13}\text{C}$ -NMR (175 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 3.....	13
Figure S23. The HSQC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 3.....	14
Figure S24. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 3. ....	14
Figure S25. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, $\text{DMSO-}d_6$ ) spectrum of compound 3. ....	15
Figure S26. The HR-ESI-MS and HR-ESI-MS/MS of compound 4.....	16

Figure S27. The $^1\text{H}$ -NMR (700 MHz, DMSO- $d_6$ ) spectrum of compound 4.....	17
Figure S28. The $^{13}\text{C}$ -NMR (175 MHz, DMSO- $d_6$ ) spectrum of compound 4.....	17
Figure S29. The HSQC (700 MHz, DMSO- $d_6$ ) spectrum of compound 4.....	18
Figure S30. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, DMSO- $d_6$ ) spectrum of compound 4. ....	18
Figure S31. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, DMSO- $d_6$ ) spectrum of compound 4. ....	19
Figure S32. The HR-ESI-MS and HR-ESI-MS/MS of compound 5.....	20
Figure S33. The $^1\text{H}$ -NMR (700 MHz, DMSO- $d_6$ ) spectrum of compound 5.....	21
Figure S34. The HSQC (700 MHz, DMSO- $d_6$ ) spectrum of compound 5.....	21
Figure S35. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, DMSO- $d_6$ ) spectrum of compound 5. ....	22
Figure S36. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, DMSO- $d_6$ ) spectrum of compound 5. ....	22
Figure S37. The HR-ESI-MS and HR-ESI-MS/MS of compound 6.....	23
Figure S38. The $^1\text{H}$ -NMR (700 MHz, DMSO- $d_6$ ) spectrum of compound 6.....	24
Figure S39. The $^{13}\text{C}$ -NMR (175 MHz, DMSO- $d_6$ ) spectrum of compound 6.....	24
Figure S40. The HSQC (700 MHz, DMSO- $d_6$ ) spectrum of compound 6.....	25
Figure S41. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, DMSO- $d_6$ ) spectrum of compound 6. ....	25
Figure S42. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, DMSO- $d_6$ ) spectrum of compound 6. ....	26
Figure S43. The HR-ESI-MS and HR-ESI-MS/MS of compound 7.....	27
Figure S44. The $^1\text{H}$ -NMR (700 MHz, DMSO- $d_6$ ) spectrum of compound 7.....	28
Figure S45. The $^{13}\text{C}$ -NMR (175 MHz, DMSO- $d_6$ ) spectrum of compound 7.....	28
Figure S46. The HSQC (700 MHz, DMSO- $d_6$ ) spectrum of compound 7.....	29
Figure S47. The $^1\text{H}$ - $^1\text{H}$ COSY (700 MHz, DMSO- $d_6$ ) spectrum of compound 7. ....	29
Figure S48. The $^1\text{H}$ - $^{13}\text{C}$ HMBC (700 MHz, DMSO- $d_6$ ) spectrum of compound 7. ....	30
Figure S49. SDS-PAGE gel showing the purification of His-tagged DisA. ....	30








Figure S2. The <sup>1</sup>H-NMR (700 MHz, DMSO-*d*<sub>6</sub>) spectrum of compound 1.



Figure S3. The <sup>13</sup>C-NMR (175 MHz, DMSO-*d*<sub>6</sub>) spectrum of compound 1.



**Figure S4.** The HSQC (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 1.



**Figure S5.** The  $^1\text{H}$ - $^1\text{H}$  COSY (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 1.




Figure S6. The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 1.





Figure S7. The  $^1\text{H}$ - $^{15}\text{N}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 1.




**Figure S8. The  $^1\text{H}$ - $^{15}\text{N}$  HMBC (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound **1** (measured with non-uniform sampling).**




**Figure S9. The  $^1\text{H}$ -NMR (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added.**







**Figure S10.** The HSQC (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added.




**Figure S11.** The  $^1\text{H}$ - $^1\text{H}$  COSY (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 1 with TFA added.




**Figure S12.** The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 1 with TFA added.





**Figure S13.** The  $^1\text{H}$ - $^{15}\text{N}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 1 with TFA added.




Meas. $m/z$	#	Ion Formula	$m/z$	err [ppm]	mSigma	# mSigma	Score	rdB	e <sup>-</sup> Conf	N-Rule
402.2543	1	C <sub>26</sub> H <sub>32</sub> N <sub>3</sub> O	402.2540	-0.9	85.1	1	100.00	12.5	even	ok
402.2543	2	C <sub>14</sub> H <sub>36</sub> N <sub>5</sub> O <sub>8</sub>	402.2558	3.7	154.4	2	1.20	-0.5	even	ok
402.2543	3	C <sub>11</sub> H <sub>28</sub> N <sub>15</sub> O <sub>2</sub>	402.2545	0.4	154.9	3	2.40	5.5	even	ok




**Figure S14. The HR-ESI-MS and HR-ESI-MS/MS of compound 2.**







**Figure S17.** The HSQC (700 MHz, DMSO- $d_6$ ) spectrum of compound 2.





**Figure S18.** The  $^1\text{H}$ - $^1\text{H}$  COSY (700 MHz, DMSO- $d_6$ ) spectrum of compound 2.




**Figure S19.** The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 2.




**Figure S20. The HR-ESI-MS and HR-ESI-MS/MS of compound 3.**










**Figure S23.** The HSQC (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 3.





**Figure S24.** The  $^1\text{H}$ - $^1\text{H}$  COSY (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 3.




**Figure S25.** The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 3.




**Figure S26. The HR-ESI-MS and HR-ESI-MS/MS of compound 4.**








**Figure S29.** The HSQC (700 MHz, DMSO-*d*<sub>6</sub>) spectrum of compound 4.





**Figure S30.** The <sup>1</sup>H-<sup>1</sup>H COSY (700 MHz, DMSO-*d*<sub>6</sub>) spectrum of compound 4.



**Figure S31.** The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 4.



**Figure S32. The HR-ESI-MS and HR-ESI-MS/MS of compound 5.**








Figure S35. The  $^1\text{H}$ - $^1\text{H}$  COSY (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 5.






Figure S36. The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 5.



Meas. m/z	#	Ion Formula	m/z	err [ppm]	mSigma	# mSigma	Score	rdb	eÅ <sup>-</sup> Conf	N-Rule
333.2329	1	C <sub>23</sub> H <sub>29</sub> N <sub>2</sub>	333.2325	-1.2	23.6	1	100.00	10.5	even	ok



**Figure S37. The HR-ESI-MS and HR-ESI-MS/MS of compound 6.**




Figure S38. The  $^1\text{H}$ -NMR (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 6




Figure S39. The  $^{13}\text{C}$ -NMR (175 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 6




Figure S40. The HSQC (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 6.







Figure S41. The  $^1\text{H}$ - $^1\text{H}$  COSY (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 6.



**Figure S42.** The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO-}d_6$ ) spectrum of compound 6.



**Figure S43. The HR-ESI-MS and HR-ESI-MS/MS of compound 7.**




Figure S44. The <sup>1</sup>H-NMR (700 MHz, DMSO-*d*<sub>6</sub>) spectrum of compound 7




Figure S45. The <sup>13</sup>C-NMR (175 MHz, DMSO-*d*<sub>6</sub>) spectrum of compound 7




Figure S46. The HSQC (700 MHz, DMSO- $d_6$ ) spectrum of compound 7.




Figure S47. The  $^1\text{H}$ - $^1\text{H}$  COSY (700 MHz, DMSO- $d_6$ ) spectrum of compound 7.






Figure S48. The  $^1\text{H}$ - $^{13}\text{C}$  HMBC (700 MHz,  $\text{DMSO}-d_6$ ) spectrum of compound 7.




Figure S49. SDS-PAGE gel showing the purification of His-tagged DisA.