

Supplementary Table 1: Population size and sample size, by province.

Province	Population estimate	% of total population	Number of 50+ sampled	% of 50+ sampled
	<i>N=54,956,900</i>		<i>N=1,817</i>	
Eastern Cape	6,916,200	12.6	287	15.8
Free State	2,817,900	5.1	157	8.6
Gauteng	13,200,300	24.0	321	17.7
KwaZulu-Natal	10,919,100	19.9	311	17.1
Limpopo	5,726,800	10.4	108	5.9
Mpumalanga	4,283,900	7.8	220	12.1
Northern Cape	1,185,600	2.2	62	3.4
North West	3,707,000	6.7	116	6.4
Western Cape	6,200,100	11.3	235	12.9

Source: Statistics SA 'Mid-year population estimates' (2015) Table 2 p 2.

Supplementary Table 2: Results of fitting stepwise backward elimination multiple logistic regression models for factors associated with hypertension and diabetes (p=0.10).

VARIABLE	Description	HYPERTENSION		DIABETES	
		aOR (95% CI)	P-value	aOR (95% CI)	P-value
<i>Demographic characteristics</i>					
Age (years)		1.05 (1.04; 1.06)	<0.001	1.04 (1.03; 1.05)	<0.001
Sex					
	<i>Male</i>	Reference		Reference	
	<i>Female</i>	2.08 (1.46; 2.98)	<0.001	1.86 (1.3; 2.65)	0.001
<i>Socio-economic status characteristics</i>					
Household wealth tertile					
	<i>1 [lowest]</i>	Reference		Reference	
	<i>2</i>	0.82 (0.57; 1.16)	0.257	0.59 (0.42; 0.85)	0.004
	<i>3 [highest]</i>	0.63 (0.41; 0.97)	0.037	0.42 (0.27; 0.64)	<0.001
Support from government?					
	<i>No</i>	Reference			
	<i>Yes</i>	1.37 (1.00; 1.87)	0.046		
Years of schooling		0.91 (0.87; 0.96)	<0.001	0.93 (0.88; 0.97)	0.002
<i>Anthropological characteristics</i>					
BMI		1.03 (1.01; 1.05)	0.004		
<i>Behavioral characteristics</i>					
Add salt at table?					
	<i>No</i>				
	<i>Yes</i>	1.85 (1.37; 2.50)	<0.001		
Ever used tobacco?				Reference	
	<i>No</i>				
	<i>Yes</i>			1.62 (1.12; 2.32)	0.010

CI- Confidence Interval; aOR- adjusted odds ratio; Results are from multivariate logistic regression models adjusting for all the potential covariates listed in Table 2. Only significant variables are reported