

Table S1. The context sequences of four HOTAIR SNPs in the study.

Variable	Assay ID	Context Sequence
HOTAIR (rs920778)	C_9162435_20	TACAGCTTAAATGTCTGAATGTTAC[A/G]GTTT CCTTCAGAAAACAAGGCGGTA
HOTAIR (rs12427129)	C_2104247_10	GCCCAC TCCGTGGCCAAGGAGCCGG[C/T]CAA AGGAGCCGCCCGCAGTAGGTAG
HOTAIR (rs4759314)	C_27930754_10	GCTTGGAAGGGATATAAACAGGCCA[A/G]GCG GATGCAAGTTAATAAACCTGA
HOTAIR (rs1899663)	C_2104251_20	TCCAAAAGCCTCTAATTGTTGTCAC[A/C]TCCA CCCTCCTCAACTGGAAAAATG

Figure S1

HOTAIR rs920778




Figure S1: Representative TaqMan assay for *HOTAIR* rs920778 genotyping.

Figure S2

HOTAIR rs12427129




Figure S2: Representative TaqMan assay for *HOTAIR* rs12427129 genotyping.

Figure S3

HOTAIR rs4759314




Figure S3: Representative TaqMan assay for *HOTAIR* rs4759314 genotyping.

Figure S4

HOTAIR rs1899663




Figure S4: Representative TaqMan assay for *HOTAIR* rs1899663 genotyping.