


$p = 0.0032$ 

Figure S1. The effects of tested substances on adhesion of *C. difficile* strain 630 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.

ATCC 9689




Figure S2. The effects of tested substances on adhesion of *C. difficile* strain ATCC 9689 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.




Figure S3. The effects of tested substances on adhesion of *C. difficile* strain M120 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.

4308/13




Figure S4. The effects of tested substances on adhesion of *C. difficile* strain 4308/13 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.

25694/12

$p = 0.0202$




Figure S5. The effects of tested substances on adhesion of *C. difficile* strain 25694/12 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.

2628/12




Figure S6. The effects of tested substances on adhesion of *C. difficile* strain 2628/12 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.




Figure S7. The effects of tested substances on adhesion of *C. difficile* strain CD15 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.

1128/06




Figure S8. The effects of tested substances on adhesion of *C. difficile* strain 1128/06 to three different cell lines including pairwise comparisons. Error bars represent standard deviations. CTR – positive control; GO – ginger oil; PO – peppermint oil; CU – curcumin; CI – cinnamaldehyde; TCI - trans-cinnamaldehyde.