



Review

A Systematic Review of Sustainable Supply Chain Network Design: Optimization Approaches and Research Trends

Batool Madani ^{1,*}, **Alef Saihi** ¹ and **Akmal Abdelfatah** ²¹ Department of Industrial Engineering, American University of Sharjah, Sharjah P.O. Box 26666, United Arab Emirates; g00079250@aus.edu² Department of Civil Engineering, American University of Sharjah, Sharjah P.O. Box 26666, United Arab Emirates; akmal@aus.edu

* Correspondence: g00050500@aus.edu

Abstract: In response to the ever-increasing pursuit of competitiveness among organizations in today's global business landscape, the subject of supply chain management has become a vital domain encompassing a wide range of sectors and industries across the economy. The growing concern about sustainable development has prompted public and private supply chain players to incorporate the three pillars of sustainability, namely, economic, environmental, and social, into the design of their supply chain networks. This study reviews and examines the content of 102 relevant papers to discuss the mathematical models, modeling approaches, and solutions that have been explored in the existing literature on forward sustainable supply chain network design. This paper also investigates the sustainability elements and supply chain network peculiarities including design factors and decision levels. In this review, several limitations in the current literature on sustainable supply chain network design optimization models are highlighted. According to the analysis, it was found that a better understanding of the industry and its sustainability requirements and priorities is essential for designing sustainable supply chain networks that are tailored to the needs of a specific industry rather than achieving general sustainability objectives. In addition, integrating strategic, tactical, and operational decision levels in the design of supply chain networks is critical for evaluating their impact on each other in terms of sustainability. More sophisticated mathematical solution methods for dealing with real-life scenarios including nonlinearity and uncertainty sources are required. The paper concludes with new prospects of research to promote a better integration of sustainability into supply chain networks.



Citation: Madani, B.; Saihi, A.; Abdelfatah, A. A Systematic Review of Sustainable Supply Chain Network Design: Optimization Approaches and Research Trends. *Sustainability* **2024**, *16*, 3226. <https://doi.org/10.3390/su16083226>

Academic Editor: Alessio Ishizaka

Received: 5 March 2024

Revised: 2 April 2024

Accepted: 5 April 2024

Published: 12 April 2024



Copyright: © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

1. Introduction

With increasing industrialization and global development in production, consumption, and trading levels in recent decades, the need for effective supply chain management (SCM) has grown. SCM aims to improve the supply network's competitive performance by integrating and coordinating internal processes within a firm and connecting them with the external processes of other players in the network such as suppliers, manufacturers, customers, and other entities [1]. The role of the supply chain in the globe is changing as a result of the dynamics of firm development and globalization [2]. The various trends in the economy, society, and environment caused by globalization, complicated trade flows, and, most importantly, sustainable development have a great impact on the configuration, design, and management of supply chain networks [3]. In light of that, many firms started adopting sustainable management practices due to the critical need for sustainability [4]. Supply chain network design (SCND) plays a significant role in supply chain performance. It is the most critical strategic decision in the SCM affecting the overall long-term viability of the chain [5]. In addition, it determines the nature of the supply chain, while considering sourcing, investment, and operational decisions [6]. SCND comprises identifying

the locations, number, and capacities of facilities in the network, as well as the movement of material between the placed facilities [7]. It considers three decision levels: strategic, tactical, and operational. Strategic decisions are long-term decisions such as the number and location of production and warehousing facilities, transportation modes, and supplier selection [8]. In tactical decisions, the time frame considered is a quarter to a year. These decisions cover production planning, transportation planning, resource planning, production capacities, and pricing. Finally, operational decisions are made on a daily or weekly basis [9]. They consider inventory and production allocation, scheduling, routing considerations, and the coordination of product and material flow [10].

One of the key developments in SCM is the concept of sustainable development, which has spread throughout the scientific literature [11]. The notion of sustainable development was initially introduced in the Brundtland Report in 1987, and it addressed future issues such as population growth and the scarcity of sufficient resources. Sherafati et al. [12] have defined sustainable development as filling the demands of the present without jeopardizing future generations' ability to satisfy their own needs. Current research is primarily concerned with evaluating SCM policies in terms of the triple bottom line of sustainability, which consists of economic considerations, environmental performance, and social responsibility [13]. The field of SCM has become more focused on changing supply chain strategy, due to the amplified social and political pressure, sensitivity around end-of-life goods, and transportation risks [14]. Global energy consumption, for example, is expected to rise significantly through 2030, with liquid fuels accounting for the majority of fuel demand in the transportation sector [15]. Thus, firms that confront cost, competitiveness, and environmental and social issues must reconfigure their supply chain architecture to be sustainable [16]. The issue of sustainable supply chain management (SSCM) has lately piqued the interest of practitioners and researchers due to considerable constraints and expectations imposed by many stakeholders such as customers, social activists, and non-governmental organizations [17]. Many firms are considering an acceptable degree of commitment to sustainable practices as a result of the requirement for sustainable supply chains. However, if businesses ignore environmental or social problems, their public image and, as a result, their economic performance may suffer. For example, several large companies have suffered damage to their public image and, as a result, have lost market share due to what the media and activists published about alleged social irresponsibility such as labor rights violations [18].

The incorporation of sustainability into SCND alters the configuration of the supply chain, thereby enhancing its performance. Traditional SCND approaches have focused on cost-based performance metrics, whereas recent regulations mandate stricter environmental codes of conduct. Hence, policymakers require organizations to broaden their set of objectives beyond economic metrics when designing or reconfiguring their supply chains [9]. Hence, sustainable SCND strives to establish the ideal supply chain configuration to optimize long-term economic profitability, environmental performance, and social factors such as job opportunities, safety, etc. [17]. The green supply chain network design (GSCND) is derived from sustainable SCND, focusing only on the supply chain's environmental performance. It is a significant trend in most industrial operations that allows managers to address the negative effects of conventional supply chains on the environment [14]. In addition, it is used to incorporate environmental management principles with a prevention policy. Diabat and Govindan [19] have defined the GSCND as the collection of supply chain management policies, activities, and interactions established in response to environmental concerns in the design, purchase, manufacture, distribution, use, re-use, and disposal of the firm's goods and services. Several sectors have emphasized the importance of sustainability in supply chain decisions. Food supply chain [20], pharmaceutical supply chain [21], cold supply chain [22], blood supply chain [23], biofuel supply chain [24], mining supply chain [14], and other supply chains strive to include the triple bottom line of sustainable considerations into their network design.

Generally, sustainable SCND comprises multiple conflicting objective functions, that require balancing [25]. It may involve maximizing the positive social impact, which includes social justice, the rights of stakeholders such as employees, consumers, and communities [17,26,27], and creating job opportunities [6,8,28]. It can also involve minimizing the negative environmental impact such as greenhouse gas (GHG) emissions [24,29,30], waste [31,32], and energy depletion [33,34]. Nevertheless, minimizing supply chain cost is the conventional objective considered in most network designs. Furthermore, recent sustainable SCND handles multiple levels in the network, different decision levels, multiple periods, multiple products, and several design factors. Thus, the optimization of sustainable SCND seeks the optimal combination of suppliers, facilities, transportation modes, and products.

In recent years, a few review papers have been published on sustainable SCND. Eskandarpour et al. [35] surveyed eighty-seven papers pertaining to this field of research between 1990 and 2014. The review covers mathematical models that address sustainability dimensions. Walther et al. [36] presented a literature review on GSCND, concentrating on models and approaches that explicitly integrate carbon emissions and environmental legislation, between 2010 and 2017. Yadav et al. [37] evaluated the scientific contribution between 2005 and 2020, on the subject of agro-food supply chains, including network designs and performance measurements. Sidharath [38] explored the state of sustainable supply chain network models between 2010 and 2021, resulting in eighty-seven papers. The study also proposed a sustainable SCND framework that includes sustainability indicators and parameters. It is worth mentioning that the review conducted by [38] focused on the inclusion of sustainable development as one of the main factors impacting SCND. On the other hand, our paper mainly focuses on the approaches for the mathematical formulations and solution procedures to design a supply chain network.

This review aims to analyze the existing literature of sustainable SCND optimization. The study focuses on network design optimization, covering mathematical models, modeling approaches, and solution methods, as well as SCND characteristics such as design factors, and decision levels. This work specifically examines forward supply chains (FSCs) within the broader field of sustainable SCND. While acknowledging the significance of closed-loop supply chains (CLSCs) and their role in environmental efficiency [39], this study narrows its focus to FSCs. This concentration arises from a recognition of the unique operational challenges and sustainability issues inherent in FSCs. Moreover, as the field of sustainable SCND is expansive, with multiple intersecting sub-domains, a focused approach allows for a more in-depth and nuanced analysis of the optimization strategies, sustainability considerations, and practical applications specific to FSCs. The decision to focus on FSCs is further supported by the preliminary literature review findings, which indicated an extensive body of work specifically concerning FSCs. In addition to this, it was also noted that there is a great potential for a future comprehensive review dedicated to CLSCs, reflecting the substantial literature and the distinct considerations of these types of supply chains.

It is important to note that this comprehensive review extends beyond the scope of previous studies by Eskandarpour et al. [35], Walther et al. [36], Yadav et al. [37], and Sidharath [38] by examining the range of sustainability dimensions and also critically analyzing the mathematical formulations and solution approaches tailored to various industry needs. While Eskandarpour et al. [35] conducted a review encompassing the period up to 2014, this study captures the significant developments of the subsequent seven years, a period marked by accelerated research activity in this domain. This work dives further into the optimization nuances and explores how the sustainability aspects are operationalized within mathematical models, what the research trends of this body of literature are, and what research gaps need to be addressed in future works. Moreover, while Sidharath [38] examined the state of sustainable supply chain network models in terms of the various approaches and methodologies followed in the literature, this review focuses primarily on approaches for mathematical formulations and solution procedures for designing a supply

chain network. Furthermore, while Yadav et al. [37] focused on agro-food supply chains, this review spans multiple industries and categorizes them to highlight predominant ones and pinpoint those that warrant further scholarly attention. Additionally, unlike prior reviews such as the one by Waltho et al. [36], which predominantly focus on environmental aspects, this study provides a more balanced coverage across all sustainability dimensions, with a particular emphasis on the often-neglected social facets. The following research questions are designed to guide this review:

- What is the state of the art, academic productivity, and research tendencies of the published literature pertaining to sustainable SCND optimization methods?
- Which sustainability dimensions have been considered in the literature?
- Which design factors have been included in the optimization models of sustainable SCND, and to which applications/industries have they been applied?
- Which modeling approaches and solution methods have been explored in the literature?
- What are the research gaps that need to be addressed?

The remainder of this paper is structured as follows: Section 2 discusses the methodological approach adopted for this review. Section 3 presents the descriptive analysis and initial data statistics of the selected references for review. Section 4 focuses on the analysis of the reviewed literature, while Section 5 discusses the research findings. Finally, Section 6 concludes the review study and provides future research directions.

2. Methodology

The objective of this article is to provide a systematic literature review of the recent research activities pertaining to sustainable supply chain network design, with a focus on the modeling aspects and optimization approaches. This enables researchers to explore, evaluate, and interpret the existing body of literature, which allows them to identify research tendencies, compare the studies, and generate insights about the extant gaps and future research directions [37]. This work follows the four-step methodology devised by Mayring [40] and adopted by many researchers in the supply chain area reviews, such as [37,41,42], among others. These four steps are “material collection”, “descriptive analysis”, “category selection”, and “material evaluation”. The first step is related to material collection which gathers the literature from different sources, screens them based on inclusion and exclusion criteria, and selects the final list of articles for review. The initial descriptive analysis of the generated material is the focus of the second step. The third step involves category selection, which categorizes the selected studies based on different criteria to uncover the existing trends. Finally, the material evaluation step consists of a thorough examination of the generated data to identify the key issues, insights, peculiarities, gaps, and potential opportunities.

In the next subsections, the adopted search strategy and the different phases for relevant article selection to conduct this research are discussed in detail.

2.1. Search Strategy

The strategy of this search consists of selecting the search keywords, the covered period, and databases. Firstly, given the scope of this study and the aforementioned research questions, the search string is designed as follows: (“Optim*” OR “model*” OR “program*” OR “mathematical” OR “algorithm*” OR “decision” OR “simulat*”) AND (“green” OR “sustainab*”) AND ((“supply chain*” OR “SCM”) AND ((“distribution” OR “network”) AND “design”)).

The search string is composed of three main blocks related with “AND” relationship operators to capture the studies belonging to the intersection of these three axes of research. The first block is related to modeling and optimization, the second block is related to sustainability and green aspects, and the third block belongs to SCND.

Secondly, the guidelines suggested by Popay et al. [43] are followed. These guidelines recommend searching for any extant review related to the investigated topic of research to ensure that the scope of the study has not been covered before. Considering the evolutionary

state of the current field of research, and after conducting a preliminary search that revealed a growing publication trend and an increasing interest among researchers in this area, it was decided to undertake the search for a seven-year period from 2015 to 2022. The current research aims to extend the work of Eskandarpour et al. [35] through covering the period from 2015 to 2022. It also serves to evaluate the late research activities, and assess if the already pointed-out research gaps have been addressed by researchers, and if the suggested future research directions have been taken into consideration.

Finally, the Scopus database was selected to conduct the search as it is the largest multidisciplinary abstract and citation database that provides publications from peer-reviewed literature, in addition to its practical data export features and sufficient included details about the publications [44].

2.2. Article Selection

The search for the aforementioned combination of keywords was conducted using the option “Article title, Abstract, keywords” from the Scopus database. Journal articles written in the English language and published from January 2015 to December 2022 were included. Also, a large number of articles dealing with CLSCs and reverse logistics were excluded, focusing on the forward channels only. Although CLSCs are closely related to sustainability aspects, they were excluded due to the significantly large number of publications in this area of research and the peculiarities of this type of supply chain, which calls, in the authors’ view, for a separate review paper dedicated solely to them. Another exclusion criterion that was adopted in the selection process was based on the contribution of the studies, where articles with only minor contributions were excluded from the review. This criterion encompasses considerations such as the novelty and comprehensiveness of the approaches used for conducting the review, the extent to which the works advance the theoretical understanding or practical applications of sustainable SCND optimization, and the overall recognition within the scientific community.

Furthermore, back-tracking and forward-tracking were also used to check if any other relevant articles exist in the cited references or among those referring to the central sources [35]. This serves to ensure that no relevant publications are overlooked.

The initial search generated 957 articles that were reduced to 953 items after removing duplicates. The selection process of the relevant publications underwent several rounds of screening and filtering, as summarized in Figure 1. Initially, a joint examination of the titles and abstracts of the articles led to the shortlisting of 276 items that seemed more pertinent to the scope of this review. The next step considered screening these articles based on their content while taking into consideration the exclusion criteria. The current study focuses solely on journal papers and excludes studies that are insufficiently comprehensive in terms of proposed methodology and solutions. This round yielded 93 central studies. After conducting the backward and forward tracking based on them, 9 more items were added to yield a total of 102 articles to be reviewed.

In summary, this methodology section delineates the systematic review protocol followed to explore advancements in sustainable SCND with an emphasis on optimization. The approach adhered to Mayring’s methodology [40] and was initiated with a strategic search for the literature from 2015 to 2022, postdating a similar review. A comprehensive screening refined the initial pool of 957 articles to 102 studies that align with the review’s stringent criteria, while deliberately excluding works on CLSCs from focused analysis. This selection paves the way for the descriptive analysis and initial data statistics discussed in the following section, where these chosen articles are further dissected to understand the current state of research and unveil directions and trends.




Figure 1. Article selection steps.

3. Descriptive Analysis and Initial Data Statistics

In this section, a descriptive analysis of the surveyed literature is presented, referring to the process of using descriptive data analytics to statistically summarize research trends and analyze them. According to Eskandarpour et al. [35], the activities in this area of study significantly grew, beginning in 2009, and have continued to rise since then. The findings of this review are in line with the previous research findings in [35]. The upward trend continued after 2014. It slightly declined during 2018, but very quickly recovered in 2019, and the number of publications continued to increase each year. In particular, the number of publications has surged during the last three years, with 2020, 2021, and 2022 contributing 54% (55 items) of the selected articles for review. Certain important factors contributed to the occurrence of this trend. Firstly, research has supported the surge and increase of academic research productivity that coincided with the arrival of the COVID-19 pandemic, particularly during the lockdown period [2]. Secondly, the arrival of COVID-19 brought about significant disruptions to global supply chains, which exposed their vulnerability and prompted researchers and practitioners to recognize the need for more resilient designs. Thus, the pandemic served as a wake-up call, highlighting the fragility of supply chains and inciting a reevaluation of their structures to enhance resilience. Thirdly, the emphasis on sustainability, decarbonization, and addressing climate change in recent years has added another layer of complexity to supply chain considerations and incited researchers to focus on integrating sustainability dimensions into SCND. These factors collectively contributed to the observed increasing trend in research about sustainable SCND in the past few years. This rapid growth reflects the growing interest among researchers and academicians in the mathematical formulation and solution procedure for sustainable SCND planning and optimization.

Furthermore, the countries where there was dominance in terms of sustainable SCND optimization research studies were investigated. Figure 2 presents a density visualization of the top 10 dominant countries in terms of number of articles produced. Iran appeared at the top of the list with 49 publications, followed by the United States with 16 publications, and then China and India with 9 publications each. Next, France, Australia, and Canada follow with eight articles each, and then Turkey, the United Kingdom, and Portugal with six, five, and four publications, respectively. In particular, the significant growth in terms of produced research in Iran was discussed by many researchers [14,21,45–47], who linked it to the substantial investments in science, research, and development throughout the past two decades. These government efforts dedicate a good portion of the country's GDP to science and technology, aiming to train researchers and modernize research equipment [46,48–50].




Figure 2. Density visualization of the top 10 productive countries in terms of the number of publications.

The selected articles for review appeared in a total of 47 journals. The graph of Figure 3 summarizes the top 10 journals in terms of the number of published studies and indicates the number of citations for each. These 10 journals contributed 60% of the selected references for this review. The *Journal of Cleaner Production* (JCP) occupies the first position; it includes 17 articles that represent about 17% of the total references. This is followed by the *Computers and Industrial Engineering* journal (CAIE) (15% contribution), *Annals of Operations Research* (AOR) (7% contribution), *International Journal of Production Research* (IJPR) (5% contribution), *International Journal of Logistics Systems and Management* (IJLSM) (4% contribution), *Computers and Operations Research* (COR) (3% contribution), *International Journal of Production Economics* (IJPE) (3% contribution), *Clean Technologies and Environmental Policy* (CTEP) (2% contribution), *Expert Systems with Applications* (ESA) (2% contribution), and *International Journal of Energy Research* (IJER) (2% contribution). The rest of the journals in the list include one publication each.




Figure 3. Top 10 publishing journals in terms of the number of publications and citations.

Citation analysis evaluates the frequency of citations and is then used to rank journals and experts in terms of their relevance to current trends in a certain area of research. As a result, citation analysis can offer information about article popularity over time. Strongly cited articles have a greater impact on scientific research than less cited articles [51]. In this context, Figure 4 illustrates the 10 most prominent papers in this field of study.

Furthermore, to analyze the authors' keywords, a co-occurrence network [52] was established. A network node represents an entity such as an article, author, country, institution, keyword, or journal. The size of the node signifies the entity's occurrence, while the link between the nodes represents the entity's co-occurrence. The network of all keywords that co-occur at least five times is visualized using the VOS viewer in Figure 5 [53]. Five main clusters have been identified. The first main cluster (red) groups

the keywords related to sustainability, which include sustainable supply chain, carbon emissions, costs, sustainable development, biofuels, and others. The second cluster (green) comprises keywords related to mainly green aspects, which include green supply chain, greenhouse gas, environmental impact, and environmental management. The third cluster (blue) groups the keywords linked to modeling techniques, that include mathematical programming and analyses, stochastics models, robust optimization, cost–benefit analysis, and uncertainty analysis. The fourth cluster (yellow) links keywords related to performance and solution methods, which cover decision-making, sustainability performance, economic and social efficiency, genetic algorithms, and particle swarm algorithms. The last cluster (purple) covers keywords related to multi-objective optimization, goal programming, and sensitivity analysis.




Figure 4. The 10 most influential works (in terms of number of citations).




Figure 5. Keyword co-occurrence network analysis conducted based on the 102 selected papers.

In conclusion, the descriptive analysis revealed a sustained growth in sustainable SCND optimization research, with a significant surge in publications in the past three years, demonstrating increased academic interest. The geographical analysis showed a convergence of studies emerging from Iran, followed by the United States, China, and India, highlighting the global span of research in this domain. Additionally, the literature is spread across numerous journals, with *JCP* and *CAIE* leading in publication volume. Finally, the visualization of keywords co-occurrences revealed five important clusters. These findings set the stage for an in-depth exploration of the themes and methods characterizing this growing body of work, which is discussed in the subsequent sections.

4. Results and Analysis

4.1. Article Classification

This subsection discusses the category selection phase of the adopted methodology. The surveyed literature is classified according to the criteria described below. Subsequently, various insights are generated based on this classification and are discussed in the next subsections.

Application/Industry: The first category employs the design of a sustainable supply chain network depending on the industry or application. This includes many industries such as food, medical devices, biofuel, electricity, coal, blood, manufacturing, and logistics, among others.

Design factor: The supply chain performance is impacted by the way its drivers are designed. The design factors include, but are not limited to, facility location, inventory, transportation, technologies, and sourcing. These are major design factors found in the reviewed literature, which are listed below.

- Facilities are the physical sites in the supply chain network, where goods are kept, assembled, or created. Decisions on the role, location, capacity, and flexibility of facilities have a substantial influence on the performance of the supply chain.
- The inventory includes all raw materials, work in process, and finished commodities within a supply chain.
- Transportation is the movement of inventory from one point in the supply chain to another. It can take many different modes and routes, each with its own set of performance characteristics.
- Technology has a significant influence on data and analysis about facilities, inventory, transportation, expenses, pricing, and consumers.
- Sourcing includes supplier selection, which is one of the major challenges that helps firms retain a strategically competitive position through operations and procurement management.

When considering the sustainability dimensions, designing these factors considers a distinct strategy owing to environmental, social, and economic considerations.

Decision level: The literature is classified based on the decision level involved in the network design. As mentioned earlier, there are three decision levels, namely, strategic, operational, and tactical. The decision level reflects the selected network design factor. For example, at the strategic level, the allocation, location, transportation modes, and sourcing are determined. The tactical decisions involve distribution capacity, inventory levels, and planning. Finally, short-term scheduling, product flow, and the routing of vehicles reflect the operational decisions.

Supply chain configuration: A variety of supply chain configurations is considered, such as single [54] or multiple periods [55], single [56] or multiple products [57], and the number of levels/echelons involved in the network design of the supply chain [7].

Sustainability dimension: The literature is also classified based on sustainability dimensions which cover economic, environmental, and social aspects [58], and the associated aspects involved in network design. Economic sustainability is a method of conducting economic activities in order to protect and develop long-term economic well-being [35]. In practice, it strives for a balance of economic growth, resource efficiency, and financial stability. Environmental sustainability is the ability to preserve and safeguard the natural environment throughout time, using proper practices and regulations that fulfill current requirements without jeopardizing future resource availability [59]. The focus of social sustainability is on the well-being of individuals and communities [60]. It is about encouraging equity, human rights, educational and healthcare access, and decent jobs.

4.2. Material Evaluation

This subsection analyzes the obtained literature and discusses the strengths and weaknesses of each category of research. The first part considers the sustainability dimensions,

followed by the design factors, and the majority of this subsection discusses the mathematical modeling and solution approaches.

4.2.1. Analysis of Sustainability Dimensions

The investigation of sustainability in the context of SCND has grown progressively over the years. The studies analyzed in this paper recognize the multidimensional nature of sustainability and encapsulate its economic, environmental, and social aspects. In the reviewed literature, it is evident that each dimension has its own unique set of challenges and opportunities in this context.

Economic sustainability is the most frequently considered dimension (appearing in 101 studies), as it is central to the viability of any business venture. It broadly pertains to cost reduction and profitability enhancement across the supply chain network. Various factors such as facility location and production allocation often have significant economic implications and are thus consistently investigated in SCND research. Along these lines, studies like Rahimi et al. [6], Zahiri et al. [61], and Shaw et al. [62] have made valuable contributions by creating models to maximize profits, reduce costs, or strike a balance between the two. Secondly, the environmental dimension, appearing in 96 studies, has attracted increasing attention in recent years due to the growing awareness of climate change and other environmental issues. In the SCND context, environmental sustainability primarily involves the reduction of GHG emissions and waste, as well as the efficient use of resources. Several studies ([9,27,63,64]) have shown significant advancements in this area by introducing models to minimize carbon emissions and reduce environmental impact. Finally, social sustainability is the least studied dimension in the context of SCND, being explicitly mentioned in only 46 studies. In particular, the integration of the social dimension with the other two sustainability aspects has occurred in 45 studies. The social dimension involves aspects such as labor conditions, job creation, and social impact on regions. Although less prominent than the other two dimensions, social sustainability is of growing importance in today's globally interconnected supply chains, where issues such as labor exploitation and social inequality have become increasingly visible [65]. Some of the pioneering efforts have targeted the integration of this dimension into SCND [6,61].

While the increased consideration of sustainability in SCND research is encouraging, the disparity in focus between the three dimensions suggests a need for more balanced and integrated approaches. Future studies should strive to consider all three dimensions of sustainability in their models, or at least explicitly acknowledge and discuss the reasons for focusing on specific dimensions over others. A more comprehensive understanding of sustainability is crucial for the development of truly sustainable SCND models and practices.

4.2.2. Integrating Application Area, Design Factors, and Decision Levels within SCND

With the rapid growth of sustainable SCND, understanding the interaction between its various aspects becomes crucial. There are several application areas, diverse design factors, and multiple decision levels that, when considered collectively, create a complex landscape of considerations, trade-offs, and synergies. Understanding the interplay between these aspects is not just an academic pursuit but a practical necessity for organizations. Nowadays, industries have distinct characteristics that warrant different SCND approaches, as they operate under varying economic, environmental, and social pressures that necessitate different sustainability objectives and approaches. This section uncovers the interplay between these elements and highlights their influence on incorporating sustainability dimensions into SCND.

(a) Application Areas and Their Influence on Design Factors

The influence of application areas on SCND factors is significant and multifaceted. Different industries necessitate diverse approaches to SCND due to their unique characteristics, processes, and sustainability challenges [66]. In this subsection, the emphasis is placed on how these application areas imprint their unique characteristics onto SCND factors.

As a matter of fact, SCND primarily centers on production and inventory management within the manufacturing sector. High-volume manufacturing industries, such as automotive and electronics, face particular challenges related to production scale, efficiency, and waste minimization [67]. For example, in the automobile industry, production design factors such as production capacity and technology selection play a substantial role in shaping the supply chain network [68,69]. Similarly, as claimed by [70], inventory design factors significantly influence the sustainability performance of this type of supply chain. In the logistics sector, transportation and facility factors are paramount. Transportation logistics, with its massive carbon footprint, necessitates strategies to optimize routing, fleet mix, and mode selection to reduce emissions [71]. Facility factors, such as location, capacity, and layout, have significant implications on operational efficiency and environmental impact in warehousing and distribution centers [72].

In the food industry, the balance of production, inventory, transportation, and facility factors is key to ensuring both efficiency and sustainability. Production design factors like yield and waste in farming practices and inventory design factors like shelf-life and spoilage control are pivotal to reducing food waste and ensuring product quality [73]. Transportation factors, including the optimization of routing and temperature control, drastically reduce carbon emissions, ensure food safety, and increase customer satisfaction [74]. Similarly, facility factors, such as the location and capacity of warehouses and retail outlets, directly influence inventory levels, transportation needs, and the environmental footprint of the food supply chain [37,75].

Meanwhile, the service sector, including industries like hospitality and healthcare, displays unique SCND characteristics. In these sectors, the location of facilities, allocation of human resources, and service quality directly affect the sustainability performance of the supply chain network [76]. Unlike other sectors, service industries often demand direct interaction between the provider and the customer, resulting in a distinct set of design factors. In hospitality and healthcare, the location of facilities is not merely a logistical decision, but a strategic consideration, affecting operational efficiency, service accessibility, and local community impact [77]. Furthermore, human resource allocation is more than just meeting demand. It is also about creating an equitable and satisfactory work environment, which contributes to service quality and consistency [78].

(b) Navigating Decision Levels for Sustainable SCND Outcomes

Embedding sustainability considerations into SCND mandates conscious decision-making at all levels [10]. Each of these decision levels presents its own unique set of challenges and opportunities, which requires meticulous navigation to achieve comprehensive sustainable outcomes. Furthermore, understanding the interconnected nature of decision levels within SCND provides important insights into achieving these outcomes. The strategic, tactical, and operational decisions interact in a complex manner with various SCND factors, forming a comprehensive system that influences sustainability performance. These interactions are pivotal in transforming the theoretical principles of sustainability into practical actions within the supply chain network [59].

Firstly, at the strategic level, decisions function as the foundation for integrating the organization's sustainability principles into the supply chain network. High-impact decisions, such as technology selection, can greatly shape the overall sustainability profile of a supply chain [79]. For instance, within the manufacturing industry, a strategic commitment to more energy-efficient production machinery can lead to reduced energy consumption and related GHG emissions during the equipment's operational lifespan [80]. Similarly, strategic decisions related to facility location and capacity can lead to significant impacts on the environmental and social outcomes of a supply chain. Such decisions are often influenced by a variety of factors, including, but not limited to, environmental regulations, socio-economic conditions, and the availability of sustainable resources. This, in turn shapes other design factors, like transportation and inventory, which contribute to molding the supply chain's overall sustainability footprint [81]. Secondly, tactical decisions, generally regarded as mid-term planning activities, reflect the implementation of strategic sustainability goals into

actionable plans. At this level, design factors such as production and inventory come to the fore. Tactical decisions related to eco-friendly production planning and green procurement practices serve as key levers in guiding the supply chain toward its sustainability goals [82]. These decisions significantly influence the sustainability performance of the supply chain by setting the stage for more sustainable operations and instilling a culture of sustainability within the organization [83]. In the field of transportation, tactical decisions concerning the selection and optimization of fleet mix or routing strategies directly influence carbon emissions and operational efficiency, which contribute to pushing the supply chain further along the sustainability trajectory [72]. Finally, at the operational level, decision-making often has immediate and tangible effects on the sustainability performance of the supply chain. These decisions typically influence daily operations and include actions such as implementing energy-efficient machine scheduling or waste-minimizing loading techniques. Such operational-level decisions can have a significant impact on design factors related to production and facilities, which contribute to improving resource efficiency and reducing waste. Similarly, in the transportation field, operational decisions such as green routing can optimize fuel usage, reduce emissions, and improve overall transportation efficiency [84].

It is also important to recognize that the decision levels are not isolated; they interact with one another and impact the overall supply chain sustainability. This implies that the strategic, tactical, and operational decision levels are interlinked across various design factors, forming a complex system that can significantly enhance or impede sustainability performance. For instance, a strategic decision to adopt a new sustainable technology would necessitate tactical and operational adjustments to fully realize its benefits. Therefore, decision levels within SCND should be viewed as interconnected layers, each influencing and being influenced by the others. Recognizing this complex interplay is crucial for organizations aiming to navigate toward more sustainable SCND outcomes [81].

In summary, the reviewed literature revealed a progressive incorporation of sustainability considerations within SCND, stressing the economic and environmental dimensions and acknowledging the less-explored social facet. It also articulated the need for industry-specific SCND approaches, shaped by strategic, tactical, and operational decisions to advance sustainability objectives. Building on this foundation, the following section presents the analytical models and computational strategies developed to navigate and optimize the complex interactions of these factors in the pursuit of sustainable SCND.

4.2.3. Mathematical Models

In this section, the major characteristics of the mathematical models for sustainable SCND and the solution procedures are reviewed. There is a great variety in sustainable SCND modeling approaches due to the different supply chain configurations, design factors, the number of objective functions incorporated in the model, and the nature of the inputs (deterministic or stochastic). The sustainable SCND optimization models take into account a wide range of decisions, including facility selection, location, and capacity, transportation mode and technology level selection, storage level, production quantities, and material flow, among others. In addition, the nature of the data (deterministic or stochastic) influences the structure of the optimization model, including the consideration of uncertainties included in some parameters, such as demand level and risk.

This section discusses the types of objective functions considered in the literature on sustainable SCND models, followed by the constraints that reflect the dimensions of sustainability. Afterward, the modeling techniques as well as the solution methods for solving the related optimization problems of the sustainable SCND models are presented.

It is important to note that, in reviewing the mathematical models applied in sustainable SCND, the authors' intent was not to justify or critique each model in detail but rather to provide a comprehensive view of how these models are employed across different studies. A detailed evaluation of these models could provide a solid foundation for further theoretical development and practical application, and a compelling direction for future research.

(a) Objective Functions

Sustainability aspects can be included in the objective function by concentrating on one dimension (single objective) or many dimensions simultaneously (multiple objectives). In some situations, multiple dimensions can be integrated into a single objective by turning non-homogeneous units into a single unit using conversion factors [85].

Single Objective: SCND may incorporate a single sustainability dimension in the objective function, while the constraints represent other dimensions. The related literature is presented according to the dimension of sustainability that is considered in the objective function. In addition, Table 1 summarizes the literature on sustainable SCND with a single objective. Given the results of Table 1, the following insights are drawn.

Economic dimension: The majority of the related literature considers the economic dimension as the objective function while representing the environmental [9,62,86,87], or environmental and social dimensions [88,89], in terms of constraints. The economic objectives mostly consider the cost aspect, such as minimizing the total supply chain cost, which may include capital [72], operational [31,90], production [85], distribution [91], and transportation costs [92].

The consideration of other economic objectives such as profit and market share rarely exists. For example, Lucía et al. [89] considered the maximization of the market value added as a measure of the accumulated economic performance.

The combination of social and environmental sustainability dimensions may occur in the economic objectives. For instance, Ren et al. [85] considered the cost of carbon emissions to be embedded into the objective function, while Costa et al. [16] focused on optimizing global profitability, including economic benefits and environmental credit.

Table 1. Sustainable SCND models with a single objective and related sustainability dimensions.

Article	Sustainability Dimension						
	Economic			Environmental		Social	
	C	P	O	E	O	CSW	O
[93]				✓			
[74]	✓						✓
[86]			✓	✓			
[94]	✓				✓		
[9,15,24,31,62,72,85,87,90–92,95–97]	✓			✓			
[88]	✓			✓	✓	✓	
[89]			✓	✓	✓		✓
[16]	✓				✓	✓	
Total	18	1	1	18	3	2	2

C: cost; P: profit; E: emissions; CSW: community safety and welfare; O: other.

Environmental dimension: It is worth mentioning that minimizing carbon or GHG emissions is widely considered in addressing the environmental burden of SCND. This is due to the fact that many researchers and industries have been motivated by the worldwide awareness of sustainability and environmental preservation to design a green and low-carbon supply chain network. Other researchers tackle the environmental design of a supply chain from different perspectives, such as the inclusion of renewable energy sources [94], water footprint and solid waste [88], and the production of biodiesel as a source of energy [16].

Social dimension: The social aspect is limitedly addressed in the surveyed literature. For example, Granillo-Macías [74] designed a food supply chain that involves economic and social factors. The objective function minimizes the cost of vehicle travel, the fixed cost for the use of vehicles, and the penalty that may be incurred for failing to meet breakfast delivery deadlines. Das et al. [88] considered the suppliers' social risk in designing a sustainable supply chain network.

The inclusion of uncertainty sources is required for a real-life design of a supply chain network. According to Gao and You [96], uncertainties are prevalent in SCM and inherent in quantitative evaluations of SCND, and without properly managing them, both the optimality and feasibility of a SCND can be readily compromised. Quddus et al. [87] presented a two-stage stochastic mixed-integer linear programming (MILP) model to build and operate a sustainable multi-purpose pellet-processing facility under feedstock seasonality and uncertainty. Ren et al. [85] combined the life cycle assessment with SCM while considering the carbon price uncertainty in a pipe manufacturing industry by introducing a stochastic MILP model to design and plan the network. Similarly, Gao and You [96] incorporated stochastic programming to address the design and operational decisions under the uncertainty of a biofuel SCND. Das et al. [88] accounted for the uncertain environment of a multi-product and multi-echelon SCND through characterizing the demand and capacity as stochastic variables.

Multiple Objectives: Sustainable SCND optimization models with multiple objectives are widely adopted in the existing literature. In this review study, it is found that the majority of these models are bi-objective linear models, often focusing on economic and environmental objectives. Table 2 presents the literature on sustainable SCND models with two objectives. It is evident that the most common economic objective is cost reduction, while environmental objectives mainly focus on minimizing carbon and GHG emissions. This observation aligns with the findings presented in Table 1. Eskandarpour et al. [66] proposed a model to minimize logistics costs and carbon emissions in a SCND problem with multiple layers of facilities, technology levels, and transportation mode decisions. Mogale et al. [98] developed a bi-objective decision support model for a sustainable food grain supply chain that takes into account an entire network of procurement centers, state, and district warehouses, with fair pricing shops. Farazmand et al. [71] designed a green dynamic rail-road logistics network that takes into account both the financial and developmental aspects of the railway system. The aim is to minimize the total transportation cost across the multimodal network and the associated emissions from transportation activities. Gupta et al. [75] proposed a fuzzy model for joint storage facility site selection, the determination of appropriate storage conditions, and the transportation of agricultural produce between different sites while minimizing cost and food loss. Guo et al. [99] suggested a decomposition strategy for solving a large and multi-echelon supply chain to minimize the sum of procurement, production, transportation, and operational costs, as well as the sum of carbon emissions and water consumption.

Limited research demonstrates the consideration of profitability as an objective alongside environmental considerations [5,100–107]. For instance, the problem of electricity SCND using a smart grid and a bi-objective robust optimization method that maximizes profit and reduces GHG emissions has been addressed by Jabbarzadeh et al. [5]. Similarly, ecosystem network analysis was utilized to assess the resilience during the design of a sugar beet supply chain, that aims to maximize profit and minimize GHG emissions during transportation and production [107]. Furthermore, a robust possibilistic programming model for the design and planning of a pistachio supply chain in an uncertain environment, considering the maximization of profit and reduction of environmental effects, was proposed by [105].

Table 2. Sustainable SCND models with multiple objectives and economic-environmental dimensions.

Article	Sustainability Dimension					
	Economic			Environmental		
	C	P	E	E/W	EI	O
[7,14,20,54,56,57,66,69,98,108–119]	✓		✓			
[5,100–105,107]		✓	✓			
[34]	✓				✓	
[76]	✓		✓		✓	
[75]	✓					✓
[99]	✓		✓			✓
[106]		✓			✓	
[120]	✓				✓	
[22]	✓			✓		
Total	29	9	32	2	4	2

C: cost; P: profit; E: emissions; E/W: energy/water consumption; EI: environmental impact; O: other.

Table 3 consolidates the sustainable SCND models with multiple objectives involving the three sustainability dimensions. Many of these optimization models are deterministic, with three objectives reflecting the aspects of sustainability. A multi-product and multi-period supply chain network with simultaneous pick-up and split delivery was designed by Abdi et al. [29] to reduce total cost and environmental pollution and increase customer satisfaction. Also, a multi-objective mathematical model was developed to design a natural gas supply chain network, with a focus on sustainable development goals [32]. In particular, the economic objective minimizes the supply chain's total cost, while the environmental aspect is related to GHG emissions, electricity, gas and water consumption, and wastewater generation. Finally, the social objective maximizes the social impacts in terms of employment, balanced economic development, employee welfare, employee safety, customer cost risk, and operational environment risk. For example, a multi-objective model was proposed to configure a sustainable SCND, while maximizing resilience and responsiveness measures and minimizing total cost and environmental damages [121]. In addition, Jabbarzadeh et al. [122] considered the design of a sustainable supply network that performs resiliently with the inclusion of random disruptions, while maximizing environmental and social performances and minimizing the expected total cost.

It is worth noting that employment is the main indicator of social sustainability that is considered in the literature. Customer satisfaction is rarely addressed as a social indicator, which is perceived to be achieved by imposing penalties on violating time windows [123], reducing the number of expired products and their shortage [23], and meeting the demand [124]. Other social indicators include increasing customer service coverage [77], minimizing accidents [125], reducing traffic congestion [126], enhancing social responsibility [55], balancing driver's workloads [63], and increasing dietary health [127].

Only a few studies have incorporated more than three objectives into their sustainable SCND optimization models. For instance, Fragoso and Figueira [128] developed a decision support system for sustainable SCND, taking into account a unique solution approach based on scalarizing functions. Their MILP model includes four objective functions, which are maximizing profit and revenue, minimizing cost, minimizing GHG emissions and water consumption, and maximizing employment and the number of suppliers and facilities. In another research, the added value of including environmental impact and social responsibility factors in SCND problems was demonstrated [125]. The model specifically targets four objectives: a cost-based objective, an environmental objective concentrating on carbon emission, exhaust emission, wastewater discharge, and solid waste discharge, and two social objectives (i.e., employment and accident rate). Fragoso et al. [33] investigated a regional supply chain network in the fishing industry and presented a multi-objective model with six objectives, four of which are economic, one environmental, and one social. Finally, a unique mathematical model for an integrated strategic-tactical SCND problem

to quantify the concurrent effects of resilience and sustainability was proposed [129]. The model considers reducing economic indicators and environmental impacts as well as maximizing social responsibility and resilience level.

The inclusion of uncertainty has been addressed in a few studies in this area [6,8,28, 55,61,123,130,131]. Some formulations have considered new social and environmental considerations in location-allocation supply chain models while using a novel robust approach to overcome the uncertainty of parameters [123]. Other studies provided an optimization strategy for uncertain conditions and the material quality effect based on a state task network formulation [130], or introduced a risk-averse multi-objective mathematical model for designing and planning a supply chain network under uncertainty by including conditional value at risk [6]. Finally, Zahiri et al. [61] presented an integrated resilient multi-objective optimization model for developing the supply chain network, while taking into account perishability, food waste valuation, and supply uncertainty.

In addition to the objective functions, sustainability dimensions could potentially be included in the mathematical constraints. Next, a list of constraints related to the sustainability dimensions found in the reviewed literature is provided.

Table 3. Sustainable SCND models with multiple objectives and all sustainability dimensions.

Article	Sustainability Dimension									
	Economic			Environmental				Social		
	C	P	E	E/W	EI	O	J	S	SI	O
[29]	✓		✓	✓		✓		✓		
[32]	✓		✓	✓		✓	✓			✓
[21,28,30,47,131–134]	✓		✓					✓		
[128]		✓	✓	✓				✓		
[33]	✓	✓	✓					✓		
[77]	✓				✓					✓
[125]	✓		✓			✓	✓			✓
[12,135–137]	✓		✓							✓
[126]	✓			✓						✓
[8,138,139]		✓	✓					✓		
[27,61,140]	✓			✓			✓			
[141]	✓		✓							✓
[121]	✓					✓				✓
[23,123]	✓		✓					✓		
[142]	✓				✓					✓
[129]	✓				✓			✓	✓	
[45]	✓		✓					✓	✓	
[55]	✓		✓					✓		
[130]	✓		✓					✓		
[17]	✓		✓				✓			✓
[122]	✓					✓				✓
[63]	✓		✓	✓						✓
[6]		✓	✓				✓			
[127]	✓				✓					✓
[124]	✓		✓				✓	✓		
[143]	✓		✓	✓			✓			
Total	35	6	30	9	3	7	25	6	7	9

C: cost; P: profit; E: emissions; E/W: energy/water consumption; EI: environmental impact; J: job creation; S: satisfaction; SI: social impact; O: other.

(b) Constraints

The sustainability considerations can be reflected not only in objective functions but also in the constraints, as provided by a few studies in the literature. Nevertheless, the economic dimension is considered in objective functions only. Therefore, the list of

constraints considered in the surveyed literature that reflect the environmental and social dimensions is provided below.

Environmental Element:

- The fixed carbon emissions for operating plants and warehouses as well as the variable carbon emissions across the supply chain operations (transportation, handling, and manufacturing) must be within the maximum carbon footprint imposed on the supply chain network [88].
- The water footprint across the supply chain network must not exceed the maximum water footprint cap [88].
- The solid waste generated over the supply chain network should be below the maximum solid waste cap [88].
- The carbon emissions produced must not exceed the maximum carbon emissions from the transportation activities between supply chain echelons [9,89] or the production and shipping of manufactured products [56], or transportation and operation activities [86].
- The total GHG emissions from transportation activities and the emission of the consumed diesel fuel must be within the maximum permitted GHG emissions [15].
- Monitoring carbon emissions across the supply chain network through a carbon-trading mechanism that permits the selling and purchase of carbon credits [87,92].

Social Element:

- The procurement of materials must be carried out through a supplier that conforms to a minimum social sustainability index [88]. The social index is composed of indicators related to discrimination, human rights abuse, child labor, long working hours, and compensation.
- The average human development index for opening facilities must be within the average of all human development indices of all candidate facilities [89]. The human development index contains three issues of human development which are health, education, and economic welfare.
- The selection of a manufacturer is based on a social score that is obtained through the analytic hierarchy process (AHP) method, considering criteria of insurance, employment, dismissals, rest periods, safety, health, and the welfare status of employees [12].

In summary, this review has delineated the complexity of sustainable SCND through various models that integrate environmental, economic, and social dimensions. Studies typically strive to optimize across these dimensions, with common objectives including cost minimization, profit maximization, emission reduction, and the enhancement of social welfare. Certain works extend to multi-objective models that tackle specific industry challenges, like the design of resilient supply networks in the face of disruptions, while considering perishability, waste, and uncertainty. Key environmental constraints are applied to limit carbon footprints, solid waste, and GHG emissions, with mechanisms like carbon trading introduced to monitor and control emissions. Social sustainability is incorporated through adherence to standards and indexes that assess human rights, labor practices, and community impacts. With this framework of objectives and constraints in mind, the subsequent discussion focuses on the solution approaches. Therefore, the next section explores the various methodologies and techniques employed to solve the optimization problems presented in sustainable SCND.

4.2.4. Modeling Solution Approaches

The goal of this subsection is to identify the modeling techniques, solution approaches, and solvers utilized for solving sustainable SCND models. Due to the NP-hard nature of SCND optimization problems, a wide range of solution strategies may be applied to solve them [144]. Various modeling techniques are taken into account in the context of sustainable SCND. Modeling techniques are optimization models that represent the type of decision variables (integer, binary) and the problem's linearity or nonlinearity. They

include linear programming (LP), MILP, nonlinear programming (NLP), mixed-integer nonlinear programming (MINLP), stochastic programming, and more. Additionally, the reviewed literature consists of a variety of approaches for solving sustainable SCND optimization problems. These include exact solutions, heuristic/metaheuristic solutions, hybrid approaches, and other solution strategies.

In this section, the single-objective models are covered first, followed by multiple-objective models, and ultimately the tools needed to solve these optimization models.

(a) Models with a Single Objective

The majority of single-objective models are formulated as MILP that are either deterministic models [74,86,90–93] or stochastic models [15,62,85,87,88], and are mostly solved using exact solution methods. Table 4 summarizes the solution methods for sustainable SCND with a single objective. Kabadurmus and Erdogan [92] introduced a MILP model for the multi-echelon, multi-product, and multimodal SCND problem with a constrained carbon cap-and-trade scheme and risk limit. The model was evaluated using a hypothetical but realistic case study. Ghelichi et al. [15] addressed the network design optimization of a multi-period and multi-product biodiesel supply chain through developing a two-stage stochastic programming model that considers uncertain fuel demand. A MILP formulation was introduced and tested in a case study in Iran. Das et al. [88] considered the demand and capacity uncertainties in the design of the sustainable supply chain network. The study used chance-constrained programming to transform the model into a deterministic MILP, which was then solved in order to find the optimum configuration of SCND. Ren et al. [85] incorporated the life cycle emissions and carbon price uncertainty into the design of a polyvinyl chloride supply chain and developed a stochastic MILP to cope with the existing uncertainties. A case study was conducted to establish a supply chain model with stochastic inputs and evaluate the effectiveness of the proposed model. A few of these MILP models are solved using other methods. For example, Quddus et al. [87] developed a hybrid decomposition approach that combines the sample average approximation with an improved progressive hedging algorithm to solve the proposed two-stage stochastic MILP model with supply uncertainty. Shaw et al. [62] employed the Benders decomposition method to solve the chance-constrained MILP model that handles various uncertainties related to suppliers', plants', warehouses', and demands' capacities. Granillo-Macías [74] solved the vehicle routing problem of a logistics network considering economic and social pillars of sustainability by employing the adaptive large neighborhood search algorithm (ALNS) that is assessed on instances with up to 100 customer nodes.

The MINLP representation of SCND is applied in different studies [89,94,95], where exact and heuristic solution methods are employed to tackle optimization problems. Lotfi et al. [94] studied sustainable SCND considering renewable energy and proposed a two-stage robust stochastic optimization for locating facilities and determining the type of used energy and the flow quantity among supply chain entities. Some other studies considered the network design problem to be expressed as MINLP that is first linearized and then solved. For instance, Alharbi et al. [95] designed a schedule for a sustainable container supply chain network and proposed a MINLP mathematical formulation to address the nonlinear objective function, which is first linearized and then solved using an iterative optimization method. Lucía et al. [89] developed a MINLP mathematical formulation to encounter the nonlinearity of some constraints related to economic sustainability and an optimization-based primal heuristic, based on weighted cost calculations, designed to solve the model.

Other modeling techniques involve extended goal programming (GP), which is applied in some cases to develop a macro-location model for a biodiesel-sustainable SCND [16].

Table 4. Solution methods for sustainable SCND models with single objectives.

Solution Method	Articles
Stochastic programming	[15,85]
Constrained programming	[88]
Decomposition approach	[62,87]
Heuristics/Metaheuristics	[74,89,94,95]

(b) Models with Multiple Objectives

Several solution methods are deployed to solve the SCND optimization models with multiple objectives. In this subsection, each category of solution methods is discussed.

Different metaheuristics are employed, owing to the fact that these optimization models are complex and exact solution methods cannot provide the optimum configuration of a SCND in a reasonable timeframe. The non-dominated sorting genetic algorithm II (NSGA-II) to solve the optimization models was employed in [21,115,116,124]. For instance, the NSGA-II was developed to address the network design of a sustainable capacitated facility location problem that aims to minimize supply chain costs and environmental impacts [116]. Another solution method based on the particle swarm optimization (PSO) algorithm was adopted in [26,54,111]. PSO was used to solve a MILP model that minimizes cost and GHG emissions arising from location-allocation decisions of a green supply chain [111]. The simulated annealing (SA) metaheuristic was adopted as a solution method in [7,106]. The SA algorithm was used to tackle the non-convex nature of a mixed-integer bi-level programming model for their sustainable SCND [7]. It was also adopted in [106] as a multi-start SA algorithm, where the algorithm's performance is measured by comparing its Pareto frontier to the exact Pareto frontier through studying a set of performance metrics.

Some studies integrated two or more algorithms to enhance the performance of the proposed solution methods. For instance, the NSGA-II and PSO algorithms were combined to solve MINLP optimization models that include facility location, transportation, and routing decisions [63,98]. The hybridization of NSGA-II and genetic algorithms (GA) was considered in some cases [30,77,100] while [69] combined GA, PSO, and evolutionary algorithms (EAs) to solve the stochastic programming model. Multiple metaheuristic algorithms including SA, PSO, and NSGA-II were utilized to solve a multi-objective stochastic programming model [141]. A multi-product vehicle routing problem with time windows was tackled by developing three swarm intelligence metaheuristics that were hybridized with the variable neighborhood search (VNS) algorithm [17]. For benchmarking purposes, these algorithms were compared to GA and VNS algorithms based on their Pareto frontier. A hybrid heuristic was developed by Hasani et al. [101], that incorporates ALNS and the improved strength Pareto EA algorithm 2 (SPEA2). Other researchers developed metaheuristic solutions including large neighborhood search (LNS) with multi-directional local search (LS) [66], hybrid firefly algorithm and SA [76], swarm intelligence and artificial bee colony (ABC) [120], multi-neighborhood descent traversal algorithm [125], SA and red deer algorithm (RDA), and hybrid GA-PSO [29].

The ϵ -constraint method is applied to multi-objective optimization models, where one objective function is prioritized and optimized, while other objective functions are incorporated in the constraints of the model [145]. In other words, the other objectives are bounded by the means of additional constraints given as ϵ in order to obtain the Pareto optimal set [146]. In addition to that, a substantial number of non-extremely efficient solutions that are helpful to decision-makers can be produced using the ϵ -constraint method [71]. The majority of the literature considers the economic objective as the main objective function of the model, while the environmental and social objectives as constraints. Attari and Torkayesh [14] converted a multi-objective MIP model that targets economic and environmental aspects into a single objective through representing the environmental criterion in the ϵ -constraint, and the resulting solutions were the Pareto optimal of the multi-objective problem. Similarly, Ghomi-Avili et al. [146] used the ϵ -constraint method to convert a

bi-objective MINLP model into a single function. Also, Rahimi et al. [6] applied the same method to a multi-objective MINLP model to obtain the Pareto optimal solutions.

The augmented ϵ -constraint effectively searches the Pareto frontier and generates a uniform set of Pareto points in the design space. It is also an improved version of the conventional version of the ϵ -constraint described above. The method is utilized in models such as bi-objective MILP models [71,109], multi-objective MILP models [27,122–124,131,139,140], multi-objective NLP models [132], and multi-objective stochastic MILP models [8], which are then solved using exact solvers or metaheuristics.

Another approach to address problems with multiple objectives is through GP. This method searches for the best possible outcomes, which minimizes deviations from predefined goal values for one or more objectives [133]. A limited number of studies consider the use of GP [108,112,114,126,133,136]. For example, the method of GP was considered to develop a trade-off solution for three conflicting objectives of sustainability, using decision makers' preferences to decide the ranking of the distinct goals [112]. In another study, GP was compared against the ϵ -constraint and LP-metrics methods in terms of obtaining the Pareto solutions of a linear programming model with four objectives [114]. The results demonstrated the effectiveness of the ϵ -constraint method over the other two methods.

Several fuzzy solution approaches are considered in multi-objective models. Sazvar et al. [129] constructed a robust fuzzy optimization approach to cope with uncertainties. Then, the multi-objective model was solved by applying multi-choice GP with a utility function approach. Tsao et al. [28] used an interactive method based on two-stage stochastic programming and fuzzy probabilistic multi-objective programming to overcome problems related to uncertainty. Zahiri et al. [61] provided a novel fuzzy possibilistic-stochastic programming approach and solved the model through a new Pareto-based lower bound method as well as an EA-based algorithm. Gholipour et al. [34] applied a fuzzy solution strategy on a bi-objective mathematical model by considering the fuzzy membership function. Balaman et al. [102] combined the fuzzy set theory and the ϵ -constraint method in order to address the uncertainties of economic and environmental sustainability aspects, while also capturing the trade-off between the two objectives.

Other methods are introduced and used to solve the multi-objective optimization models [12,23,32,33,108,121,128,130,142,143]. Sharefati et al. [12] utilized multi-criteria decision approaches to examine the three pillars of sustainability and identify certain indicators related to the social element. The work conditions indicator was specifically measured through a set of criteria, with a social score obtained for each criterion using the AHP technique, which influences the selection of a manufacturer. Another method, known as the technique for order preferences by similarity to ideal solution (TOPSIS), is used to calculate each region's growth potential in terms of societal community development. The results of these methods are incorporated into the mathematical model. Heidari-Fathian and Pasandideh [23] developed an algorithm based on the Lagrangian relaxation approach to solve the MINLP model. Fragoso et al. [33] considered a multi-objective MIP model for a regional supply chain network in the fish processing industry. The model and decision-making process were examined using interactive decision maps to approximate and visualize the Pareto frontier in criteria space. Isaloo and Paydar [108] employed three exact solution approaches to solve a robust bi-objective SCND with environmental concerns. These methods included the weighted sum of objectives, weighted goal programming, and the LP-metric method. The weighted sum of objectives approach is one of the most common approaches used in multi-objective models, which is based on assigning a weight to each criterion and then minimizing the weighted total of all criteria [35]. Nayeri et al. [121] developed a new version of meta-goal programming, called the multi-choice meta-goal programming, associated with a utility function to solve the resulting multi-objective MIP model. Fragoso and Figueira [128] formulated and solved a multi-objective MIP model using the reference point method and a scalarizing function approach. Medina-Gonzalez et al. [130] offered an alternative technique based on a State Task Network formulation that can optimize under unknown conditions, take into account numerous selection criteria,

and account for the material quality effect. The resulting collection of Pareto solutions were then evaluated using the Elimination and Choice Expressing Reality-IV approach, which identifies the ones with the best overall performance, when the parameters are unclear. Sabouhi et al. [142] provided a multi-period MILP model that uses the k-means clustering method to assess the sustainability performance of regions, and then solve the model using the Benders decomposition method. Table 5 summarizes the aforementioned solution methods for multi-objective models.

Table 5. Solution methods for sustainable SCND models with multiple objectives.

Solution Method	Articles
Metaheuristic	NSGA-II [21,115,116,124]; PSO [26,54,111]; SA [7,106]; PSO and NSGA-II [63,98]; GA and PSO [30,77,100]; GA and EA & PSO [69]; SA, PSO and NSGA-II [141]; hybrid swarm intelligence [17]; SPEA2 and ALNS [101]; LNS with multi-directional LS [66]; hybrid firefly algorithm and SA [76]; swarm intelligence and ABC [120]; multi-neighborhood descent traversal algorithm [125]; SA and RDA algorithms and hybrid GA-PSO [29]; ϵ -constraint [6,14,55,104,114,134,136,138,146]; Augmented ϵ -constraint [5,8,27,71,109,122–124,131,132,139,140]
ϵ -constraint	[108,112,114,126,133,136]
Goal programming	[20,22,56,57,99,103,106,117–119,137]
Exact method	
Fuzzy solution approach	Fuzzy approach [28,34,47,61,129]; interactive fuzzy approach [45]; ϵ -constraint and fuzzy set theory [102]; fuzzy goal programming [135]
Others	AHP and TOPSIS [12]; Lagrangian relaxation approach [23]; four-stage hybrid method [32]; interactive decision map [33]; weighted sum of objectives [108]; multi-choice meta-GP [121]; reference point method [128]; elimination and choice approach [130]; Benders decomposition [142]; normalized constraint method [143]

(c) Solvers

This subsection presents a taxonomy of the types of solvers employed in the solution methods. When dealing with the complexity of supply chains, modeling the chain network design problems can often pose an issue. Modeling languages are frequently used in tandem with an LP solver such as CPLEX, Gurobi, etc. Figure 6 highlights the solvers and tools that were used. The majority of the literature considers the use of the CPLEX solver through the General Algebraic Modeling System (GAMS) software. The IBM ILOG CPLEX is a high-performance LP MIP solver. It provides several algorithms for addressing LP problems. As the models can be solved using the exact solution methods, it is clear that the complexity of sustainable SCND lies in modeling and mathematically formulating the optimization models. However, the use of linearizing techniques and conversion approaches from multiple to a single objective (ϵ -constraint, weighted sum of objectives, etc.) is required prior to the use of these solvers. Other exact solvers are also considered in the literature such as AMPL, Lingo, and Gurobi. The use of MATLAB software is considered by the authors for developing metaheuristic solution approaches [17,26,54,69,76,77,98,100,115,124], and the fuzzy c-means clustering method [122]. There are other tools for solving the optimization models. For instance, Rohmer et al. [127] used the Xpress-IVE software to solve a proposed multi-objective model, in which each objective function was optimized at a time. Some authors developed approximate solutions only, where Java language was used for developing swarm intelligence and ABC algorithms [120], NSGA-II [116], and a decomposition-based algorithm [99].

In summary, the current literature on sustainable SCND highlights a variety of solution methods tailored to address the complex multi-objective nature of such problems. Techniques like the ϵ -constraint method, goal programming, and various fuzzy solution approaches are prominent for handling trade-offs between economic, environmental, and social objectives. Metaheuristics, exact methods, and hybrid approaches have also been developed to cope with the complexities and uncertainties inherent in sustainable SCND models. Various solvers such as CPLEX, AMPL, Lingo, Gurobi, and MATLAB have been utilized to facilitate these complex computations. The use of linearizing techniques and the

conversion of multiple objectives into a single one are also noted as essential steps before employing these solvers. Moving forward, the subsequent section discusses the findings and dives into the critical analysis of the approaches covered and the identified gaps in the current research.




Figure 6. Distribution of utilized solvers and other tools.

5. Discussion and Current Research Limitations

Based on the systematic literature review, it is found that despite the great interest and efforts in integrating sustainability dimensions in the design of supply chain networks, improvements in several dimensions are required. In this section, a summary of findings and research gaps is provided.

It was found that the evaluated literature does not take into account the three elements of sustainability. Specifically, the majority of studies incorporate economic and environmental aspects of the network design, whereas the social dimension is the least explored. Although the social aspect is not included in most of the works, its importance is well recognized in quantitative models, when compared to prior studies [35,37].

Different approaches may be used to assess the effectiveness of incorporating sustainability factors. The proposed optimization models are evaluated and validated using two approaches: computational analyses and case studies. Table 6 outlines the two model validation approaches, the supply chain domain, the application context, and the pertinent literature. Computational analysis is usually carried out on a set of numerical examples that are based on randomly generated instances. Case studies are essential in the mutual learning process that occurs between academics and practitioners in the field of sustainable development [12]. They can not only evaluate the performance of the proposed model but also demonstrate the research's practical value and provide managerial implications. It was found that the majority of the reviewed literature considers using case studies, showing the importance of their use in supporting the practicality of the proposed sustainable SCND. Additionally, the inclusion of environmental, social, or both pillars requires case studies for the realistic quantification of environmental and social impact, which assists decision-makers in designing sustainable supply chain networks.

Current research is mostly focused on real-world applications including food supply chains, bio-based supply chains, pharmaceutical supply chains, waste management, etc. The sustainable design of food supply chains, for example, has received a great deal of attention in the literature, with Yadav et al. [37] reviewing the food supply chain literature and emphasizing the need to implement sustainable practices.

Furthermore, it was found that the applications in which sustainability pillars are integrated are significantly distinct. This indicates that scholars and practitioners recognize the importance of incorporating sustainability into overlooked areas of applications [35], where previous research was primarily directed toward process industries and waste management.

Table 6. Model validation approach and related area of application.

Model Validation	Area of Application	Application Context and Related Articles
Computational experiments	General supply chain	[6,7,17,28,54,62,66,90,99,103,106,111,115,116,119,120,125,132]
	Others	mining [91]; medicine [76,77]; cold [22,98,137]; bio-based [102]; blood [23,141]; distribution and logistics [55,63]; Generic [9,29,57,86,89,92,123]; automobile manufacturing [69] refrigerator manufacturing [136] cable manufacturing [12] plastic pipe manufacturing [122] glass manufacturing [143]; industrial goods [146]; automotive distribution [34]; dairy production [113]; food industry [29];
Case study	General supply chain	biofuel [96]; water heater industry [121]; chemical processes [142]; vaccine [129]; e-commerce (consumer products) [133]
	Bio-based supply chain	[8,15,16,24,26,45,87,110,118,130,138]
	Food supply chain	[20,27,31,73,75,104,105,109,112,114,124,126–128,131,134,139,140]
	Others	Pharmaceutical and medical devices [21,61,101]; coal [97]; oil and gas [32,47]; electricity [5,135]; manufacturing [85,93,100,108]; waste management [117]; logistics and shipping [71,72,95]; mining [14]; fish processing [33]

Although there is a great variety in the use cases and applications, a considerable number of scholars design supply chain networks, particularly for food products. Food supply networks differ from other product supply chains in that food quality varies from the top to the bottom of the chain [134]. Moreover, their network designs encompass a variety of facility locations, production, storage, distribution, and transportation decisions that affect food quality. In addition, food supply chains have unique sustainability indicators, the achievement of which impacts food quality and, ultimately, customer satisfaction [126]. Hence, sustainable food supply networks are seen as a prominent topic for scholars. Researchers are also paying attention to bio-based supply chains when considering the sustainable design of supply chain networks. This is due to the fact that biofuel, or other forms of bio-energy production, appears to be one of the most promising solutions to GHG emissions and fossil fuel consumption, while also encouraging corporate social responsibility [45]. On the other hand, approximately one-third of the surveyed literature proposes generic models that are not related to specific supply chain areas or sectors. Furthermore, the majority of the general models consider minimizing emissions that are extensively used for quantifying the environmental impact of supply chain networks and can be easily incorporated into mathematical models. Most of these generic models are used in industrial contexts such as production, manufacturing, distribution, and other domains, whereas other generic models are applied to general supply chains with specific chain configurations (multi-echelon, single-/multi-product, and multi-period).

Several industries and applications, including the automobile industry, consumer goods distribution, and transportation, are underrepresented in the existing literature. For example, in the case of consumer goods distribution, there is a pressing need for a sustainable design of its supply chains [133]. Various environmental organizations conducted surveys and discovered that more than half of worldwide customers would pay more for sustainable products [147]. Therefore, many corporations are facing pressure from stakeholders to align with these goals, which is being reflected in their public commitments. For instance, Amazon has recently established a target of achieving a carbon-neutral footprint for 50% of its shipments by 2030 in response to rising pressure from investors and customers [148]. As the e-commerce sector grows, businesses are competing by promising faster deliveries and low-cost delivery services. However, certain supply chain strategies, such as consolidating shipments in a comparable region into one truck, are made considerably more difficult by this rapid delivery. Due to the competing constraints of operating a sustainable business and meeting customer needs, it is critical for firms to understand the trade-off between meeting customer needs rapidly and decreasing negative environmental and social impact. As a result, various decisions must be made, including

the optimal distribution channel, the number of required vehicles, and the number of job opportunities created by product transportation, among others [63].

The design factors of the supply chain, including facility location, inventory, transportation, technology, pricing, and sourcing, influence its performance. The most commonly studied design factors in the literature ranked from most to least frequent are facility location, transportation, inventory, and sourcing. These design variables have a clear influence on the supply chain's sustainable design. On the contrary, technology level selection is least regarded in the design of sustainable supply chains and is primarily expressed in the economic aspect, except for a few cases [123] that optimized the level of required technology in terms of carbon emissions. Technology selection has a significant impact on the design of sustainable networks and therefore should be taken into account. For example, selecting a manufacturing technology is critical, as it is one of the most challenging decision-making processes since it affects not just the organization, but the whole supply chain. This may include data collection and analysis about facilities, inventory, transportation, expenses, pricing, and consumers.

The examination of the three decision levels has been noted in a few contributions [28,86, 126,140], indicating a research gap for further exploration into how these levels interact and influence each other. It is vital to recognize that these decision levels are distinct from one another, yet they interact with one another and have an impact on the overall supply chain, with the potential to significantly enhance sustainability performance.

The design of supply chains is primarily motivated by economic considerations. In particular, cost minimization and profit maximization are the most commonly employed objectives in SCND, and the dynamic nature of uncertainty in these objectives is overlooked. In order to reflect real-world scenarios, the modeling of real-life conditions such as uncertainties in operational and disruption risks must be embedded into these objectives.

Most studies consider carbon emissions, which are mainly caused by manufacturing and transportation activities. However, excessive water consumption occurs in the production of a variety of commodities including food, chemicals, metals, and others. As a result, water resources must be preserved as they are essential for environmental protection.

In terms of modeling approaches, research focuses on developing deterministic MILP models that are solved with conventional tools and solvers. This is owing to the capacity of these modeling approaches to integrate social or environmental concerns into complex industrial processes. The performance of state-of-the-art solvers enables solving real-life situations, even though very long computational times are occasionally needed. Developing sophisticated metaheuristic strategies for tackling large-sized problems is a promising approach to generating efficient solutions. This finding has been recognized in previous review studies [35–38], implying that many real-world constraints are relaxed and that these limitations need to be further investigated to bring practicality between theory and real-life settings.

There is no association between the type of models utilized and the sector of application, which is also aligned with the conclusion drawn in a previous review [35]. The choice of a linear or nonlinear formulation in a deterministic or stochastic environment is more related to the technical complexity, the supply chain design, and the presence of uncertainty sources in the model. Finally, it seems that there is a growing need to incorporate uncertainties and nonlinear elements to better reflect real-life scenarios.

Exploring the domain of practical applications reveals several instances where mathematical models extend beyond theoretical boundaries, delivering tangible benefits in terms of sustainability in real industrial contexts. For instance, Sel et al. [31] proposed a stochastic programming model with a focus on key performance indicators related to total waste, shortages, and the aggregate cost of production and distribution. A case study application in the catering operations of a Turkish university cafeteria showcased the model's effectiveness, revealing a remarkable reduction in total costs by 36% and waste-related expenditures by 23%. This highlights the model's potential to optimize resources while mitigating waste. In a similar vein, Mohebalizadehgashti et al. [109] focused their analytical efforts towards environmental impacts within the green meat supply chain network. Their multi-period, multi-product, and multi-echelon model was applied in a green meat supply chain network

in Southern Ontario, Canada, where it was proven that it is feasible to maintain emissions at a minimal level without incurring excessive costs. The pharmaceutical sector is not left behind, as illustrated by Janatyan et al. [21], who developed a multi-objective model tailored to a pharmaceutical distribution network, adhering to the principles of sustainability. The practical test of this model, conducted via the Darupakhsh Distribution Company, shed light on pivotal strategic and operational decisions. It provided the company with valuable insights, facilitating the optimal placement of new distribution centers that cater to economic efficiency and environmental responsibility by minimizing costs and CO₂ emissions. Lastly, Ghatee and Zarrinpoor [47] put forward a multi-objective approach to designing an oil supply chain that addresses economic, social, and environmental objectives concurrently. Their case study in Iran highlighted that sustainable practices implemented through their model could reduce greenhouse gas emissions and boost employment opportunities, which indicates the holistic benefits of integrating sustainability into supply chain networks. For further exploration of the sustainability outcomes of such models, readers are directed to the works listed under the case study category in Table 5, which provide additional evidence and in-depth analysis.

6. Conclusions and Recommendations

The rising interest of many nations in the sustainability approach has driven enterprises to adjust their operations in order to consider sustainable constraints and fulfill new demand requirements. To this extent, the connection and interlacing between performance and sustainability are becoming critical, prompting academicians and practitioners to evaluate firm performance in terms of sustainability. In this context, this work addresses the current state of the art of sustainable SCND by mainly focusing on the formulation and solution approaches of the optimization models for these network designs and the peculiarities of SCND. The scope of this study is confined to research that evaluates at least two of the sustainability elements implicitly embedded into forward supply chains. A total of 102 articles were surveyed in order to investigate the aforementioned research questions. Thereafter, based on the findings of this research, a number of research directions for the future are highlighted.

Based on this work, it can be implied that there is a definite paradigm shift in SCND as supply chain decision-makers and end-users become more environmentally conscious. Carbon footprints, which accumulate as products move, will impact market share and the structure of the supply chain. In addition, environmental policies and legislations are implemented globally, which will undoubtedly have an influence on supply chain design factors including product sourcing, inventory, transportation, etc.

This study has also offered an understanding of the relationship between the various aspects of sustainable SCND that have become increasingly important. There are numerous application areas, various design factors, and multiple decision levels that, when taken together, create a complex landscape of considerations, trade-offs, and synergies. The identification of the complexity level of the supply chain, the position of the supply chain within its industrial context, the driving sources of sustainability in the supply chain, and the degree of influence of policymakers are critical factors in leading sustainable supply chains.

In light of the findings, future studies should prioritize examining the social dimension more comprehensively in sustainable SCND. Despite its critical importance, the social aspect remains relatively underexplored in the literature, with only 46 studies addressing this dimension. Therefore, there is a significant opportunity for researchers to explore the social implications of SCND and contribute to a more holistic understanding of sustainability in this domain. Nonetheless, creating tools for assessing and quantifying social dimensions is still a difficult task that requires further research. In general, the discrepancy in emphasis between the three aspects of sustainability shows that more balanced and integrated methods as well as a more thorough knowledge of sustainability are required for the establishment of sustainable SCND systems and processes. In future, researchers should attempt to incorporate all three aspects of sustainability into their models or identify and explore the reasons for focusing on some dimensions over others.

Strategic considerations related to network design have a tremendous impact on tactical and operational decisions. However, the coordination of the three decision levels has been largely disregarded in the research on sustainable SCND. Therefore, more emphasis should be placed on integrated strategic, tactical, and operational models. For example, product design may have an influence on all decisions, such that a change in product design may involve the development of a new logistics network at the strategic level and a new material management strategy at the tactical level. Finally, a scheduled operation to ensure the in-time delivery of final products to customers, and coordinating the logistics network to be responsive to customer demands are required at the operational level.

In terms of design factors, technology-level selection is limited in the design of the supply chain. The emergence of Industry 4.0 technologies, often known as smart manufacturing, is driving industrial processes [149]. These technologies assist industrial organizations in achieving long-term goals by shortening lead times, delivering customized items, enhancing product quality, and increasing workers' morale. Hence, it would be interesting to assess the influence of technologies like Industry 4.0 on SCND from a sustainability standpoint. Businesses and governments must be aware of, and prepared for, the massive changes forged by Industry 4.0. It is critical to embrace Industry 4.0 not only to mitigate risks but also to capitalize on all of the opportunities that this new revolution provides. Businesses that implement Industry 4.0 can expect increased productivity, reduced waste, and the ability to create more sustainable manufacturing processes.

Current research overlooks the link between industrial settings and the extent of integration of sustainability features. That is, there must be a clear understanding of the industrial context and the severity of its influence on the environmental and social variables. For example, major emission contributors (e.g., manufacturing, oil, gas, etc.) should pay close attention to the environmental element and prioritize it among many objectives.

As consumers become more aware and concerned about sustainable development goals, it is important for businesses to prioritize identifying indicators that impact sustainability within their industrial context over only reducing GHG emissions and maximizing job opportunities. As a result, practitioners and academicians should focus on a more comprehensive design of sustainable supply chain networks, based on a thorough understanding of the specific industry and the key factors influencing their sustainability maturity.

The elements of sustainability are primarily presented as objective functions including reducing cost/increasing profit, minimizing emissions, and maximizing job creation/social responsibility, which are regarded as general representations of sustainability in SCND. On the other hand, the reflection of sustainability dimensions in the constraints has received less attention in the literature. This could be due to the misunderstanding of sustainability requirements and indicators for a supply chain, whether generic or industry-specific. Therefore, further research on sustainability and its requirements for improving the design of a supply chain network is recommended.

Uncertainty and risk should be adequately accounted for in sustainable SCND. Uncertainty exists in many aspects of real-world situations, such as demand level, supplier social risk, environmental risk, operational and disruption risks, etc. However, quantitative sustainable SCND models that incorporate these features are still limited, although they have frequently been studied in supply chain research.

Regarding solution techniques, typical solvers have been most frequently employed to solve the generated models in sustainable SCND, when it comes to solution strategies. However, the size and the number of variables and constraints in a real supply chain network model make it unfeasible to solve within an acceptable time frame. This is especially important when solving nonlinear, stochastic, or multi-objective models. Therefore, there is a critical need for the establishment of efficient and robust solution approaches for large complex problems involving uncertainty.

Finally, it was recognized that there is a high potential for a future thorough analysis devoted to CLSCs, taking into account the significant literature and specific requirements of these types of supply chains.

Author Contributions: The manuscript was written through the contributions of all authors. B.M., A.S. and A.A. were responsible for the conceptualization of the topic; research methodology was carried out by B.M. and A.S.; manuscript writing, original draft writing, and formal analysis were carried out by B.M. and A.S.; manuscript reviewing and editing were carried out by B.M., A.S. and A.A.; B.M. led the overall research activity. All authors have read and agreed to the published version of the manuscript.

Funding: The work in this paper was supported, in part, by the Open Access Program from the American University of Sharjah. This research was partially funded by the American University of Sharjah through providing a Graduate Research Assistantship to the first two authors, provided by the Office of Research and Graduate Studies as part of the support to the Ph.D. Program in Engineering Systems Management.

Acknowledgments: The authors would like to express their gratitude to the Engineering Systems Management—PhD Program and the Open Access Program at the American University of Sharjah for their support to this research. This paper represents the opinions of the authors and does not mean to represent the position or opinions of the American University of Sharjah.

Conflicts of Interest: The authors declare no conflict of interest.

Abbreviations

The abbreviations that are used throughout the study are summarized below.

SCM	Supply Chain Management
SCND	Supply Chain Network Design
SSCM	Sustainable Supply Chain Management
CLSC	Closed-Loop Supply Chain
MILP	Mixed-Integer Linear Programming
LP	Linear Programming
NLP	Nonlinear Programming
MINLP	Mixed-Integer Nonlinear Programming
GSCND	Green Supply Chain Network Design
GHG	Greenhouse Gas
FSCs	Forward Supply Chains
GDP	Gross Domestic Product
JCP	<i>Journal of Cleaner Production</i>
AOR	<i>Annals of Operations Research</i>
VOS	Visualization of Similarities
CAIE	<i>Computers and Industrial Engineering</i>
COR	<i>Computers and Operations Research</i>
IJPE	<i>International Journal of Production Economics</i>
CTEP	<i>Clean Technologies and Environmental Policy</i>
ESA	<i>Expert Systems with Applications</i>
IJER	<i>International Journal of Energy Research</i>
IJPR	<i>International Journal of Production Research</i>
IJLSM	<i>International Journal of Logistics Systems and Management</i>
GAMS	General Algebraic Modeling System
AHP	Analytic Hierarchy Process
TOPSIS	Technique for Order of Preference by Similarity to Ideal Solution
ALNS	Adaptive Large Neighborhood Search Algorithm
GP	Goal Programming
NSGA	Non-dominated Sorting Genetic Algorithm
PSO	Particle Swarm Optimization
SA	Simulated Annealing
Eas	Evolutionary Algorithms
VNS	Variable Neighborhood Search
LNS	Large Neighborhood Search
LS	Local Search
ABC	Artificial Bee Colony
RDA	Red Deer Algorithm

References

- Moghaddas, Z.; Tosarkani, B.M.; Yousefi, S. A Developed Data Envelopment Analysis Model for Efficient Sustainable Supply Chain Network Design. *Sustainability* **2022**, *14*, 262. [[CrossRef](#)]
- Madzik, P.; Falát, L.; Zimon, D. Supply chain research overview from the early eighties to COVID era—Big data approach based on Latent Dirichlet Allocation. *Comput. Ind. Eng.* **2023**, *183*, 109520. [[CrossRef](#)]
- Mari, S.I.; Lee, Y.H.; Memon, M.S. Sustainable and Resilient Supply Chain Network Design under Disruption Risks. *Sustainability* **2014**, *6*, 6666–6686. [[CrossRef](#)]
- Song, W.; Hubert Han, Y.; Sroufe, R. Substitution and complementarity dynamics in configurations of sustainable management practices. *Int. J. Oper. Prod. Manag.* **2022**, *42*, 1711–1731. [[CrossRef](#)]
- Jabbarzadeh, A.; Rastegar, S.; Fahimnia, B. Green and Resilient Design of Electricity Supply Chain Networks: A Multiobjective Robust Optimization Approach. *IEEE Trans. Eng. Manag.* **2019**, *66*, 52–72. [[CrossRef](#)]
- Rahimi, M.; Ghezavati, V.; Asadi, F. A stochastic risk-averse sustainable supply chain network design problem with quantity discount considering multiple sources of uncertainty. *Comput. Ind. Eng.* **2019**, *130*, 430–449. [[CrossRef](#)]
- Kaboli Chalmardi, M.; Camacho-Vallejo, J.-F. A bi-level programming model for sustainable supply chain network design that considers incentives for using cleaner technologies. *J. Clean. Prod.* **2019**, *213*, 1035–1050. [[CrossRef](#)]
- Osmani, A.; Zhang, J. Multi-period stochastic optimization of a sustainable multi-feedstock second generation bioethanol supply chain—A logistic case study in Midwestern United States. *Land Use Policy* **2017**, *61*, 420–450. [[CrossRef](#)]
- Rezaee, A.; Dehghanian, F.; Fahimnia, B.; Beamon, B. Green supply chain network design with stochastic demand and carbon price. *Ann. Oper. Res.* **2017**, *250*, 463–485. [[CrossRef](#)]
- Chopra, S.; Meindl, P.; Kalra, D.V. *Supply Chain Management: Strategy, Planning, and Operation*; Pearson: Boston, MA, USA, 2013; Volume 232.
- Liao, H.; Zhang, Q.; Li, L. Optimal procurement strategy for multi-echelon remanufacturing systems under quality uncertainty. *Transp. Res. Part E Logist. Transp. Rev.* **2023**, *170*, 103023. [[CrossRef](#)]
- Sherafati, M.; Bashiri, M.; Tavakkoli-Moghaddam, R.; Pishvaee, M.S. Supply chain network design considering sustainable development paradigm: A case study in cable industry. *J. Clean. Prod.* **2019**, *234*, 366–380. [[CrossRef](#)]
- Alcaraz, J.L.G.; Reza, R.D.; Macías, E.J.; Vidal, R.P.I.; Montalvo, F.J.F.; Ledesma, A.S.-T. Effect of the Sustainable Supply Chain on Business Performance—The Maquiladora Experience. *IEEE Access* **2022**, *10*, 40829–40842. [[CrossRef](#)]
- Attari, M.Y.N.; Torkayesh, A.E. Developing benders decomposition algorithm for a green supply chain network of mine industry: Case of Iranian mine industry. *Oper. Res. Perspect.* **2018**, *5*, 371–382. [[CrossRef](#)]
- Ghelichi, Z.; Saidi-Mehrabad, M.; Pishvaee, M.S. A stochastic programming approach toward optimal design and planning of an integrated green biodiesel supply chain network under uncertainty: A case study. *Energy* **2018**, *156*, 661–687. [[CrossRef](#)]
- Costa, Y.; Duarte, A.; Sarache, W. A decisional simulation-optimization framework for sustainable facility location of a biodiesel plant in Colombia. *J. Clean. Prod.* **2017**, *167*, 174–191. [[CrossRef](#)]
- Govindan, K.; Jafarian, A.; Nourbakhsh, V. Designing a sustainable supply chain network integrated with vehicle routing: A comparison of hybrid swarm intelligence metaheuristics. *Comput. Oper. Res.* **2019**, *110*, 220–235. [[CrossRef](#)]
- Amaeshi, K.M.; Osuji, O.K.; Nnodim, P. Corporate Social Responsibility in Supply Chains of Global Brands: A Boundaryless Responsibility? Clarifications, Exceptions and Implications. *J. Bus. Ethics* **2008**, *81*, 223–234. [[CrossRef](#)]
- Diabat, A.; Govindan, K. An analysis of the drivers affecting the implementation of green supply chain management. *Resour. Conserv. Recycl.* **2011**, *55*, 659–667. [[CrossRef](#)]
- Bortolini, M.; Faccio, M.; Gamberi, M.; Pilati, F. Multi-objective design of multi-modal fresh food distribution networks. *Int. J. Logist. Syst. Manag.* **2016**, *24*, 155–177. [[CrossRef](#)]
- Janatyan, N.; Zandieh, M.; Alem-Tabriz, A.; Rabieh, M. Designing sustainable distribution network in pharmaceutical supply chain: A case study. *Int. J. Supply Oper. Manag.* **2018**, *5*, 122–133.
- Zanoni, S.; Mazzoldi, L.; Ferretti, I. Eco-efficient cold chain networks design. *Int. J. Sustain. Eng.* **2019**, *12*, 349–364. [[CrossRef](#)]
- Heidari-Fathian, H.; Pasandideh, S.H.R. Green-blood supply chain network design: Robust optimization, bounded objective function & Lagrangian relaxation. *Comput. Ind. Eng.* **2018**, *122*, 95–105. [[CrossRef](#)]
- Mohseni, S.; Pishvaee, M.S. A robust programming approach towards design and optimization of microalgae-based biofuel supply chain. *Comput. Ind. Eng.* **2016**, *100*, 58–71. [[CrossRef](#)]
- Resat, H.G. Design and analysis of novel hybrid multi-objective optimization approach for data-driven sustainable delivery systems. *IEEE Access* **2020**, *8*, 90280–90293. [[CrossRef](#)]
- Kesharwani, R.; Sun, Z.; Dagli, C. Biofuel supply chain optimal design considering economic, environmental, and societal aspects towards sustainability. *Int. J. Energy Res.* **2018**, *42*, 2169–2198. [[CrossRef](#)]
- Varsei, M.; Polyakovskiy, S. Sustainable supply chain network design: A case of the wine industry in Australia. *Omega* **2017**, *66*, 236–247. [[CrossRef](#)]
- Tsao, Y.-C.; Thanh, V.-V.; Lu, J.-C.; Yu, V. Designing sustainable supply chain networks under uncertain environments: Fuzzy multi-objective programming. *J. Clean. Prod.* **2018**, *174*, 1550–1565. [[CrossRef](#)]
- Abdi, A.; Abdi, A.; Akbarpour, N.; Amiri, A.S.; Hajiaghaei-Keshteli, M. Innovative approaches to design and address green supply chain network with simultaneous pick-up and split delivery. *J. Clean. Prod.* **2020**, *250*, 119437. [[CrossRef](#)]

30. Biuki, M.; Kazemi, A.; Alinezhad, A. An integrated location-routing-inventory model for sustainable design of a perishable products supply chain network. *J. Clean. Prod.* **2020**, *260*, 120842. [[CrossRef](#)]
31. Sel, Ç.; Pinarbaşı, M.; Soysal, M.; Çimen, M. A green model for the catering industry under demand uncertainty. *J. Clean. Prod.* **2017**, *167*, 459–472. [[CrossRef](#)]
32. Bazyar, A.; Zarrinpoor, N.; Safavian, A. Optimal design of a sustainable natural gas supply chain network under uncertainty. *Chem. Eng. Res. Des.* **2021**, *176*, 60–88. [[CrossRef](#)]
33. Fragoso, R.; Bushenkov, V.; Ramos, M.J. Multi-criteria supply chain network design using interactive decision maps. *J. Multi-Criteria Decis. Anal.* **2021**, *28*, 220–233. [[CrossRef](#)]
34. Gholipour, S.; Ashoftehfar, A.; Mina, H. Green supply chain network design considering inventory-location-routing problem: A fuzzy solution approach. *Int. J. Logist. Syst. Manag.* **2020**, *35*, 436–452. [[CrossRef](#)]
35. Eskandarpour, M.; Dejax, P.; Miemczyk, J.; Péton, O. Sustainable supply chain network design: An optimization-oriented review. *Omega* **2015**, *54*, 11–32. [[CrossRef](#)]
36. Walther, C.; Elhedhli, S.; Gzara, F. Green supply chain network design: A review focused on policy adoption and emission quantification. *Int. J. Prod. Econ.* **2019**, *208*, 305–318. [[CrossRef](#)]
37. Yadav, V.S.; Singh, A.R.; Gunasekaran, A.; Raut, R.D.; Narkhede, B.E. A systematic literature review of the agro-food supply chain: Challenges, network design, and performance measurement perspectives. *Sustain. Prod. Consum.* **2022**, *29*, 685–704. [[CrossRef](#)]
38. Sidharath, J. A review on sustainable supply chain network design: Dimensions, paradigms, concepts, framework and future directions. *Sustain. Oper. Comput.* **2022**, *3*, 136–148. [[CrossRef](#)]
39. Liao, H.; Zhang, Q.; Shen, N.; Nie, Y.; Li, L. Coordination between forward and reverse production streams for maximum profitability. *Omega* **2021**, *104*, 102454. [[CrossRef](#)]
40. Mayring, P. Qualitative Inhaltanalyse. In *Grundlagen und Techniken, 8. Auflage*; Beltz UTB: Weinheim, Germany, 2003.
41. Govindan, K.; Soleimani, H.; Kannan, D. Reverse logistics and closed-loop supply chain: A comprehensive review to explore the future. *Eur. J. Oper. Res.* **2015**, *240*, 603–626. [[CrossRef](#)]
42. Ghadimi, P.; Wang, C.; Lim, M.K. Sustainable supply chain modeling and analysis: Past debate, present problems and future challenges. *Resour. Conserv. Recycl.* **2019**, *140*, 72–84. [[CrossRef](#)]
43. Popay, J.; Roberts, H.; Sowden, A.; Petticrew, M.; Arai, L.; Rodgers, M.; Britten, N.; Roen, K.; Duffy, S. *Guidance on the Conduct of Narrative Synthesis in Systematic Reviews: A Product from the ESRC Methods Programme*; Lancaster University: Lancaster, UK, 2006; Volume 1, p. 92.
44. Kipper, L.M.; Furstenau, L.B.; Hoppe, D.; Fozza, R.; Iepsen, S. Scopus scientific mapping production in industry 4.0 (2011–2018): A bibliometric analysis. *Int. J. Prod. Res.* **2020**, *58*, 1605–1627. [[CrossRef](#)]
45. Zarrinpoor, N.; Khani, A. Designing a sustainable biofuel supply chain by considering carbon policies: A case study in Iran. *Energy Sustain. Soc.* **2021**, *11*, 38. [[CrossRef](#)]
46. Fayaz-Bakhsh, A.; Mousavi, A. Science growth and human development index in Iran. *J. Res. Med. Sci.* **2015**, *20*, 1218. [[CrossRef](#)]
47. Ghatee, A.; Zarrinpoor, N. Designing an oil supply chain network considering sustainable development paradigm and uncertainty. *Chem. Eng. Res. Des.* **2022**, *184*, 692–723. [[CrossRef](#)]
48. Abdollahi, M. Perspectives of science in Iran. *Iran. J. Pharm. Res.* **2010**, *9*, 207–208.
49. Kharabaf, S.; Abdollahi, M. Science growth in Iran over the past 35 years. *J. Res. Med. Sci.* **2012**, *17*, 275–279.
50. Oliveira, L.S.; Machado, R.L. Application of optimization methods in the closed-loop supply chain: A literature review. *J. Comb. Optim.* **2021**, *41*, 357–400. [[CrossRef](#)]
51. Garfield, E. Citation analysis as a tool in journal evaluation: Journals can be ranked by frequency and impact of citations for science policy studies. *Science* **1972**, *178*, 471–479. [[CrossRef](#)] [[PubMed](#)]
52. Callon, M.; Courtial, J.P.; Laville, F. Co-word analysis as a tool for describing the network of interactions between basic and technological research: The case of polymer chemistry. *Scientometrics* **1991**, *22*, 155–205. [[CrossRef](#)]
53. Van Eck, N.J.; Waltman, L. VOSviewer manual. In *Manual for VOSviewer Version 1.3.0*; Universiteit Leiden: Leiden, The Netherlands, 2011; Volume 1.
54. Zhang, H.; Yang, K. Multi-Objective Optimization for Green Dual-Channel Supply Chain Network Design Considering Transportation Mode Selection. *Int. J. Inf. Syst. Supply Chain Manag.* **2018**, *11*, 1–21. [[CrossRef](#)]
55. Daghighe, R.; Jabalameli, M.S.; Amiri, A.B.; Pishvaee, M.S. A multi-objective location-inventory model for 3PL providers with sustainable considerations under uncertainty. *Int. J. Ind. Eng. Comput.* **2016**, *7*, 615–634. [[CrossRef](#)]
56. Golpîra, H.; Najafi, E.; Zandieh, M.; Sadi-Nezhad, S. Robust bi-level optimization for green opportunistic supply chain network design problem against uncertainty and environmental risk. *Comput. Ind. Eng.* **2017**, *107*, 301–312. [[CrossRef](#)]
57. Boonsoonthonsatit, K.; Kara, S.; Ibbotson, S.; Kayis, B. Development of a Generic decision support system based on multi-Objective Optimisation for Green supply chain network design (GOOG). *J. Manuf. Technol. Manag.* **2015**, *26*, 1069–1084. [[CrossRef](#)]
58. Jum'a, L.; Zimon, D.; Ikram, M.; Madzik, P. Towards a sustainability paradigm; the nexus between lean green practices, sustainability-oriented innovation and Triple Bottom Line. *Int. J. Prod. Econ.* **2022**, *245*, 108393. [[CrossRef](#)]
59. Fu, Q.; Abdul Rahman, A.A.; Jiang, H.; Abbas, J.; Comite, U. Sustainable supply chain and business performance: The impact of strategy, network design, information systems, and organizational structure. *Sustainability* **2022**, *14*, 1080. [[CrossRef](#)]
60. Sisco, C.; Chorn, B.; Pruzan-Jorgensen, P.M. *Supply Chain Sustainability: A Practical Guide for Continuous Improvement*; United Nations Global Compact: New York, NY, USA, 2011.

61. Zahiri, B.; Zhuang, J.; Mohammadi, M. Toward an integrated sustainable-resilient supply chain: A pharmaceutical case study. *Transp. Res. Part E Logist. Transp. Rev.* **2017**, *103*, 109–142. [[CrossRef](#)]
62. Shaw, K.; Irfan, M.; Shankar, R.; Yadav, S.S. Low carbon chance constrained supply chain network design problem: A Benders decomposition based approach. *Comput. Ind. Eng.* **2016**, *98*, 483–497. [[CrossRef](#)]
63. Rabbani, M.; Navazi, F.; Farrokhi-Asl, H.; Balali, M.H. A sustainable transportation-location-routing problem with soft time windows for distribution systems. *Uncertain Supply Chain Manag.* **2018**, *6*, 229–254. [[CrossRef](#)]
64. Liao, H.; Deng, Q. A carbon-constrained EOQ model with uncertain demand for remanufactured products. *J. Clean. Prod.* **2018**, *199*, 334–347. [[CrossRef](#)]
65. Souza, G.C. Closed-Loop Supply Chains: A Critical Review, and Future Research. *Decis. Sci.* **2013**, *44*, 7–38. [[CrossRef](#)]
66. Eskandarpour, M.; Dejax, P.; Péton, O. Multi-directional local search for sustainable supply chain network design. *Int. J. Prod. Res.* **2021**, *59*, 412–428. [[CrossRef](#)]
67. Afy-Shararah, M.; Jagtap, S.; Pagone, E.; Salonitis, K. Waste Minimization by Inventory Management in High-Volume High-Complexity Manufacturing Organizations. In *Manufacturing Driving Circular Economy*; Springer: Cham, Switzerland, 2022; pp. 375–382.
68. Humphrey, J. Globalization and supply chain networks: The auto industry in Brazil and India. *Glob. Netw.* **2003**, *3*, 121–141. [[CrossRef](#)]
69. Govindan, K.; Jafarian, A.; Nourbakhsh, V. Bi-objective integrating sustainable order allocation and sustainable supply chain network strategic design with stochastic demand using a novel robust hybrid multi-objective metaheuristic. *Comput. Oper. Res.* **2015**, *62*, 112–130. [[CrossRef](#)]
70. Özceylan, E.; Demirel, N.; Çetinkaya, C.; Demirel, E. A closed-loop supply chain network design for automotive industry in Turkey. *Comput. Ind. Eng.* **2017**, *113*, 727–745. [[CrossRef](#)]
71. Farazmand, M.; Pishvaee, M.S.; Ghannadpour, S.F.; Ghousi, R. Green dynamic multimodal logistics network design problem considering financing decisions: A case study of cement logistics. *Environ. Sci. Pollut. Res. Int.* **2021**, *29*, 4232–4245. [[CrossRef](#)] [[PubMed](#)]
72. Wanke, P.; Correa, H.; Jacob, J.; Santos, T. Including carbon emissions in the planning of logistic networks: A Brazilian case. *Int. J. Shipp. Transp. Logist.* **2015**, *7*, 655–675. [[CrossRef](#)]
73. Ekren, B.Y.; Mangla, S.K.; Turhanlar, E.E.; Kazancoglu, Y.; Li, G. Lateral inventory share-based models for IoT-enabled E-commerce sustainable food supply networks. *Comput. Oper. Res.* **2021**, *130*, 105237. [[CrossRef](#)]
74. Granillo-Macías, R. Logistics optimization through a social approach for food distribution. *Socio-Econ. Plan. Sci.* **2021**, *76*, 100972. [[CrossRef](#)]
75. Gupta, M.; Kaur, H.; Singh, S.P. Multi-echelon agri-food supply chain network design integrating operational and strategic objectives: A case of public distribution system in India. *Ann. Oper. Res.* **2021**. [[CrossRef](#)]
76. Goodarzian, F.; Wamba, S.F.; Mathiyazhagan, K.; Taghipour, A. A new bi-objective green medicine supply chain network design under fuzzy environment: Hybrid metaheuristic algorithms. *Comput. Ind. Eng.* **2021**, *160*, 107535. [[CrossRef](#)]
77. Goodarzian, F.; Hosseini-Nasab, H.; Fakhrzad, M.B. A multi-objective sustainable medicine supply chain network design using a novel hybrid multi-objective metaheuristic algorithm. *Int. J. Eng. Trans. A Basics* **2020**, *33*, 1986–1995. [[CrossRef](#)]
78. Flynn, W.J.; Valentine, S.R.; Meglich, P. *Healthcare Human Resource Management*; Cengage Learning: Singapore, 2021.
79. Chaabane, A.; Ramudhin, A.; Paquet, M. Designing supply chains with sustainability considerations. *Prod. Plan. Control* **2011**, *22*, 727–741. [[CrossRef](#)]
80. Martin, N.; Worrell, E.; Ruth, M.; Price, L.; Elliott, R.N.; Shipley, A.M.; Thorne, J. *Emerging Energy-Efficient Industrial Technologies*; Lawrence Berkeley National Laboratory: Berkeley, CA, USA, 2000.
81. Zahraee, S.M.; Shiawakoti, N.; Stasinopoulos, P. Biomass supply chain environmental and socio-economic analysis: 40-Years comprehensive review of methods, decision issues, sustainability challenges, and the way forward. *Biomass Bioenergy* **2020**, *142*, 105777. [[CrossRef](#)]
82. Dey, P.K.; Cheffi, W. Green supply chain performance measurement using the analytic hierarchy process: A comparative analysis of manufacturing organisations. *Prod. Plan. Control* **2013**, *24*, 702–720. [[CrossRef](#)]
83. Crittenden, V.L.; Crittenden, W.F.; Ferrell, L.K.; Ferrell, O.; Pinney, C.C. Market-oriented sustainability: A conceptual framework and propositions. *J. Acad. Mark. Sci.* **2011**, *39*, 71–85. [[CrossRef](#)]
84. Xiao, Y.; Konak, A. A genetic algorithm with exact dynamic programming for the green vehicle routing & scheduling problem. *J. Clean. Prod.* **2017**, *167*, 1450–1463.
85. Ren, H.; Zhou, W.; Makowski, M.; Yan, H.; Yu, Y.; Ma, T. Incorporation of life cycle emissions and carbon price uncertainty into the supply chain network management of PVC production. *Ann. Oper. Res.* **2019**, *300*, 601–620. [[CrossRef](#)]
86. Elhedhli, S.; Gzara, F.; Walther, C. Green supply chain design with emission sensitive demand: Second order cone programming formulation and case study. *Optim. Lett.* **2020**, *15*, 231–247. [[CrossRef](#)]
87. Quddus, M.A.; Ibne Hossain, N.U.; Mohammad, M.; Jaradat, R.M.; Roni, M.S. Sustainable network design for multi-purpose pellet processing depots under biomass supply uncertainty. *Comput. Ind. Eng.* **2017**, *110*, 462–483. [[CrossRef](#)]
88. Das, R.; Shaw, K.; Irfan, M. Supply chain network design considering carbon footprint, water footprint, supplier's social risk, solid waste, and service level under the uncertain condition. *Clean Technol. Environ. Policy* **2019**, *22*, 337–370. [[CrossRef](#)]

89. Lucía Sabogal-De La Pava, M.; Julio Vidal-Holguín, C.; Fernando Manotas-Duque, D.; José Bravo-Bastidas, J. Sustainable supply chain design considering indicators of value creation. *Comput. Ind. Eng.* **2021**, *157*, 107294. [[CrossRef](#)]
90. Khalafi, S.; Zarei, M. Design of a green supply chain network by considering the possibility of storage and location-routing problem under uncertainty. *Int. J. Logist. Syst. Manag.* **2019**, *34*, 253–268. [[CrossRef](#)]
91. Valderrama, C.V.; Santibanez-González, E.; Pimentel, B.; Candia-Véjar, A.; Canales-Bustos, L. Designing an environmental supply chain network in the mining industry to reduce carbon emissions. *J. Clean. Prod.* **2020**, *254*, 119688. [[CrossRef](#)]
92. Kabadurmus, O.; Erdogan, M.S. Sustainable, multimodal and reliable supply chain design. *Ann. Oper. Res.* **2020**, *292*, 47–70. [[CrossRef](#)]
93. Chanchaichujit, J.; Saavedra-Rosas, J.; Quaddus, M.; West, M. The use of an optimisation model to design a green supply chain: A case study of the Thai rubber industry. *Int. J. Logist. Manag.* **2016**, *27*, 595–618. [[CrossRef](#)]
94. Lotfi, R.; Kargar, B.; Hoseini, S.H.; Nazari, S.; Safavi, S.; Weber, G.-W. Resilience and sustainable supply chain network design by considering renewable energy. *Int. J. Energy Res.* **2021**, *45*, 17749–17766. [[CrossRef](#)]
95. Alharbi, A.; Wang, S.; Davy, P. Schedule design for sustainable container supply chain networks with port time windows. *Adv. Eng. Inform.* **2015**, *29*, 322–331. [[CrossRef](#)]
96. Gao, J.; You, F. Modeling framework and computational algorithm for hedging against uncertainty in sustainable supply chain design using functional-unit-based life cycle optimization. *Comput. Chem. Eng.* **2017**, *107*, 221–236. [[CrossRef](#)]
97. Li, J.; Wang, L.; Tan, X. Sustainable design and optimization of coal supply chain network under different carbon emission policies. *J. Clean. Prod.* **2020**, *250*, 119548. [[CrossRef](#)]
98. Mogale, D.G.; Cheikhrouhou, N.; Tiwari, M.K. Modelling of sustainable food grain supply chain distribution system: A bi-objective approach. *Int. J. Prod. Res.* **2020**, *58*, 5521–5544. [[CrossRef](#)]
99. Guo, Y.; Hu, F.; Allaoui, H.; Boulaksil, Y. A distributed approximation approach for solving the sustainable supply chain network design problem. *Int. J. Prod. Res.* **2019**, *57*, 3695–3718. [[CrossRef](#)]
100. Ehtesham Rasi, R.; Sohanian, M. A multi-objective optimization model for sustainable supply chain network with using genetic algorithm. *J. Model. Manag.* **2021**, *16*, 714–727. [[CrossRef](#)]
101. Hasani, A.; Mokhtari, H.; Fattahi, M. A multi-objective optimization approach for green and resilient supply chain network design: A real-life case study. *J. Clean. Prod.* **2021**, *278*, 123199. [[CrossRef](#)]
102. Balaman, S.Y.; Matopoulos, A.; Wright, D.G.; Scott, J. Integrated optimization of sustainable supply chains and transportation networks for multi technology bio-based production: A decision support system based on fuzzy ε -constraint method. *J. Clean. Prod.* **2018**, *172*, 2594–2617. [[CrossRef](#)]
103. Wang, C.; Li, Y.; Wang, Z. Supply chain network optimization with consideration of raw material and final product substitutions driven by price and carbon emissions. *Kybernetes* **2018**, *47*, 1585–1603. [[CrossRef](#)]
104. Miranda de Souza, V.; Bloemhof-Ruwaard, J.M.; Borsato, M. Exploring Ecosystem Network Analysis to Balance Resilience and Performance in Sustainable Supply Chain Design. *Int. J. Adv. Oper. Manag.* **2019**, *11*, 26–45.
105. Gilani, H.; Sahebi, H. Optimal Design and Operation of the green pistachio supply network: A robust possibilistic programming model. *J. Clean. Prod.* **2021**, *282*, 125212. [[CrossRef](#)]
106. Chibeles-Martins, N.; Pinto-Varela, T.; Barbosa-Póvoa, A.P.; Novais, A.Q. A multi-objective meta-heuristic approach for the design and planning of green supply chains—MBSA. *Expert Syst. Appl.* **2016**, *47*, 71–84. [[CrossRef](#)]
107. de Souza, R.; Goh, M.; Lau, H.-C.; Ng, W.-S.; Tan, P.-S. Collaborative urban logistics—Synchronizing the last mile a Singapore research perspective. *Procedia-Soc. Behav. Sci.* **2014**, *125*, 422–431. [[CrossRef](#)]
108. Isaloo, F.; Paydar, M.M. Optimizing a robust bi-objective supply chain network considering environmental aspects: A case study in plastic injection industry. *Int. J. Manag. Sci. Eng. Manag.* **2020**, *15*, 26–38. [[CrossRef](#)]
109. Mohebalizadehgashti, F.; Zolfaghariania, H.; Amin, S.H. Designing a green meat supply chain network: A multi-objective approach. *Int. J. Prod. Econ.* **2020**, *219*, 312–327. [[CrossRef](#)]
110. Mousavi, A.P.; Ghaderi, S.F.; Ali, A. Robust design of a sustainable and resilient bioethanol supply chain under operational and disruption risks. *Clean Technol. Environ. Policy* **2020**, *22*, 119–151. [[CrossRef](#)]
111. Ratnayake, M.N.; Kachitvichyanukul, V.; Luong, H.T. A meta-heuristic for a bi-objective multi-commodity green distribution network. *Int. J. Logist. Syst. Manag.* **2020**, *36*, 282. [[CrossRef](#)]
112. Yakavenka, V.; Mallidis, I.; Vlachos, D.; Iakovou, E.; Eleni, Z. Development of a multi-objective model for the design of sustainable supply chains: The case of perishable food products. *Ann. Oper. Res.* **2019**, *294*, 593–621. [[CrossRef](#)]
113. Yavari, M.; Ajalli, P. Suppliers' coalition strategy for green-Resilient supply chain network design. *J. Ind. Prod. Eng.* **2021**, *38*, 197–212. [[CrossRef](#)]
114. Mohammed, A.; Wang, Q. The fuzzy multi-objective distribution planner for a green meat supply chain. *Int. J. Prod. Econ.* **2017**, *184*, 47–58. [[CrossRef](#)]
115. Abadi, J.Z.D.; Iraj, M.; Bagheri, E.; RabieiPakdeh, Z.; Tafti, M.R.D. A Multiobjective Multiproduct Mathematical Modeling for Green Supply Chain considering Location-Routing Decisions. *Math. Probl. Eng.* **2022**, *2022*, 7009338. [[CrossRef](#)]
116. Brahami, M.A. Sustainable capacitated facility location/network design problem: A Non-dominated Sorting Genetic Algorithm based multiobjective approach. *Ann. Oper. Res.* **2022**, *311*, 821–852. [[CrossRef](#)]
117. Eghbali, H.; Arkat, J.; Tavakkoli-Moghaddam, R. Sustainable supply chain network design for municipal solid waste management: A case study. *J. Clean. Prod.* **2022**, *381*, 135211. [[CrossRef](#)]

118. Abdali, H.; Sahebi, H.; Pishvaee, M. A sustainable robust optimization model to design a sugarcane-based bioenergy supply network: A case study. *Chem. Eng. Res. Des.* **2022**, *180*, 265–284. [[CrossRef](#)]
119. Yadav, V.S.; Tripathi, S.; Singh, A.R. Bi-objective optimization for sustainable supply chain network design in omnichannel. *J. Manuf. Technol. Manag.* **2019**, *30*, 972–986. [[CrossRef](#)]
120. Zhang, S.; Lee, C.K.M.; Wu, K.; Choy, K.L. Multi-objective optimization for sustainable supply chain network design considering multiple distribution channels. *Expert Syst. Appl.* **2016**, *65*, 87–99. [[CrossRef](#)]
121. Nayeri, S.; Ali Torabi, S.; Tavakoli, M.; Sazvar, Z. A multi-objective fuzzy robust stochastic model for designing a sustainable-resilient-responsive supply chain network. *J. Clean. Prod.* **2021**, *311*, 127691. [[CrossRef](#)]
122. Jabbarzadeh, A.; Fahimnia, B.; Sabouhi, F. Resilient and sustainable supply chain design: Sustainability analysis under disruption risks. *Int. J. Prod. Res.* **2018**, *56*, 5945–5968. [[CrossRef](#)]
123. Rabbani, M.; Hosseini-Mokhallesun, S.A.A.; Ordibazar, A.H.; Farrokhi-Asl, H. A hybrid robust possibilistic approach for a sustainable supply chain location-allocation network design. *Int. J. Syst. Sci. Oper. Logist.* **2020**, *7*, 60–75. [[CrossRef](#)]
124. Kaviyani-Charati, M.; Ameli, M.; Heidarzadeh Souraki, F.; Jabbarzadeh, A. Sustainable network design for a non-profit food bank supply chain with a heterogeneous fleet under uncertainty. *Comput. Ind. Eng.* **2022**, *171*, 108442. [[CrossRef](#)]
125. Guo, Y.; Yu, J.; Boulaksil, Y.; Allaoui, H.; Hu, F. Solving the sustainable supply chain network design problem by the multi-neighborhood descent traversal algorithm. *Comput. Ind. Eng.* **2021**, *154*, 107098. [[CrossRef](#)]
126. Jouzdani, J.; Govindan, K. On the sustainable perishable food supply chain network design: A dairy products case to achieve sustainable development goals. *J. Clean. Prod.* **2021**, *278*, 123060. [[CrossRef](#)]
127. Rohmer, S.U.K.; Lemmen-Gerdessen, J.C.; Claassen, G.D.H. Sustainable supply chain design in the food system with dietary considerations: A multi-objective analysis. *Eur. J. Oper. Res.* **2019**, *273*, 1149–1164. [[CrossRef](#)]
128. Fragoso, R.; Figueira, J.R. Sustainable supply chain network design: An application to the wine industry in Southern Portugal. *J. Oper. Res. Soc.* **2021**, *72*, 1236–1251. [[CrossRef](#)]
129. Sazvar, Z.; Tafakkori, K.; Oladzad, N.; Nayeri, S. A capacity planning approach for sustainable-resilient supply chain network design under uncertainty: A case study of vaccine supply chain. *Comput. Ind. Eng.* **2021**, *159*, 107406. [[CrossRef](#)]
130. Medina-González, S.; Graells, M.; Guillén-Gosálbez, G.; Espuña, A.; Puigjaner, L. Systematic approach for the design of sustainable supply chains under quality uncertainty. *Energy Convers. Manag.* **2017**, *149*, 722–737. [[CrossRef](#)]
131. Krishnan, R.; Arshinder, K.; Agarwal, R. Robust optimization of sustainable food supply chain network considering food waste valorization and supply uncertainty. *Comput. Ind. Eng.* **2022**, *171*, 108499. [[CrossRef](#)]
132. Heidari, A.; Imani, D.M.; Khalilzadeh, M. A hub location model in the sustainable supply chain considering customer segmentation. *J. Eng. Des. Technol.* **2021**, *19*, 1387–1420. [[CrossRef](#)]
133. Vafaei, A.; Yaghoubi, S.; Tajik, J.; Barzinpour, F. Designing a sustainable multi-channel supply chain distribution network: A case study. *J. Clean. Prod.* **2020**, *251*, 119628. [[CrossRef](#)]
134. Yadav, V.S.; Singh, A.R.; Raut, R.D.; Cheikhrouhou, N. Design of multi-objective sustainable food distribution network in the Indian context with multiple delivery channels. *Comput. Ind. Eng.* **2021**, *160*, 107549. [[CrossRef](#)]
135. Hosseini-Motlagh, S.-M.; Samani, M.R.G.; Shahbazbegian, V. Innovative strategy to design a mixed resilient-sustainable electricity supply chain network under uncertainty. *Appl. Energy* **2020**, *280*, 115921. [[CrossRef](#)]
136. Arampantzi, C.; Minis, I. A new model for designing sustainable supply chain networks and its application to a global manufacturer. *J. Clean. Prod.* **2017**, *156*, 276–292. [[CrossRef](#)]
137. Martins, C.L.; Melo, M.T.; Pato, M.V. Redesigning a food bank supply chain network in a triple bottom line context. *Int. J. Prod. Econ.* **2019**, *214*, 234–247. [[CrossRef](#)]
138. Bairamzadeh, S.; Pishvaee, M.S.; Saidi-Mehrabad, M. Multiobjective Robust Possibilistic Programming Approach to Sustainable Bioethanol Supply Chain Design under Multiple Uncertainties. *Ind. Eng. Chem. Res.* **2016**, *55*, 237–256. [[CrossRef](#)]
139. Zahra, M.; Farnaz, B.; Ebrahim, T. Designing sustainable supply chain network by considering direct and indirect shipment: Evidence from food industry. *Decis. Sci. Lett.* **2020**, *9*, 323–336. [[CrossRef](#)]
140. Motevalli-Taher, F.; Paydar, M.M.; Emami, S. Wheat sustainable supply chain network design with forecasted demand by simulation. *Comput. Electron. Agric.* **2020**, *178*, 105763. [[CrossRef](#)]
141. Mousavi, R.; Salehi-Amiri, A.; Zahedi, A.; Hajiaghaei-Keshteli, M. Designing a supply chain network for blood decomposition by utilizing social and environmental factor. *Comput. Ind. Eng.* **2021**, *160*, 107501. [[CrossRef](#)]
142. Sabouhi, F.; Jabalameli, M.S.; Jabbarzadeh, A. An optimization approach for sustainable and resilient supply chain design with regional considerations. *Comput. Ind. Eng.* **2021**, *159*, 107510. [[CrossRef](#)]
143. Sadjady Naeeni, H.; Sabbaghi, N. Sustainable supply chain network design: A case of the glass manufacturer in Asia. *Int. J. Prod. Econ.* **2022**, *248*, 108483. [[CrossRef](#)]
144. Yuchi, Q.; Wang, N.; Li, S.; Yang, Z.; Jiang, B. A bi-objective reverse logistics network design under the emission trading scheme. *IEEE Access* **2019**, *7*, 105072–105085. [[CrossRef](#)]
145. Mavrotas, G. Effective implementation of the ϵ -constraint method in Multi-Objective Mathematical Programming problems. *Appl. Math. Comput.* **2009**, *213*, 455–465. [[CrossRef](#)]
146. Ghomi-Avili, M.; Tavakkoli-Moghaddam, R.; Jabbarzadeh, A. Competitive green supply chain network design model considering inventory decisions under uncertainty: A real case of a filter company. *Int. J. Prod. Res.* **2021**, *59*, 4248–4267. [[CrossRef](#)]

147. Gatmaitan, C.; Yangali Del Pozo, L. Building Sustainable Supply Chains in the Era of e-Commerce. Master's Thesis, Massachusetts Institute of Technology, Cambridge, MA, USA, 2020.
148. Chasan, E. Amazon's New Environmental Report Will Show How Bad Two-Day Shipping Is. Available online: <https://www.bloomberg.com/news/articles/2019-02-20/amazon-amzn-agrees-to-reveal-carbon-footprint-in-2019#xj4y7vzkg> (accessed on 25 June 2023).
149. Esmaeilian, B.; Behdad, S.; Wang, B. The evolution and future of manufacturing: A review. *J. Manuf. Syst.* **2016**, *39*, 79–100. [CrossRef]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.