

Sample #	AGE at collection	menopausal status	Genetic predisposition (BRCA1/2/WT/INC; LYNCH; BRIP1; RAD51C; VUS)	Benign / Malignant	Pathology type	Tumour grade	Tumour Stage
8	21.2	pre	unknown	Benign	fibroma	n/a	n/a
29	27.8	pre	unknown	Benign	mature teratoma	n/a	n/a
30	46.2	pre	unknown	Benign	cystadenomata	n/a	n/a
42	27.6	pre	unknown	Benign	hydrosalpinx	n/a	n/a
52	25.3	pre	unknown	Benign	fibroma	n/a	n/a
135	43.0	pre	unknown	Benign	ectopic pregnancy and haemorrhage	n/a	n/a
226	37.3	pre	unknown	Benign	endometrial hyperplasia with no evidence of malignancy	n/a	n/a
287	76.0	pre	unknown	Benign	Xanthogranulomatous	n/a	n/a
320	47.1	pre	unknown	Benign	cystadenoma	n/a	n/a
343	51.1	pre	unknown	Benign	fibroma	n/a	n/a
344	46.3	pre	unknown	Benign	mature teratoma	n/a	n/a
356	31.4	pre	unknown	Benign	Torted infarcted ovarian cystadenoma	n/a	n/a
385	42.8	pre	unknown	Benign	cyst-dermoid	n/a	n/a
847	49.2	pre	unknown	Benign	Lipoid cell tumour	n/a	n/a
856	44.9	pre	unknown	Benign	cystadenoma	n/a	n/a
884	46.1	pre	unknown	Benign	cystadenoma	n/a	n/a
1023	46.4	pre	unknown	Benign	cyst	n/a	n/a
1106	39.6	pre	unknown	Benign	ovarian endometriosis	n/a	n/a
1132	48.4	pre	BRCA1+	Benign	cyst, cervical metaplasia	n/a	n/a
1139	42.5	pre	BRCA2+	Benign	cervical metaplasia	n/a	n/a
1192	46.8	pre	BRCA2+	Benign	H corpus	n/a	n/a
1203	44.0	pre	BRCA1+	Benign	cyst	n/a	n/a
1229	38.7	pre	LYNCH	Benign	cervical metaplasia	n/a	n/a
1247	55.8	pre	BRCA2+	Benign	cyst	n/a	n/a
1330	46.5	pre	BRCA2+	Benign	uterine leiomyomata	n/a	n/a
1380	38.1	pre	BRCA1+	Benign	uterine adenomyosis	n/a	n/a
1383	48.8	pre	unknown	Benign	uterine adenomyosis	n/a	n/a
1403	40.4	pre	BRCA1+	Benign	salpingitis and cyst	n/a	n/a
1438	39.8	pre	BRCA2+	Benign	H corpus, cyst	n/a	n/a
1444	43.3	pre	BRCA1+	Benign	uterine leiomyomata	n/a	n/a
1457	43.5	pre	LYNCH	Benign	uterine leiomyoma	n/a	n/a
1470	52.5	pre	unknown	Benign	adenofibroma	n/a	n/a
1506	46.8	pre	BRCA2+	Benign	salpingitis	n/a	n/a
1517	47.4	pre	LYNCH	Benign	cyst	n/a	n/a
1538	41.3	pre	BRCA1+	Benign	benign changes	n/a	n/a
1542	40.2	pre	BRCA2+	Benign	cyst	n/a	n/a
1562	40.5	pre	BRCA1+	Benign	cyst	n/a	n/a
1572	41.1	pre	BRCA1+	Benign	cyst	n/a	n/a
1587	42.3	pre	LYNCH	Benign	uterine leiomyoma	n/a	n/a
1595	37.6	pre	BRCA2+	Benign	benign changes	n/a	n/a
1605	46.7	pre	BRCA WILDTYPE	Benign	mullerian cystadenoma	n/a	n/a
1615	49.9	pre	BRCA2+	Benign	cyst	n/a	n/a
1622	50.2	pre	BRCA1+	Benign	uterine adenomyosis	n/a	n/a
1671	48.4	pre	BRCA2+	Benign	cyst	n/a	n/a
1707	46.3	pre	BRCA2+	Benign	fibrous adhesions	n/a	n/a
1723	50.9	pre	unknown	Benign	cyst	n/a	n/a
1750	34.1	pre	BRCA2+	Benign	cyst	n/a	n/a
1754	50.8	pre	unknown	Benign	ovarian endometriosis, cyst	n/a	n/a
1771	47.1	pre	BRCA1+	Benign	uterine leiomyoma	n/a	n/a
1788	42.1	pre	RADBRIP1+1C+	Benign	ovarian endometriosis	n/a	n/a
1791	48.6	pre	BRCA2+	Benign	uterine leiomyoma	n/a	n/a
1796	48.3	pre	PALB2+	Benign	seromucinous cystadenoma	n/a	n/a
1802	40.5	pre	BRCA1+	Benign	cyst, uterine leiomyoma	n/a	n/a
1803	42.8	pre	BRCA2+	Benign	calcifications	n/a	n/a
1806	44.2	pre	BRCA1+	Benign	benign changes	n/a	n/a
1839	46.3	pre	Lynch syndrome	Benign	cyst H corpus	n/a	n/a
1854	41.5	pre	BRCA1+	Benign	benign changes	n/a	n/a
1884	36.7	pre	RADBRIP1+1C+	Benign	cyst	n/a	n/a
1900	41.5	pre	BRCA2+	Benign	uterine adenomyosis	n/a	n/a
1914	50.0	pre	BRCA2+	Benign	H corpus	n/a	n/a
1919	40.2	pre	RADBRIP1+1C+	Benign	benign changes	n/a	n/a
1950	38.9	pre	Lynch syndrome	Benign	cyst, uterine adenomyosis	n/a	n/a
1956	38.3	pre	BRCA1+	Benign	uterine leiomyoma, cervical metaplasia	n/a	n/a
1973	40.4	pre	BRCA2+	Benign	cyst	n/a	n/a
1975	42.3	pre	BRCA1+	Benign	cyst	n/a	n/a
EP0020	45.3	pre	LYNCH	Benign	cyst	n/a	n/a
EP0052	31.4	pre	BRCA1+	Benign	cyst	n/a	n/a
EP0116	46.1	pre	BRCA WILDTYPE	Benign	cyst	n/a	n/a
EP0196	47.2	pre	unknown	Benign	uterine adenomyosis, cervical metaplasia	n/a	n/a
EP0209	43.1	pre	BRCA1+	Benign	H corpus	n/a	n/a
EP0244	50.1	pre	LYNCH	Benign	uterine leiomyoma	n/a	n/a
EP0275	53.4	pre	unknown	Benign	bladder papilloma benign	n/a	n/a
EP0276	36.3	pre	BRCA wildtype	Benign	ovarian endometriosis	n/a	n/a
EP0308	41.8	pre	BRCA2+	Benign	H corpus and cyst	n/a	n/a
EP0312	49.6	pre	BRCA1+	Benign	cyst	n/a	n/a
EP0348	50.2	pre	BRCA WILDTYPE	Benign	cyst and salpingitis	n/a	n/a
EP0349	33.4	pre	BRCA2+	Benign	ovarian endometriosis and cyst	n/a	n/a
EP0353	43.7	pre	BRCA2+	Benign	H corpus	n/a	n/a
EP0371	47.1	pre	unknown	Benign	cyst	n/a	n/a
EP0383	38.2	pre	BRCA2+	Benign	serous cystadenoma	n/a	n/a
EP0399	35.8	pre	BRCA1+	Benign	cyst	n/a	n/a

Sample #	AGE at collection	menopausal status	Genetic predisposition (BRCA1/2/WT/INC; LYNCH; BRIP1; RAD51C; VUS)	Benign / Malignant	Pathology type	Tumour grade	Tumour Stage
EP0411	44.3	pre	BRCA1+	Benign	cyst	n/a	n/a
EP0467	39.7	pre	BRCA1+	Benign	cyst	n/a	n/a
26	73.7	post	unknown	Benign	Cystadenoms	n/a	n/a
31	55.6	post	unknown	Benign	cystadenoma	n/a	n/a
41	65.0	post	Unknown	Benign	adenofibroma	n/a	n/a
47	55.4	post	unknown	Benign	cystadenoma	n/a	n/a
98	50.6	post	unknown	Benign	simple cyst	n/a	n/a
140	73.8	post	unknown	Benign	mucinous fibroma and benign Brenner tumour	n/a	n/a
352	74.3	post	unknown	Benign	Haemorrhagic ovarian torsion	n/a	n/a
512	57.7	post	unknown	Benign	simple cyst	n/a	n/a
560	52.4	post	Unknown	Benign	fibroma	n/a	n/a
615	82.5	post	unknown	Benign	cystadenoma	n/a	n/a
620	63.6	post	unknown	Benign	fibrothecoma	n/a	n/a
646	82.5	post	Unknown	Benign	fibroma	n/a	n/a
723	87.4	post	unknown	Benign	cystadenofibroma	n/a	n/a
753	62.2	post	unknown	Benign	cystadenoma	n/a	n/a
771	87.1	post	unknown	Benign	fibroma	n/a	n/a
775	54.1	post	unknown	Benign	Papillary adenofibroma of the right ovary	n/a	n/a
788	57.1	post	unknown	Benign	fibroma	n/a	n/a
814	60.2	post	unknown	Benign	fibroma	n/a	n/a
843	80.7	post	unknown	Benign	cystadenofibroma	n/a	n/a
879	56.1	post	unknown	Benign	cystadenoma	n/a	n/a
883	78.4	post	Unknown	Benign	fibroma	n/a	n/a
922	67.4	post	unknown	Benign	fibroma	n/a	n/a
996	61.9	post	BRCA2+	Benign	salpingitis	n/a	n/a
1082	57.2	post	BRCA1+	Benign	serous adenofibroma& brenner tumour	n/a	n/a
1092	54.2	post	unknown	Benign	cyst	n/a	n/a
1103	49.7	post	unknown	Benign	H corpus & cyst	n/a	n/a
1131	68.2	post	BRCA1+	Benign	cyst	n/a	n/a
1209	61.3	post	unknown	Benign	cyst	n/a	n/a
1288	60.4	post	BRCA2+	Benign	benign changes	n/a	n/a
1289	66.0	post	BRCA1+	Benign	benign changes	n/a	n/a
1307	55.7	post	unknown	Benign	benign changes	n/a	n/a
1312	48.5	post	BRCA1+	Benign	cyst	n/a	n/a
1338	47.9	post	BRCA1+	Benign	salpingitis	n/a	n/a
1376	67.7	post	BRCA1+	Benign	stromal and leydig hyperplasia	n/a	n/a
1377	75.4	post	LYNCH	Benign	uterine adenomyosis	n/a	n/a
1387	54.7	post	BRCA2+	Benign	Benign changes	n/a	n/a
1414	63.3	post	unknown	Benign	cyst	n/a	n/a
1422	69.6	post	BRCA1+	Benign	cyst	n/a	n/a
1436	55.1	post	unknown	Benign	benign changes	n/a	n/a
1461	42.5	post	BRCA2+	Benign	benign changes	n/a	n/a
1480	51.3	post	BRCA2+	Benign	ovarian endometriosis	n/a	n/a
1524	55.9	post	BRCA2+	Benign	uterine leiomyoma	n/a	n/a
1525	54.3	post	LYNCH	Benign	cervical metaplasia	n/a	n/a
1544	70.7	post	BRCA2+	Benign	serous cystadenoma	n/a	n/a
1556	40.2	post	BRCA2+	Benign	cyst	n/a	n/a
1573	42.7	post	BRCA1+	Benign	cyst	n/a	n/a
1575	58.3	post	BRCA1+ WILDTYPE	Benign	cyst	n/a	n/a
1581	71.2	post	unknown	Benign	serous cystadenofibroma and fibroma	n/a	n/a
1590	56.0	post	BRCA2+	Benign	benign changes	n/a	n/a
1661	56.4	post	BRCA1+	Benign	uterine adenomyosis	n/a	n/a
1670	56.3	post	LYNCH	Benign	cyst	n/a	n/a
1731	72.3	post	BRCA2+	Benign	benign changes	n/a	n/a
1744	51.4	post	BRCA2+	Benign	uterine adenomyosis, cervical metaplasia	n/a	n/a
1758	67.1	post	BRCA1+	Benign	serous cystadenoma	n/a	n/a
1763	57.5	post	PALB2+	Benign	cyst	n/a	n/a
1790	63.0	post	BRCA2+	Benign	serous adenofibroma	n/a	n/a
1792	52.6	post	RADBRIP1+1C+	Benign	cyst & uterine adenomyosis	n/a	n/a
1817	48.0	post	RADBRIP1+1C+	Benign	hydrosalpinx	n/a	n/a
1841	65.7	post	PALB2+	Benign	cyst	n/a	n/a
1860	53.7	post	BRCA1+	Benign	uterine fibroids	n/a	n/a
1864	67.3	post	PALB2+	Benign	cyst	n/a	n/a
1870	52.6	post	PALB2+	Benign	stromal hyperplasia	n/a	n/a
1882	51.0	post	PALB2+	Benign	benign changes	n/a	n/a
1907	67.5	post	PALB2+	Benign	hilar leydig cell hyperplasia	n/a	n/a
1944	51.5	post	RADBRIP1+1C+	Benign	mucinous cystadenoma	n/a	n/a
1968	62.9	post	RADBRIP1+1C+	Benign	cyst	n/a	n/a
1987	50.3	post	BRCA1+	Benign	benign changes	n/a	n/a
2008	55.8	post	RADBRIP1+1C+	Benign	uterine leiomyoma adenomyosis	n/a	n/a
EP0003	64.6	post	BRCA2+	Benign	cyst	n/a	n/a
EP0017	46.9	post	BRCA1+	Benign	fibroma and H corpus	n/a	n/a
EP0071	55.0	post	BRCA1+	Benign	uterine leiomyomata	n/a	n/a
EP0084	63.7	post	BRCA2+	Benign	cyst	n/a	n/a
EP0099	59.2	post	unknown	Benign	cyst	n/a	n/a
EP0100	66.5	post	BRCA2+	Benign	cyst	n/a	n/a
EP0177	55.9	post	BRCA1+	Benign	serous cystadenofibroma	n/a	n/a
EP0208	53.0	post	BRCA2+	Benign	fibroma	n/a	n/a
EP0211	58.0	post	unknown	Benign	serous cystadenofibromata	n/a	n/a

Sample #	AGE at collection	menopausal status	Genetic predisposition (BRCA1/2/WT/INC; LYNCH; BRIP1; RAD51C; VUS)	Benign / Malignant	Pathology type	Tumour grade	Tumour Stage
EP0214	50.5	post	BRCA2+	Benign	ovarian endometriosis and cyst	n/a	n/a
EP0225	58.6	post	BRCA2+	Benign	serous cystadenoma	n/a	n/a
EP0305	65.3	post	BRCA2+	Benign	benign changes	n/a	n/a
EP0316	57.1	post	BRCA2+	Benign	serous adenofibroma	n/a	n/a
EP0335	60.4	post	unknown	Benign	salpingitis	n/a	n/a
EP0357	48.3	post	unknown	Benign	cyst serous	n/a	n/a
EP0372	62.2	post	unknown	Benign	mucinous cystadenofibroma	n/a	n/a
EP0384	44.6	post	BRCA1+	Benign	ovarian endometriosis	n/a	n/a
EP0390	55.6	post	BRCA2+	Benign	benign changes	n/a	n/a
EP0392	57.0	post	BRCA2+	Benign	cyst	n/a	n/a
388	40.9	pre	BRCA WILDTYPE	Malignant	Granulosa cell tumour	2	1A
464	50.8	pre	unknown	Malignant	endometroid	1	1A
845	29.0	pre	Unknown	Malignant	mucinous	2	1A
909	50.4	pre	unknown	Malignant	clear cell	3	1A
526	60.1	post	unknown	Malignant	endometroid	3	1A
894	54.8	post	unknown	Malignant	serous	3	1A
999	60.1	post	unknown	Malignant	mucinous	1	1A
1179	53.8	post	unknown	Malignant	serous	3	1A
649	40.1	pre	unknown	Malignant	dysgerminoma	2	1B
839	40.8	pre	LYNCH	Malignant	endometroid / clear cell	3	1B
56	49.7	pre	unknown	Malignant	mucinous	1	1C
136	48.5	pre	unknown	Malignant	clear cell	3	1C
262	42.1	pre	BRCA1+	Malignant	clear cell	3	1C
323	47.8	pre	LYNCH	Malignant	serous / endometroid	2	1C
844	41.3	pre	unknown	Malignant	mucinous	2	1C
350	53.0	post	unknown	Malignant	endometroid	2	1C
685	56.7	post	unknown	Malignant	mucinous	2	1C
1071	53.9	post	BRCA1+	Malignant	serous	3	2A
1197	73.4	post	unknown	Malignant	serous	2	2A
422	68.8	post	unknown	Malignant	serous	3	2C
629	68.4	post	unknown	Malignant	serous	2	2C
155	56.0	post	BRCA2+	Malignant	serous	2	3A
1077	59.4	post	BRCA WILDTYPE	Malignant	serous	3	3A
197	49.3	pre	unknown	Malignant	serous	3	3B
450	45.1	pre	unknown	Malignant	serous	2	3B
1016	37.1	pre	BRCA1+	Malignant	serous	3	3B
143	75.3	post	Unknown	Malignant	serous/Primary peritoneal	3	3B
349	74.0	post	unknown	Malignant	serous	2	3B
961	53.0	post	BRCA WILDTYPE	Malignant	serous	3	3B
10	48.8	pre	BRCA1+	Malignant	serous	3	3C
21	52.5	pre	unknown	Malignant	serous	3	3C
68	51.5	pre	BRCA wildtype	Malignant	serous	3	3C
129	53.8	pre	unknown	Malignant	serous	3	3C
147	51.2	pre	unknown	Malignant	serous	3	3C
239	49.0	pre	Unknown	Malignant	serous	2	3C
247	46.5	pre	unknown	Malignant	serous	3	3C
252	52.4	pre	BRCA WILDTYPE	Malignant	serous	3	3C
301	49.2	pre	unknown	Malignant	serous / clear cell	3	3C
317	46.8	pre	BRCA WILDTYPE	Malignant	serous	3	3C
321	53.8	pre	BRCA WILDTYPE	Malignant	serous	3	3C
336	47.5	pre	unknown	Malignant	serous	2	3C
392	48.4	pre	BRCA2+	Malignant	serous	3	3C
412	37.4	pre	unknown	Malignant	adenocarcinoma poorly differentiated	3	3C
561	38.2	pre	BRCA1+	Malignant	serous	3	3C
600	47.6	pre	BRCA WILDTYPE	Malignant	serous	3	3C
859	39.2	pre	unknown	Malignant	clear cell	3	3C
1142	45.1	pre	VUS	Malignant	serous	3	3C
7	51.6	post	Unknown	Malignant	serous	3	3C
19	73.2	post	unknown	Malignant	MMMT/carcinomasarcoma	3	3C
33	54.0	post	BRCA WILDTYPE	Malignant	serous	2	3C
37	69.3	post	VUS (polymorphism in BRCA2)	Malignant	serous	3	3C
38	75.9	post	Unknown	Malignant	serous	3	3C
40	70.8	post	unknown	Malignant	serous	3	3C
55	76.1	post	unknown	Malignant	clear cell	3	3C
58	67.8	post	Unknown	Malignant	serous	3	3C
66	81.6	post	Unknown	Malignant	serous/primary peritoneal	1	3C
70	59.9	post	BRCA wildtype	Malignant	serous	2	3C
73	67.2	post	unknown	Malignant	serous	3	3C
75	78.2	post	unknown	Malignant	serous	3	3C
83	72.9	post	Unknown	Malignant	serous	3	3C
85	75.8	post	unknown	Malignant	serous	3	3C
91	65.2	post	Unknown	Malignant	serous	3	3C
130	68.2	post	Unknown	Malignant	serous	3	3C
134	70.1	post	Unknown	Malignant	serous	3	3C
138	71.6	post	Unknown	Malignant	serous	3	3C
167	83.2	post	Unknown	Malignant	serous	3	3C
168	65.9	post	unknown	Malignant	serous	3	3C
173	80.9	post	unknown	Malignant	serous	3	3C
176	76.8	post	unknown	Malignant	serous	3	3C
181	73.7	post	unknown	Malignant	serous	3	3C
183	60.3	post	unknown	Malignant	serous	3	3C
185	64.7	post	Unknown	Malignant	serous	3	3C
186	59.6	post	unknown	Malignant	clear cell	3	3C
190	68.6	post	unknown	Malignant	mucinous	2	3C
191	60.8	post	unknown	Malignant	serous	3	3C
193	68.7	post	unknown	Malignant	serous	3	3C

Sample #	AGE at collection	menopausal status	Genetic predisposition (BRCA1/2/WT/INC; LYNCH; BRIP1; RAD51C; VUS)	Benign / Malignant	Pathology type	Tumour grade	Tumour Stage
201	65.3	post	unknown	Malignant	endometroid	2	3C
217	73.2	post	unknown	Malignant	serous	3	3C
225	74.6	post	unknown	Malignant	serous	3	3C
228	67.5	post	unknown	Malignant	clear cell	3	3C
237	66.3	post	unknown	Malignant	serous	3	3C
242	56.5	post	Unknown	Malignant	serous	3	3C
248	75.9	post	unknown	Malignant	serous / endometroid	3	3C
253	59.1	post	unknown	Malignant	serous	3	3C
254	73.1	post	unknown	Malignant	serous	3	3C
282	55.8	post	unknown	Malignant	serous	3	3C
295	64.9	post	Unknown	Malignant	serous	3	3C
307	92.2	post	Unknown	Malignant	serous	3	3C
309	72.0	post	Unknown	Malignant	serous	3	3C
339	53.4	post	VUS	Malignant	serous	2	3C
340	62.4	post	unknown	Malignant	serous / clear cell	3	3C
348	67.8	post	unknown	Malignant	serous / clear cell	3	3C
351	65.2	post	unknown	Malignant	endometroid	3	3C
361	69.1	post	BRCA WILDTYPE	Malignant	serous	3	3C
366	63.0	post	unknown	Malignant	serous	3	3C
368	83.7	post	unknown	Malignant	serous / endometroid	2	3C
389	74.9	post	unknown	Malignant	serous	3	3C
405	84.4	post	Unknown	Malignant	serous	3	3C
409	63.7	post	Unknown	Malignant	serous	3	3C
413	63.4	post	Unknown	Malignant	serous	3	3C
436	65.1	post	unknown	Malignant	serous	3	3C
452	61.0	post	unknown	Malignant	serous papillary/some squamoid appearance	3	3C
461	67.7	post	BRCA WILDTYPE	Malignant	serous	3	3C
490	88.4	post	unknown	Malignant	serous	3	3C
536	83.9	post	unknown	Malignant	serous	3	3C
552	54.8	post	BRCA2+	Malignant	serous	3	3C
590	74.2	post	unknown	Malignant	serous	3	3C
597	67.8	post	unknown	Malignant	serous	3	3C
598	55.8	post	BRCA WILDTYPE	Malignant	serous	3	3C
605	63.1	post	unknown	Malignant	serous	3	3C
606	46.5	post	BRCA WILDTYPE	Malignant	serous	3	3C
609	63.5	post	unknown	Malignant	serous	3	3C
617	72.4	post	unknown	Malignant	serous	3	3C
626	79.9	post	unknown	Malignant	serous	3	3C
630	53.5	post	BRCA1+	Malignant	serous	3	3C
650	59.3	post	BRCA WILDTYPE	Malignant	serous	3	3C
660	67.3	post	Unknown	Malignant	serous	3	3C
674	68.8	post	BRCA WILDTYPE	Malignant	serous	3	3C
677	91.2	post	unknown	Malignant	serous	3	3C
679	69.8	post	BRCA WILDTYPE	Malignant	serous	1	3C
701	65.3	post	unknown	Malignant	serous	3	3C
739	65.4	post	BRCA2+	Malignant	serous	3	3C
787	67.1	post	unknown	Malignant	serous / mucinous	3	3C
793	62.6	post	BRCA WILDTYPE	Malignant	serous	3	3C
796	60.9	post	Unknown	Malignant	serous	3	3C
803	63.8	post	BRCA wildtype	Malignant	serous	3	3C
804	76.2	post	unknown	Malignant	serous	3	3C
822	63.8	post	unknown	Malignant	serous	3	3C
829	65.4	post	BRCA WILDTYPE	Malignant	serous	3	3C
840	67.2	post	unknown	Malignant	clear cell/serous	3	3C
865	58.2	post	unknown	Malignant	serous	3	3C
870	54.0	post	Unknown	Malignant	serous	3	3C
913	71.3	post	unknown	Malignant	serous	3	3C
949	66.2	post	unknown	Malignant	serous	3	3C
950	74.0	post	unknown	Malignant	serous	3	3C
969	61.1	post	BRCA WILDTYPE	Malignant	serous	3	3C
976	60.9	post	unknown	Malignant	serous	3	3C
986	71.0	post	unknown	Malignant	serous	3	3C
1005	85.1	post	unknown	Malignant	serous	3	3C
1006	59.5	post	unknown	Malignant	serous	3	3C
1018	76.8	post	unknown	Malignant	serous	3	3C
1020	71.0	post	BRCA WILDTYPE	Malignant	serous	3	3C
1021	70.0	post	BRCA WILDTYPE	Malignant	serous	3	3C
1028	75.2	post	unknown	Malignant	serous	3	3C
1038	69.1	post	unknown	Malignant	serous	3	3C
1040	53.7	post	unknown	Malignant	serous	3	3C
1041	68.7	post	BRCA WILDTYPE	Malignant	serous	3	3C
1066	52.1	post	BRCA2+	Malignant	serous	3	3C
1067	61.3	post	BRCA WILDTYPE	Malignant	serous	3	3C
1100	70.8	post	BRCA WILDTYPE	Malignant	serous	3	3C
1101	72.3	post	unknown	Malignant	serous	3	3C
1102	67.3	post	unknown	Malignant	serous	3	3C
1107	70.8	post	unknown	Malignant	clear cell	3	3C
1110	71.2	post	BRCA wildtype	Malignant	serous	3	3C
1112	70.6	post	unknown	Malignant	adenocarcinoma poorly differentiated	3	3C
1117	75.2	post	unknown	Malignant	serous	3	3C
1124	61.9	post	unknown	Malignant	adenocarcinoma poorly differentiated	3	3C
1149	70.7	post	BRCA2+	Malignant	serous	3	3C
1154	47.1	post	BRCA WILDTYPE	Malignant	serous	3	3C
1205	75.5	post	unknown	Malignant	serous	3	3C
1221	67.4	post	BRCA WILDTYPE	Malignant	serous	3	3C

Sample #	AGE at collection	menopausal status	Genetic predisposition (BRCA1/2/WT/INC; LYNCH; BRIP1; RAD51C; VUS)	Benign / Malignant	Pathology type	Tumour grade	Tumour Stage
1234	74.1	post	BRCA WILDTYPE	Malignant	serous	3	3C
1256	59.6	post	BRCA wildtype	Malignant	serous	3	3C
394	82.1	post	unknown	Malignant	Mixed MMMT/clear cell	3	4B