

Supporting Information to:

Synthesis, X-ray Single Crystal Analysis and Anticancer Activity Evaluation of New Alkylsulfanyl-Pyridazino[4,5-b]indole Compounds as a Multi-Target Inhibitors for EGFR and Its down Streaming PI3K/AKT

Eid E. Salama ^{1,2,*}, Ibrahim O. Althobaiti ¹, Matti Haukka ³, Ahmed T. A. Boraei ^{2,*}

¹ Chemistry Department, College of Science and Arts, Jouf University, Qurayyat, Kingdom of Saudi Arabia

² Chemistry Department, Faculty of Science, Suez Canal University, Ismailia 41522, Egypt

³ Department of Chemistry, University of Jyväskylä, P.O. Box 35, FI-40014 Jyväskylä, Finland;
matti.o.haukka@jyu.fi (M.H.)




Figure S1. ^1H NMR of 2.




Figure S2. ^{13}C NMR of 2.




Figure S3. ^1H NMR of 3.




Figure S4. ^{13}C NMR of 3.




Figure S5. ¹H NMR of 4.




Figure S6. ¹³C NMR of 4.




Figure S7. ¹H NMR of 5.




Figure S8. ¹³C NMR of 5.




Figure S9. ¹H NMR of 6.




Figure S10. ¹³C NMR of 6.




Figure S11. ¹H NMR of 7.




Figure S12. ¹³C NMR of 7.