

Lamellae Assembly in Dendritic Spherulites of Poly(L-lactic Acid) Crystallized with Poly(*p*-Vinyl Phenol)

Nurkhamidah Siti ¹, Eamor M. Woo ^{2,*}, Yu-Ting Yeh ², Faliang Luo ³ and Vimal Katiyar ⁴


¹ Department of Chemical Engineering, Institut Teknologi Sepuluh Nopember, Surabaya 60111, Indonesia; nurkhamidah@chem-eng.its.ac.id

² Department of Chemical Engineering, National Cheng Kung University, Tainan 701-01, Taiwan; yumi10566@gmail.com

³ State Key Laboratory of High-Efficiency Coal Utilization and Green Chemical Engineering, Ningxia University, Yinchuan 750021, China; fl@nxu.edu.cn

⁴ Department of Chemical Engineering, Indian Institute of Technology Guwahati, Assam 781039, India; vkatiyar@iitg.ernet.in

* Correspondence: emwoo@mail.ncku.edu.tw; Tel.: +886-6-275-7575 (ext. 62670); Fax: +886-6-234-4496






Figure S1. Phase diagrams for LMW-PLLA/PVPh blend: **(Top)** DSC thermograms, and **(Bottom)** T_g -composition curve.




Figure S2. Phase diagrams for HMW-PLLA/PVPh blend: **(Left)** POM micrographs showing in-situ heating to above T_m ; **(Right)** T_g vs. composition from DSC thermograms.

