

Enhanced Properties of Biodegradable Poly(propylene carbonate)/Polyvinyl Formal Blends by melting compounding

Dongmei Han^{1,2,*}, Zhen Guo^{1,*}, Shou Chen², Min Xiao¹, Xiaohua Peng², Shuanjin Wang^{1,*}, Yuezhong Meng^{1*}

¹ The Key Laboratory of Low-carbon Chemistry & Energy Conservation of Guangdong Province/ State Key Laboratory of Optoelectronic Materials and Technologies, Sun Yat-Sen University, Guangzhou 510275, PR China; handongm@mail.sysu.edu.cn (D.H.); juice126126@163.com (Z.G.); chens@beautystar.cn (S.C.); stsxm@mail.sysu.edu.cn (M.X.); alice@beautystar.cn (X.P); wangshj@mail.sysu.edu.cn (S.W.); mengyzh@mail.sysu.edu.cn (Y.M.)

² School of Chemical Engineering and Technology, Sun Yat-Sen University, Guangzhou 510275, PR China

³ Shenzhen Beauty Star Co., Ltd, 518112 Shenzhen, China;

* Correspondence: mengyzh@mail.sysu.edu.cn (Y.M.); wangshj@mail.sysu.edu.cn (S. W.); Tel.: +86-20-84114113

⁺These authors have contributed equally to this work




Fig S1 FTIR spectra of PVA and PVF




Fig S2 ^1H -NMR curves of PVA and PVF




Fig. S3 DSC curves of PVA and PVF




Fig. S4. TGA curves of PVA and PVF