

Table S1: Newcastle Ottawa score to assess the quality of the studies included in the systematic review of literature and meta-analysis

Reference	Selection (max 5)								Overall score
Study	Representativeness (1)	Sample size (1)	Non-respondents (1)	Ascertaining exposure (2)	Comparability (2)	Outcome Assessment (2)	Statistical test (1)		
Hoehne JH, et al. (1973)[39]		*	*	**	*	**	*		8
Chetty A, et al. (1985)[40]	*		*	**	**	**	*		9
Koivikko A, et al. (1991)[41]	*	*	*	**	*	**	*		9
Korhonen K, et al. (2006)[42]	*	*	*	**	*	**	*		9
Knutsen AP, et al. (2010)[43]	*	*	*	**	*	**	*		9
Nabavi M, et al. (2010)[44]	*	*	*	**	*	**	*		9
Arroyave WD, et al. (2013)[45]	*	*	*	**	**	**	*		10
Vicencio AG, et al. (2014)[46]	*	*	*	**	*	**	*		9
Singh M, et al. (2015)[47]		*	*	**	*	**	*		8
AlKhater SA, et al. (2017)[48]	*	*	*	*	*	**	*		8
Byeon JH, et al. (2017)[49]	*	*	*	**	*	**	*		9
Lehmann S, et al. (2017)[50]	*	*	*	**	*	**	*		9
Gupta A, et al. (2018)[51]	*	*	*	*	*	**	*		8
Ishak SR, et al. (2020)[52]	*		*	**	*	**	*		8
Kumari J, et al. (2020)[53]		*	*	**	**	**	*		9
Welsh KG, et al. (2021)[9]	*	*	*	*	*	**	*		8

*Indicates the score assigned. A maximum of five, two, and three are possible for the 'selection', 'comparability' and the 'outcome' domains, respectively.
- indicates no score assigned

Figure S1: Funnel plot for the outcome of allergic bronchopulmonary aspergillosis in asthmatic children

