

SUPPLEMENTARY MATERIALS

Salvigenin, a trimethoxylated flavone from *Achillea wilhelmsii* C. Koch, Exerts Combined Lipid-Lowering and Mitochondrial Boosting Effects

Elena Serino^{1,#}, Azam Chahardoli^{2,#}, Nadia Badolati¹, Carmina Sirignano¹, Fereshteh Jalilian², Mahdi Mojarab², Zahra Farhangi³, Daniela Rigano¹, Mariano Stornaiuolo^{1,*}, Yalda Shokoohinia^{2,4,*}, and Orazio Tagliatela-Scafati^{1,*}

¹Department of Pharmacy, School of Medicine and Surgery, University of Naples Federico II, Via Montesano 49, 80131 Naples, Italy; e.serino96@mail.com (E.S.); nadia.badolati@unina.it (N. B.); carmina.sirignano@unina.it (C.S.); drigano@unina.it (D. R.).

²Pharmaceutical Sciences Research Center, Kermanshah University of Medical Sciences, 6715847141 Kermanshah, Iran; a.chahardoly@gmail.com (A. C.); fe.jalilian@gmail.com (F. J.); mahdi.mojarab@gmail.com (M. M.).

³Student Research Committee, Kermanshah University of Medical Sciences, 6715847141 Kermanshah, Iran; farhangi_zr@yahoo.com (Z. F.).

⁴Ric Scalzo Institute for Botanical Research, Southwest College of Naturopathic Medicine, Tempe, AZ 85282, USA.

*Correspondence: mariano.stornaiuolo@unina.it, +39-081678117 (M.S.); y.shokoohinia@scnm.edu, +1-480- 858-9100 (Y.S.); scatagli@unina.it, +39-081678509 (O.T.S.).




Figure S1. ^1H NMR spectrum of wilhelmsin (CD_3OD)




Figure S2. 2D COSY NMR spectrum of wilhelmsin (CD_3OD)




Figure S3. 2D HMBC NMR spectrum of wilhelmsin (CD_3OD)




Figure S4. ^1H NMR spectrum of wilhelmsolide (CDCl_3)




Figure S5. 2D COSY NMR spectrum of wilhelmsolide (CDCl₃)




Figure S6. 2D HMBC NMR spectrum of wilhelmsolide (CDCl₃)




Figure S7. 2D HSQC NMR spectrum of wilhelmsolide (CDCl_3)