



# **Supplemental Figures**



Supplemental Figure S1. Flow cytometry gating strategy for NKDC in mice.



**Supplemental Figure S2. Total CD4 and CD8 T cells.** The frequencies of total CD4 and CD8 T cells, along with CD8:CD4 ratio, from TIL isolated from mEER oral tumors. Significance determined using Ordinary one-way ANOVA \* $p < 0.05$ , \*\* $p < 0.005$  \*\*\* $p < 0.0005$  ( $n = 5-6$  mice per group).

**Supplemental Table S1.** Antibodies for Flow Cytometry.

<b>Antibody</b>	<b>Fluorophore</b>	<b>Supplier</b>	<b>Catalog #</b>
CD3	BUV737	BD Bioscience	612803
CD11b	BV786	BD Bioscience	740861
NK1.1	PerCP-Cy5.5	BD Bioscience	551114
CTLA-4	APC-R700	BD Bioscience	565778
CD8	BUV395	BD Bioscience	563786
Granzyme B	BV421	Biolegend	396414
CD4	BV605	Biolegend	100548
CD45	BV650	Biolegend	103241
IFNg	BV711	Biolegend	505835
Foxp3	AF488	Biolegend	126406
CD11c	PE-Dazzle594	Biolegend	117348
PD-1	PE-Cy7	Biolegend	109110
Gr-1	APC-Fire750	Biolegend	108424
Arginase-1	PE	Life Technologies	12-3697-82
Live/Dead Aqua	BV510	Life Technologies	L34965
E7 Tetramer	APC	NIH	N/A
Fc Block	N/A	BD Bioscience	553142