



Supplementary Materials

Quantitative Evidence for the Dependence of Highly Crystalline Single Wall Carbon Nanotube Synthesis on the Growth Method

Takashi Tsuji ^{1,†}, Guohai Chen ^{1,†}, Takahiro Morimoto ¹, Yoshiki Shimizu ^{2,3}, Jaeho Kim ⁴, Hajime Sakakita ⁴, Kenji Hata ¹, Shunsuke Sakurai ^{1,*}, Kazufumi Kobashi ^{1,*} and Don N. Futaba ¹

¹ CNT-Application Research Center, National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba 305-8565, Japan; takashi.tsuji@aist.go.jp (T.T.); guohai-chen@aist.go.jp (G.C.); t-morimoto@aist.go.jp (T.M.); kenji-hata@aist.go.jp (K.H.); d-futaba@aist.go.jp (D.N.F.)

² Nanomaterials Research Institute, National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba 305-8565, Japan; shimizu.yoshiki@aist.go.jp

³ AIST-UTokyo Advanced Operando-Measurement Technology Open Innovation Laboratory (OPERANDO-OIL), National Institute of Advanced Industrial Science and Technology (AIST), Kashiwa 227-8589, Japan

⁴ Innovative Plasma Processing Group, Research Institute for Advanced Electronics and Photonics, National Institute of Advanced Industrial Science and Technology (AIST), Tsukuba 305-8568, Japan; jaeho.kim@aist.go.jp (J.K.); h.sakakita@aist.go.jp (H.S.)

* Correspondence: shunsuke-sakurai@aist.go.jp (S.S.); kobashi-kazufumi@aist.go.jp (K.K.)

† These authors contributed equally to this work.




Figure S1. Spatial distribution of number density of nanoparticles (NPs) on the 20 mm × 20 mm substrate measured by SEM images of the catalysts.