1 SUPPLEMENTARY DATA

- 2 Potential Anticancer Lipoxygenase Inhibitors from the Red Sea-Derived
- 3 Brown Algae Sargassum cinereum: An In-Silico-Supported In-Vitro Study
- 4 Sami I. Alzarea^{1‡}, Abeer H. Elmaidomy^{2‡}, Hani Saber³, Arafa Musa^{4,5}, Mohammad M. Al-Sanea⁶,
- 5 Ehab M. Mostafa^{4,5}, Omnia Magdy Hendawy^{1,7}, Khayrya A. Youssif⁸, Abdullah S. Alanazi⁹, Metab
- 6 Alharbi¹⁰, Ahmed M. Sayed^{11*}, Usama Ramadan Abdelmohsen^{12,13*}
- 7 Department of Pharmacology, College of Pharmacy, Jouf University, Sakaka, Aljouf 72341, Saudi
- 8 Arabia
- 9 ²Department of Pharmacognosy, Faculty of Pharmacy, Beni-Suef University, Beni-Suef 62511, Egypt
- ³Department of Botany and Microbiology, Faculty of Science, South Valley University, 83523, Qena,
- 11 Egypt
- ⁴Department of Pharmacognosy, College of Pharmacy, Jouf University 72341, Sakaka, Saudi Arabia
- ⁵Department of Pharmacognosy, Faculty of Pharmacy, Al-Azhar University, Cairo, 11371, Egypt
- ⁶Department of Pharmaceutical Chemistry, College of Pharmacy, Jouf University 72341, Sakaka, Saudi
- 15 Arabia
- ⁷Clinical Pharmacology Department, Faculty of Medicine, Beni-Suef University, Egypt
- 17 Bepartment of Pharmacognosy, Faculty of Pharmacy, Modern University for Technology and
- 18 Information, Cairo, Egypt
- ⁹Clinical Pharmacy Department, College of Pharmacy, Jouf University, Sakaka, Aljouf 72341, Saudi
- 20 Arabia
- 21 ¹⁰Department of Pharmacology and Toxicology, College of Pharmacy, King Saud University, P.O. Box
- 22 2457, Riyadh, 11451, Saudi Arabia.
- 23 ¹¹Department of Pharmacognosy, Faculty of Pharmacy, Nahda University, 62513, Beni-Suef, Egypt
- 24 ¹²Department of Pharmacognosy, Faculty of Pharmacy, Minia University, Minia 61519, Egypt
- 25 ¹³Department of Pharmacognosy, Faculty of Pharmacy, Deraya University, 7 Universities Zone, New
- 26 Minia 61111, Egypt
- 28 *Corresponding authors: AMS: Department of Pharmacognosy, Faculty of Pharmacy, Nahda University,
- 29 62513, Beni-Suef, Egypt, ahmed.mohamed.sayed@nub.edu.eg; URA: Department of Pharmacognosy,
- Faculty of Pharmacy, Minia University, Minia 61519, Egypt, usama.ramadan@mu.edu.eg.
- 31 \neq Those authors have equally contributed.

27

List of Contents

Table S1.	Dereplicated metabolites from LC-HRESIMS analysis of Sarragassum cinnerum					
Figure S1.	LC-HRESIMS Chromatogram of the dereplicated metabolites of Sarragassum cinnerum (positive)					
Figure S2.	LC-HRESIMS Chromatogram of the dereplicated metabolites of Sarragassum cinnerum (negative)					
Figure S3.	1H NMR spectrum of compound 12 measured in DMSO- d_6 at 400 MHz					
Figure S4.	DEPT-Q NMR spectrum of compound 12 measured in DMSO- d_6 at 100 MHz					
Figure S5.	HSQC spectrum of compound 12 measured in DMSO- d_6					
Figure S6.	HMBC spectrum of compound 12 measured in DMSO-d ₆					
Figure S7.	HRESIMS spectrum of compound 12					
Figure S8.	1H NMR spectrum of compound 13 measured in DMSO- d_6 at 400 MHz					
Figure S9.	DEPT-Q NMR spectrum of compound 13 measured in DMSO-d ₆ at 100 MHz.					
Figure S10.	HSQC spectrum of compound 13 measured in DMSO- d_6					
Figure S11.	HMBC spectrum of compound 13 measured in DMSO-d ₆					
Figure S12.	HRESIMS spectrum of compound 13					
Figure S13.	1H NMR spectrum of compound 14 measured in DMSO- d_6 at 400 MHz					
Figure S14.	DEPT-Q NMR spectrum of compound 14 measured in DMSO-d ₆ at 100 MHz.					
Figure S15.	1H NMR spectrum of compound 15 measured in DMSO-d ₆ at 400 MHz					
Figure S16.	DEPT-Q NMR spectrum of compound 15 measured in DMSO-d ₆ at 100 MHz					
Figure S17.	1H NMR spectrum of compound 16 measured in DMSO- d_6 at 400 MHz					
Figure S18.	DEPT-Q NMR spectrum of compound 16 measured in DMSO- d_6 at 100 MHz					
Figure S19.	1H NMR spectrum of compound 17 measured in DMSO- d_6 at 400 MHz					
Figure S20.	DEPT-Q NMR spectrum of compound 17 measured in DMSO-d ₆ at 100 MHz					
Figure S21.	1H NMR spectrum of compound 18 measured in CD_3OD-d_4 at 400 MHz					
Figure S22.	DEPT-Q NMR spectrum of compound 18 measured in CD ₃ OD-d ₆ at 100 MHz					
Figure S23.	1H NMR spectrum of compound 19 measured in CD_3OD-d_4 at 400 MHz					
Figure S24.	DEPT-Q NMR spectrum of compound 19 measured in CD ₃ OD-d ₆ at 100 MHz					
Figure S25.	1H NMR spectrum of compound 20 measured in DMSO- d_6 at 400 MHz					
Figure S26.	DEPT-Q NMR spectrum of compound 20 measured in DMSO- d_6 at 100 MHz					
Figure S27.	1H NMR spectrum of compound 21 measured in D ₂ O at 400 MHz					
Figure S28.	DEPT-Q NMR spectrum of compound 21 measured in D ₂ O at 100 MHz					

Table S1. Dereplicated metabolites using the Dictionary of Natural Products database from LC-HRESIMS analysis of Sarragassum cinnerum

No.	Metabolites name	Original source	MF	RT(min.)	m/z	MS ² Fragmentation	Ionization
							Mode
1	(5R,7S,8S)-Communiol A	Sargassum spp.	$C_{11}H_{20}O_4$	3.76288	215.1283	119.1183, 153.1283,	[M-H] ⁻
						179.1075	
2	Hedaol A	Sargassum spp.	$C_{18}H_{30}O_2$	6.7354	277.2162	237.1864, 219.1752	[M-H] ⁻
3	Arachidonic acid	Sargassum pallidum	$C_{20}H_{34}O_2$	6.6166	307.2624	289.2528, 271.2424,	$[M+H]^{+}$
						245.2266	
4	Sargachromanol A	Sargassum siliquastrum	$C_{22}H_{30}O_3$	5.3686	343.2276	325.2158, 285.1853,	$[M+H]^{+}$
						273.1850	
5	2-Geranylgeranyl-6-	Sargassum micracanthum.	$C_{27}H_{38}O_2$	4.4710	395.2950	259.2425, 257.1534	$[M+H]^+$
	methylbenzoquinone						
6	24-Ethylcholesta-4,24(28)-dien-3,6-	Sargassum carpophyllum	$C_{29}H_{44}O_2$	6.5544	425.3420	313.2157, 285.1854	$[M+H]^+$
	dione						
7	Saringosterone	Sargassum asperfolium	$C_{29}H_{46}O_2$	6.6324	427.3576	411.3262, 391.3363,	$[M+H]^+$
						177.1277	
8	Nahocol A	Sargassum siliquastrum	$C_{29}H_{42}O_6$	6.6773	487.3060	459.3109, 373.2375	$[M+H]^+$
9	24xi-Hydroperoxy-24-vinylcholesterol	Sargassum carpophyllum	$C_{29}H_{48}O_3$	6.5615	445.3682	373.2215	$[M+H]^+$
10	Sargathunbergol A	Sargassum thunbergii	$C_{27}H_{38}O_6$	5.7502	459.2749	285.1855, 257.1534	$[M+H]^{+}$
11	1-O-(11-Hexadecenoyl)-3-0-(6'-sulfo-	Sargassum hemiphyllum	$C_{25}H_{46}O_{11}S$	4.4836	553.2681	-	[M-H] ⁻
	a-D-quinovopyranosyl) glycerol						

Selected scan #1248, RT: 3.7, base peak: 402.265 m/z, IC: 1.9E5 2.4E5 426.264 2.3E5 2.2E5 402,264 2.1E5 2.0E5 1.9E5 1.8E5 188.071 1.7E5 416.280 1.6E5 1.6ES 1.4ES 1.4ES 1.2ES 1.2ES 1.0ES 9.0E4 556.224 590.427 556.224 556.224 556.223 277.217 8.0E4 7.0E4 6.0E4 5.0E4 4.0E4 3.0E4 2.0E4 1.0E4 1112.539 788.058 1111.533 297.616 0.0E0 0.5 1.0 1.5 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.5 7.0 7.5 9.0 9.5 10.0 0.0 2.0 6.0 8.0 Retention time

Base peak plot, MS1, m/z: 49.983 - 1200.024

Figure S1. LC-HRESIMS Chromatogram of the dereplicated metabolites of Sarragassum cinnerum (positive)

Selected scan #1178, RT: 3.5, base peak: 305.103 m/z, IC: 1.6E5 4.5E5 220.170 4.3E5 4.0E5 3.8E5 3.5E5 3.3E5 3.0E5 2.8E5 2.5E5 2.0E5 2.0E5 1.8E5 310.129 675.677 305 103 203.035 1.5E5 556.219 1.3E5 188.071 1.0E5 556.222^{268.1} 7.5E4 5.0E4 2.5E4 297.613 1111.539 297.608 86.098 282.067 0.0E0 1.5 2.0 5.5 0.0 0.5 1.0 2.5 3.0 3.5 4.0 4.5 5.0 6.0 6.5 7.0 7.5 9.5 10.0 Retention time

Base peak plot, MS1, m/z: 49.983 - 1200.024

Figure S2. LC-HRESIMS Chromatogram of the dereplicated metabolites of Sarragassum cinnerum (negaive)




Figure S3. 1H NMR spectrum of compound 12 measured in DMSO-d₆ at 400 MHz




Figure S4. DEPT-Q NMR spectrum of compound 12 measured in DMSO-d₆ at 100 MHz.




Figure S5. HSQC spectrum of compound 12 measured in DMSO-d₆




Figure S6. HMBC spectrum of compound 12 measured in DMSO- d_6




Figure S7. HRESIMS spectrum of compound 12




Figure S8. 1H NMR spectrum of compound **13** measured in DMSO- d_6 at 400 MHz




Figure S9. DEPT-Q NMR spectrum of compound **13** measured in DMSO- d_6 at 100 MHz.




Figure S10. HSQC spectrum of compound 13 measured in DMSO-d₆




Figure S11. HMBC spectrum of compound 13 measured in DMSO- d_6




Figure S12. HRESIMS spectrum of compound 13




Figure S13. 1H NMR spectrum of compound 14 measured in DMSO-d₆ at 400 MHz




Figure S14. DEPT-Q NMR spectrum of compound 14 measured in DMSO-d₆ at 100 MHz.




Figure S15. 1H NMR spectrum of compound **15** measured in DMSO- d_6 at 400 MHz




Figure S16. DEPT-Q NMR spectrum of compound 15 measured in DMSO-d₆ at 100 MHz




Figure S17. 1H NMR spectrum of compound 16 measured in DMSO- d_6 at 400 MHz




Figure S18. DEPT-Q NMR spectrum of compound 16 measured in DMSO- d_6 at 100 MHz




Figure S19. 1H NMR spectrum of compound 17 measured in DMSO- d_6 at 400 MHz




Figure S20. DEPT-Q NMR spectrum of compound 17 measured in DMSO- d_6 at 100 MHz




Figure S21. 1H NMR spectrum of compound 18 measured in CD₃OD-d₄ at 400 MHz




Figure S22. DEPT-Q NMR spectrum of compound 18 measured in CD₃OD-d₆ at 100 MHz




Figure S23. 1H NMR spectrum of compound 19 measured in CD₃OD- d_4 at 400 MHz




Figure S24. DEPT-Q NMR spectrum of compound 19 measured in CD₃OD- d_6 at 100 MHz




Figure S25. 1H NMR spectrum of compound 20 measured in DMSO- d_6 at 400 MHz




Figure S26. DEPT-Q NMR spectrum of compound 20 measured in DMSO- d_6 at 100 MHz




Figure S27. 1H NMR spectrum of compound 21 measured in D₂O at 400 MHz




Figure S28. DEPT-Q NMR spectrum of compound 21 measured in D₂O at 100 MHz