

Supplementary Materials: Microstructure and Corrosion Behavior of Ti-Nb Coatings on NiTi Substrate Fabricated by Laser Cladding

Jie Hu ¹, Yaojia Ren ¹, Qianli Huang ¹, Hao He ^{2,*}, Luxin Liang ¹, Jingbo Liu ¹, Ruidi Li ¹ and Hong Wu ^{1,*}

¹ State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China; jiehuu@csu.edu.cn (J.H.); 125ren@163.com (Y.R.); hql1990@163.com (Q.H.); Liang_luxin@163.com (L.L.); jingbo-liu@csu.edu.cn (J.L.); liruidi@csu.edu.cn (R.L.)

² Department of Vascular Surgery, Second Xiangya Hospital, Central South University, Changsha 410011, China

* Correspondence: jimmyhehao@gmail.com (H.H.); hwucsu@csu.edu.cn (H.W.)

Table S1. Ion concentrations in SBF solution.

Ion	Ion Concentrations (mM)
Na ⁺	142.0
K ⁺	5.0
Mg ²⁺	1.5
Ca ²⁺	2.5
Cl ⁻	147.8
HCO ₃ ⁻	4.2
HPO ₄ ²⁻	1.0
SO ₄ ²⁻	0.5