

Supplementary Materials: Photocatalytic and Photostability Behavior of Ag- and/or Al-Doped ZnO Films in Methylene Blue and Rhodamine B Under UV-C Irradiation

Adeel Riaz ¹, Amna Ashraf ¹, Hymna Taimoor ¹, Sofia Javed ¹, Muhammad Aftab Akram ¹, Mohammad Islam ^{2,*}, Mohammad Mujahid ¹, Iftikhar Ahmad ² and Khalid Saeed ³

¹ School of Chemical and Materials Engineering, National University of Sciences and Technology, Islamabad 44000, Pakistan; adeelriaz03@gmail.com (A.R.); amnaashraf04@hotmail.com (A.A.); hymnataimoor94@live.com (H.T.); sofia.javed@scme.nust.edu.pk (S.J.); aftabakram@scme.nust.edu.pk (M.A.A.); drmmujahid@gmail.com (M.M.)

² Center of Excellence for Research in Engineering Materials (CEREM), Deanship of Scientific Research, King Saud University, P. O. Box 800, Riyadh 11421, Saudi Arabia; ifahmad@ksu.edu.sa

³ Department of Mechanical Engineering, College of Engineering, King Saud University, P. O. Box 800, Riyadh 11421, Saudi Arabia; khaliduetp@gmail.com

* Correspondence: miqureshi@ksu.edu.sa; Tel.: +966-544523909




Figure S1. The optical properties of the co-doped ZnO:Ag + Al film. (a) Transmittance spectrum; and (b) Tauc plot for computation of E_g value.