

Table S2. Number of isolates per genera identified in this study.

| Genera | Number of Isolates |
|--------------------------------------|---------------------------|
| <i>Pantoea</i> sp. | 3 |
| <i>Rosenbergiella</i> sp. | 2 |
| <i>Frondihabitans</i> sp. | 1 |
| <i>Microbacterium</i> sp. | 3 |
| <i>Rathayibacter</i> sp. | 1 |
| <i>Pseudoxanthomonas</i> sp. | 1 |
| <i>Stenotrophomonas</i> sp. | 1 |
| <i>Chitinophaga</i> sp. | 1 |
| <i>Rahnella</i> sp. | 1 |
| <i>Streptomyces</i> sp. | 1 |
| <i>Brachybacterium</i> sp. | 1 |
| <i>Chryseobacterium</i> sp. | 2 |
| <i>Brevundimonas</i> sp. | 1 |
| <i>Flavobacterium</i> sp. | 1 |
| <i>Staphylococcus</i> sp. | 1 |
| <i>Rhizobiaceae</i> sp. | 2 |
| <i>Rhizobium</i> sp. | 4 |
| <i>Kocuria</i> sp. | 2 |
| <i>Bacillus</i> sp. | 11 |
| <i>Ensifer</i> sp. | 2 |
| <i>Unclassified Rhizobiaceae</i> sp. | 1 |
| <i>Xanthomonas</i> sp. | 1 |
| <i>Sphingopyxis</i> sp. | 3 |
| <i>Pseudomonas</i> sp. | 30 |
| <i>Arthrobacter</i> sp. | 2 |
| <i>Variovorax</i> sp. | 2 |
| <i>Curtobacterium</i> sp. | 19 |
| <i>Sphingomonas</i> sp. | 21 |
| <i>Terribacillus</i> sp. | 2 |
| <i>Agrobacterium</i> sp. | 8 |