

checkCIF/PLATON report

Structure factors have been supplied for datablock(s) compound2

THIS REPORT IS FOR GUIDANCE ONLY. IF USED AS PART OF A REVIEW PROCEDURE FOR PUBLICATION, IT SHOULD NOT REPLACE THE EXPERTISE OF AN EXPERIENCED CRYSTALLOGRAPHIC REFEREE.

No syntax errors found. CIF dictionary Interpreting this report

Datablock: compound2

Bond precision: C-C = 0.0030 Å Wavelength=0.71073

Cell: a=6.9224(7) b=8.8551(9) c=21.377(2)
 alpha=90 beta=90 gamma=90
Temperature: 100 K

| | Calculated | Reported |
|----------------|-------------|-------------|
| Volume | 1310.4(2) | 1310.4(2) |
| Space group | P n a 21 | P n a 21 |
| Hall group | P 2c -2n | P 2c -2n |
| Moiety formula | C20 H13 N O | C20 H13 N O |
| Sum formula | C20 H13 N O | C20 H13 N O |
| Mr | 283.31 | 283.31 |
| Dx,g cm-3 | 1.436 | 1.436 |
| Z | 4 | 4 |
| Mu (mm-1) | 0.089 | 0.089 |
| F000 | 592.0 | 592.0 |
| F000' | 592.24 | |
| h,k,lmax | 8,10,25 | 8,10,25 |
| Nref | 2331[1200] | 2218 |
| Tmin,Tmax | 0.991,0.994 | 0.687,0.746 |
| Tmin' | 0.987 | |

Correction method= # Reported T Limits: Tmin=0.687 Tmax=0.746
AbsCorr = MULTI-SCAN

Data completeness= 1.85/0.95 Theta(max)= 25.034

R(reflections)= 0.0268(2131) wR2(reflections)= 0.0719(2218)

S = 1.059 Npar= 200

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.



Alert level C

| | | |
|---|------|--------|
| PLAT089_ALERT_3_C Poor Data / Parameter Ratio (Zmax < 18) | 5.97 | Note |
| PLAT911_ALERT_3_C Missing FCF Refl Between Thmin & STh/L= 0.595 | 5 | Report |



Alert level G

| | | |
|--|-------|-------------|
| PLAT032_ALERT_4_G Std. Uncertainty on Flack Parameter Value High . | 0.300 | Report |
| PLAT333_ALERT_2_G Large Aver C6-Ring C-C Dist C23 -C38 . | 1.44 | Ang. |
| PLAT720_ALERT_4_G Number of Unusual/Non-Standard Labels | 2 | Note |
| PLAT883_ALERT_1_G No Info/Value for _atom_sites_solution_primary . | | Please Do ! |
| PLAT909_ALERT_3_G Percentage of I>2sig(I) Data at Theta(Max) Still | 93% | Note |
| PLAT910_ALERT_3_G Missing # of FCF Reflection(s) Below Theta(Min). | 1 | Note |
| PLAT913_ALERT_3_G Missing # of Very Strong Reflections in FCF | 1 | Note |
| PLAT933_ALERT_2_G Number of OMIT Records in Embedded .res File ... | 4 | Note |
| PLAT978_ALERT_2_G Number C-C Bonds with Positive Residual Density. | 5 | Info |

0 **ALERT level A** = Most likely a serious problem - resolve or explain
 0 **ALERT level B** = A potentially serious problem, consider carefully
 2 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
 9 **ALERT level G** = General information/check it is not something unexpected

1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
 3 ALERT type 2 Indicator that the structure model may be wrong or deficient
 5 ALERT type 3 Indicator that the structure quality may be low
 2 ALERT type 4 Improvement, methodology, query or suggestion
 0 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

Datablock compound2 - ellipsoid plot

