

Supplementary Table 1. PCR primers used for detection of *Campylobacter* virulence genes.

Primers	Sequence (5' → 3')	Product (bp)	Annealing Temperature	References
<i>racR</i> -F <i>racR</i> -R	GATGATCCTGACTTTG TCTCCTATTTTTACCC	584	45 °C	Datta et al., 2003
<i>virB11</i> -F <i>virB11</i> -R	TCTTGTGAGTTGCCTTACCCCTTTT CCTGCGTGTCTGTGTTATTTACCC	494	53 °C	Datta et al., 2003
<i>cdtB</i> -F <i>cdtB</i> -R	GTTAAAATCCCCTGCTATCAACCA GTTGGCACTTGGAATTTGCAAGGC	495	42 °C	Bang et al., 2001
<i>Iam</i> -F <i>Iam</i> -R	GCGCAAAATATTATCACCC TTCACGACTACTATGCGG	518	52 °C	Carvalho et al., 2004
<i>wlaN</i> -F <i>wlaN</i> -R	TTAAGAGCAAGATATGAAGGTG CCATTTGAATTGATATTTTG	672	46 °C	Linton et al., 2000
<i>sodB</i> -F <i>sodB</i> -R	ATGATACCAATGCTTTTGGTGATTT TAATACGACTCACTATAGGGCATTGCATAAAAGCTAACTGATCC	638	50 °C	Biswas et al., 2011
<i>csrA</i> -F <i>csrA</i> -R	CACAGTCAGTGAAGGTGCTT ACTCGCACAATCGCTACTTC	878	58 °C	Fields & Thompson, 2008