

Article

Entropies in Alloy Design for High-Entropy and Bulk Glassy Alloys

Akira Takeuchi ^{1,*}, Kenji Amiya ¹, Takeshi Wada ¹, Kunio Yubuta ¹, Wei Zhang ² and Akihiro Makino ¹

- ¹ Institute for Materials Research, Tohoku University, 2-1-1, Katahira, Aoba-ku, Sendai 980-8577, Japan; E-Mails: amiya.k@imr.tohoku.ac.jp (K.A.); wada@imr.tohoku.ac.jp (T.W.); yubuta@imr.tohoku.ac.jp (K.Y.); amakino@imr.tohoku.ac.jp (A.M.)
- ² School of Materials Science and Engineering, Dalian University of Technology, Dalian 116024, China;
 E-Mail: wzhang@dlut.edu.cn
- * Author to whom correspondence should be addressed; E-Mail: takeuchi@imr.tohoku.ac.jp; Tel.: +81-22-215-2383; Fax: +81-22-215-2714.

Received: 19 July 2013; in revised form: 10 September 2013 / Accepted: 10 September 2013 / Published: 12 September 2013

Abstract: High-entropy (H-E) alloys, bulk metallic glasses (BMGs) and high-entropy BMGs (HE-BMGs) were statistically analyzed with the help of a database of ternary amorphous alloys. Thermodynamic quantities corresponding to heat of mixing and atomic size differences were calculated as a function of composition of the multicomponent alloys. Actual calculations were performed for configurational entropy ($S_{config.}$) in defining the H-E alloys and mismatch entropy (S_{σ}) normalized with Boltzmann constant (k_B), together with mixing enthalpy (ΔH_{mix}) based on Miedema's empirical model and Delta parameter (δ) as a corresponding parameter to S_{σ}/k_B . The comparison between $\Delta H_{mix}-\delta$ and $\Delta H_{mix}-\sqrt{S_{\sigma}/k_B}$ diagrams for the ternary amorphous alloys revealed $S_{\sigma}/k_B \sim (\delta/22)^2$. The zones S, S' and B's where H-E alloys with disordered solid solutions, ordered alloys and BMGs are plotted in the $\Delta H_{mix}-\delta$ diagram are correlated with the areas in the $\Delta H_{mix} - S_{\sigma}/k_B$ diagram. The results provide mutual understandings among H-E alloys, BMGs and HE-BMGs.

Keywords: high-entropy alloy; bulk metallic glass; configurational entropy; mismatch entropy; atomic size difference; mixing enthalpy; alloy design

PACS Codes: 61.43.Dq, 81.05.Kf, 05.70.Ce, 05.70.-a

1. Introduction

This paper principally describes high-entropy (H-E) alloys [1] and bulk metallic glasses (BMGs) [2], together with relevant high-entropy bulk metallic glasses (HE-BMGs) [3-7] by focusing on entropy as well as enthalpy from thermodynamic quantaties. The H-E alloys and BMGs are classified into the same alloy group in point that they are formed into a solid solution, although they have completely different crystallographic structures. Specifically, H-E alloys are formed into a simple crystalline structure of bcc, fcc or their mixiture, whereas BMGs are into a glassy phase. One might think that the H-E alloys and BMGs have not been developed under the same alloy design because of their diffrence in structure. On the contrary, H-E alloys and BMGs have been developed by focusing on the common three factors [2] in their alloy designs: (1) the number of elements (N), (2) difference in atomic size, and (3) mixing enthalpy (ΔH_{mix}). The first factor numerically defines the H-E alloys as equi-atomic or near equi-atomic multicomponent alloys with elements of five or more (N \geq 5), whereas most of the BMGs are as $N \ge 3$, excepting for a couple of binary alloys, such as Cu-Zr [8,9] and Ni-Nb [10] BMGs. The second factor in H-E alloys is not limited by definition but broad enough to cover the second Inoue's rule for BMGs. On the other hand, the third factor for the H-E alloys is also not defined, and BMGs principally requires them to posses negative values of ΔH_{mix} for the atomic pairs of the constituent elements. Thus, the first to third factors in the alloy design for H-E alloys and BMGs can be dealt with numerical and thermodynamic quantaties to see their correlations and differences.

The H-E alloys and BMGs are also deeply involved in another thermodynamic quantity—entropy. Specifically, the H-E alloys are characterized by configurational entropy ($S_{\text{config.}}$). In reality, H-E alloys are named after the following aspects that $S_{\text{config.}}$ is maximized at the equi-atomic composition in a system and that equi-atomic alloys exhibit $S_{\text{config}}/R = \ln N$ where R the gas constant. More precisely, the latter aspect is used for defining H-E alloys directly with thermodynamic formula, $S_{\text{config}}/R \ge \ln 5$ (~1.61 [11]), according to the requirement N \geq 5. On the other hand, a mismatch entropy (S_{σ}) can be used for BMGs for describing the difference in atomic size among the constituent elements, whereas an alternative parameter for S_{σ} for the H-E alloys is Delta parameter (δ) [12]. By utilizing thermodynamic and numerical quantaties, such as ΔH_{mix} , S_{config} and δ , the stabilities of crystalline H-E alloys with disordered solid solutions have been analyzed in such a set of formulae of $\Delta S_{\text{config}} R > 1.61$, $\delta < 4.6$, and $-2.6856\delta - 2.54 < \Delta H_{\text{mix}}/\text{kJmol}^{-1} < -1.28\delta + 5.44$, as reported by Zhang and Zhou [11]. These numerical applicability with thermodynamic and numerical quantaties for forming H-E alloys are of great useful for alloy design of H-E alloys, together with the other precious analyses given by Ng et al. [13] for an Al_{0.5}CoCrCuFeNi H-E alloy for its thermo-mechanical treatments combined with thermodynamic calculations, and by Cunliffe et al. [14] for their discussions of forming-abilities of H-E alloys and amorphous phase for a (TiZrNbCu)_{1-x}Ni_x system. Thus, the authors herewith focus on an inportant aspect that the H-E alloys and BMGs are sufficiently described by numerical and thermodynamic quantaties in their alloy designs. Hence, one can utilise numerical and thermodynamic descriptions when developing more new H-E alloys and BMGs, leading to the drastic increase in the number of alloys found in two decades to date. Furthermore, increasing the number of alloys greatly contributes to data mining and resultant statistic analysis of H-E alloys and BMGs as well as HE-BMGs. This analysis indicates that one can distingush H-E alloys, BMGs and HE-BMGs by paying attentions to the fundamental differences in characteristics between H-E alloys and BMGs. Here, the fundamental

differences include the following aspects that the H-E alloys are crystalline alloys whereas the BMGs are glassy alloys and that the atomic size difference among the constituent elmenets are small for the crystalline H-E alloys with disordered solid solutions and large for BMGs. These aspects lead to no intersections of their alloys in the $\Delta H_{\text{mix}}-\delta$ diagram. Under these circumstances, the authors, however, expect that unprecedented new alloys may be found in the analyses of characterizing the H-E alloys and BMGs. They are new HE-BMGs or new H-E alloys with ΔH_{mix} and δ values which apart from the conventional ones in the $\Delta H_{\text{mix}}-\delta$ diagram.

The purpose of the present paper is to clarify the features of H-E alloys, BMGs and HE-BMGs by focusing on entropies and other numerical and thermodynamic quantities with the help of statistical analysis for these alloys.

2. Calculation Methods

The effect of atomic size differences on the formation of BMGs was evaluated with mismatch entropy (S_{σ}) by referring to a concept proposed by Mansoori *et al.* [15]. In the orginal literature [15], Mansoori *et al.* proposed an equation of state for the mixture of hard spheres based on an averaging process over the two results of the solution of the Percus–Yevik integral equation for the mixture of hard spheres. It should be noted that S_{σ} can be calculated as functions of atomic diameters (d_i) of the i-th constituent element and a parameter (ζ) that relates to packing fraction ρ where $\zeta = 1 / (1 - \rho)$. The actual formulations used for calculating S_{σ} are shown in Equations (1) to (5) where k_B is the Boltzmann constant and dimentionless parameters y_i 's (i = 1 to 3) have a relationship $y_1 + y_2 + y_3 = 1$ [15]. The formulations in Equations (2) to (5) used in the present work and our early study [16] are different from those in the original literature [15]. In calculating, a system including hard spheres of atoms was considered under $\rho = 0.64$ for dense random packing structure that includes amorphous alloys, metallic glasses and BMGs. The details of the calculation were acquired from the original literature [15] where taken into account. In the present study, only the misfit term S_{σ} was considered to describe the entropy of mixing concerning the differences in atomic radii. The values of d_i 's were acquired from literature [17].

$$S_{\text{config.}} / k_{\text{B}} = \left\{ \frac{3}{2} (\zeta - 1) y_1 + \frac{3}{2} (\zeta - 1)^2 y_2 - \left[\frac{1}{2} (\zeta - 1) (\zeta - 3) + \ln \zeta \right] (1 - y_3) \right\}$$
(1)

$$y_{1} = \frac{1}{\sigma^{3}} \sum_{j>i=1}^{N} (d_{i} + d_{j}) (d_{i} - d_{j})^{2} c_{i} c_{j}$$
(2)

$$y_{2} = \frac{\sigma^{2}}{(\sigma^{3})^{2}} \sum_{j>i=1}^{N} d_{i}d_{j}(d_{i} - d_{j})^{2} c_{i}c_{j}$$
(3)

$$y_3 = \frac{\left(\sigma^2\right)^3}{\left(\sigma^3\right)^2} \tag{4}$$

$$\sigma^{k} = \sum_{i=1}^{N} c_{i} d_{i}^{k}$$
(5)

3813

Besides, configuration entropy ($S_{\text{config.}}$) and mismatch entropy were also calculated in the present study. The $S_{\text{config.}}$ was calculated on the basis of the fundamental knowledge on thermodynamics for counting the number of cases to distribute the solute and solvent atoms in a hypothetical lattice. Specifically, $S_{\text{config.}}$ is given by Equation (6), with a gas constant (R) and a fraction of the i-th elements in the alloy with N elements. The equi-atomicity principle of the H-E alloys makes it possible to describe the increase in $S_{\text{config.}}$ with increasing N, as shown in Equation (7) [1].

$$S_{\text{config.}} / R = -\sum_{i=1}^{N} c_i \ln c_i$$
(6)

$$S_{\text{config.}} / R = \ln N$$
 (7)

On the other hand, ΔH_{mix} was computed based on Miedema's empirical method [18] using Equation (8). Equation 8 exhibits the parabolic nature of ΔH_{mix} as a function of c_i, which is an approximated description for ΔH_{mix} given in the original literature [18] in order to calculate ΔH_{mix} simply and comprehensively. The δ was calculated based on Equation (9) using the average atomic radius from that of the constituent elements shown in Equation (10) [12].

$$\Delta H_{\text{mix}} = 4 \sum_{j \neq i}^{N} \sum_{i=1}^{N} \Delta H_{ij} c_i c_j$$
(8)

$$\delta = \sqrt{\sum_{i=1}^{N} c_i \left(1 - \frac{r_i}{r}\right)^2} \times 100$$
⁽⁹⁾

$$\overline{r} = \sum_{i=1}^{N} c_i r_i \tag{10}$$

3. Results and Discussion

First, the effect of atomic size differences on the formation of BMGs was evaluated with $S_{\sigma}/k_{\rm B}$ for Zr-Al-Ni and La-Al-Ni alloys where the atomic radius (r_i) of La, Zr, Al and Ni were acquired from literature [17]: $r_{\rm La} = 0.182$ nm, $r_{Zr} = 0.162$ nm, $r_{\rm Al} = 0.143$ nm and $r_{\rm Ni} = 0.125$ nm. One can expect that Zr-Ni and La-Ni sub-binary systems exhibit the greatest difference in atomic radius in Zr-Al-Ni and La-Al-Ni systems, respectively, according to these r_i 's. Figure 1 demonstrates the changes in $S_{\sigma}/k_{\rm B}$ for (a) La-Ni, (b) Zr-Ni and (c) Al-Ni systems as a function of Ni content, together with (d) a line of ln 2 for comparison. All the three curves (a–c) show asymmetry against the equi-atomic composition ($c_{\rm Ni} = 0.5$), indicating that the effect of a case for smaller atoms embedded in an atomistic environment of larger atoms are not the same to that of the opposite case. The three curves exhibit the maximum values at ($c_{\rm Ni}$, $S_{\sigma}/k_{\rm B}$) = (0.65, 0.851) for La-Ni, (0.60, 0.333) for Zr-Ni and (0.55, 0.101) for Al-Ni systems, indicating that atomic size effect is greater when the larger atoms of La, Zr or Al are solved as solution atoms in a Ni matrix with smaller atomic radius as a major atom. A possible explanation for this can be given when considering the opposite case of Ni as a minor and La, Zr or Al as major: The Ni atom will be placed at a interstitial site of the larger atoms, reducing the randomness of atomic arrangements of larger atoms in a system. Here, it should be noted that La-Ni system exhibits $S_{\sigma}/k_{\rm B}$ values larger than In 2

at $c_{\rm Ni}$ ranging 0.42 to 0.82. The value of ln 2 is drawn in (d) with the broken dot line, and corresponds to $S_{\text{config}}/k_{\text{B}}$ at the equi-atomic composition for a binary alloy according to Equation (7) for N = 2. Thus, it should be noted that the La-Ni alloy near $c_{\rm Ni} \sim 0.5$ possesses considerably as large $S_{\sigma}/k_{\rm B}$ as the order of $S_{\text{config}}/k_{\text{B}}$ resulting from the atomic size differences only. This is an important aspect for BMG systems with appropriate large atomic size differences. The effect of atomic size difference is also important for the H-E alloy, but this effect can be ignored, since H-E alloys usually possess smaller atomic size differences than BMGs. In reality, some of the H-E alloys contains Ni and Al, but the maximum values is obtained at $(c_{\text{Ni}}, S_{\sigma}/k_{\text{B}})$ (0.55, 0.101), which is approximately 15% of ln 2. Thus, Figure 1 suggests that both S_{σ}/k_{B} and $S_{\text{config}}/k_{\text{B}}$ contributes for the formation of BMGs, whereas $S_{\text{config}}/k_{\text{B}}$ contributes greatly than S_{σ}/k_{B} for H-E alloys. The limited contribution of $S_{\sigma}/k_{\rm B}$ for H-E alloys with disordered solid solutions could be explained by the Hume-Rothery rules [19] for forming solid solutions, which restrict the allowable maximum atomic size difference between solvent and solute elements in a solid solution. Specific explanations for stabilizing H-E alloys and destabilizing intermetallic compounds were given by Li et al. [20]. that $S_{\text{config.}} \sim 1.61 \text{R}$ is almost the same magnitude to the melting entropy of most intermetallic compounds (about R-2R) and by Hu et al. [21]. that incorporation of Y element to an AlCoCrCuNiTi alloy resulted in forming intermetallic compounds due to the high chemical activity of Y element. Furthermore, it should be noted that competition between $S_{\sigma}/k_{\rm B}$ and $S_{\rm config}/k_{\rm B}$ can also make the composition of the mostly-stable solid solution deviate from absolute equi-atomic composition that maximizes $S_{\text{config}}/k_{\text{B}}$. This competition sometimes results in that the optimization of compositions is required for H-E alloys from complete equi-atomic compositions.

Figure 1. Mismatch entropy normalized by Boltzmann constant $(S_{\sigma}/k_{\rm B})$ for La-Ni, Zr-Ni and Al-Ni binary systems. The broken-dot line exhibits $S_{\sigma}/k_{\rm B} = \ln 2$, which corresponds to the value of $S_{\rm config}/k_{\rm B}$ at the equi-atomic composition for a binary alloy.



A peculiar feature of $S_{\sigma}/k_{\rm B}$ for multicomponent system with more than two elements is that the maximum value of the $S_{\sigma}/k_{\rm B}$, $S_{\sigma}/k_{\rm B}|_{\rm max}$, is habitually given in a sub-binary side with the maximum and minimum atomic radii in a composition diagram. In other words, the addition of any elements with

intermediate radii cannot exceed the $S_{\sigma}/k_{\rm B}|_{\rm max}$ in the sub-binary alloy comprising the elements with the largest and smallest atomic radii. Figure 2a shows the changes in $S_{\sigma}/k_{\rm B}$ plotted for Zr-Al-Ni systems. The maximum values of $S_{\sigma}/k_{\rm B}$ is seen on the Zr-Ni sub-binary side around $c_{\rm Ni} \sim 0.55$, as is shown for Zr-Ni binary system in Figure 1. The addition of Al with an intermediate atomic radius between Zr and Ni tends to decrease the $S_{\sigma}/k_{\rm B}$ values along the Al corner. This tendency of $S_{\sigma}/k_{\rm B}$ is essentially similar in δ as shown in Figure 2b. Figure 2 explains that $S_{\sigma}/k_{\rm B}$ and δ essentially exhibit the same tendencies in a composition diagram.



Figure 2. (a) Mismatch entropy normalized by Boltzmann constant ($S_{\sigma}/k_{\rm B}$) and (b) Delta parameter (δ) represented in contour lines in a composition diagram for Zr-Al-Ni system.

The δ is frequently used in analyzing the features of H-E alloys, in particular, in a form of $\Delta H_{\text{mix}} - \delta$ diagram [12]. The $\Delta H_{\text{mix}} - \delta$ diagram has the same concept to $\Delta H_{\text{mix}} - S_{\sigma}/k_{\text{B}}$ diagram [16], which was reported in the authors' early study to perform a statistical analysis of the effect of the second and third factor in alloy design for amorphous alloys including BMGs. These diagrams are similar in point that the values of $\Delta H_{\rm mix}$, δ and $S_{\sigma}/k_{\rm B}$ were calculated as a function of composition where $\Delta H_{\rm mix}$ was calculated according to Equation (8). The calculation results of ΔH_{mix} - S_{σ}/k_{B} and ΔH_{mix} - δ diagrams for the ternary amorphous alloys are shown in Figure 3, together with the plots of H-E alloys and BMGs. Here, it should be noted that x-axes in Figure 3a, d are in a logarithm scale for $S_{\sigma}/k_{\rm B}$ and δ^2 , respectively. Figure 3a, b are the original diagrams showing the relationships between $\Delta H_{\text{mix}} - S_{\sigma}/k_{\text{B}}$ [16] and $\Delta H_{\text{mix}} - \delta$, [12] respectively. On the other hand, Figure 3c, d are other formulations of the diagrams for Figure 3a, b. Figure 3a, b show that no specific relationships are found between log $(S_{\sigma}/k_{\rm B})$ and δ , since the plots of the amorphous alloys with the same data source [22] give different appearance in Figures 3a, b. In contrast, Figure 3(b,c) show clear similarities in plots of the ternary amorphous alloys. The plots in Figure 3b, c suggest that a relationship $\sqrt{S_{\sigma}/k_{\rm B}} \propto \delta$ (or $S_{\sigma}/k_{\rm B} \propto \delta^2$) holds for the ternary amorphous alloys. On the basis of this relationship, Figure 3 d with logarithm scale for x-axis (δ^2) is drawn by expecting that Figure 3(d) of the correspondence with Figure 3a. Here, it should be noted that x-axis (δ^2) in Figure 3d is intentionally set up in the rage of 5×10^{-2} to 5×10^{3} for the correspondence between Figure 3a, d. Thus, it is shown that two sets of Figure 3a, d and Figure 3b, c are identical.

Figure 3. (a) ΔH_{mix} – S_{σ}/k_{B} and (b) ΔH_{mix} – δ diagrams for the 6150 ternary amorphous alloys from 351 systems [22]. The trapezoid surrounded by broken lines in Figure 3a indicates the threshold values, in which ternary amorphous alloys are formed, whereas zones S, S', B's in Figure 3b exhibit the zones for H-E alloys with disordered solid solutions, H-E alloys with ordered solid solutions and BMGs, respectively, acquired form literature [12]. The solid and broken lines to in red to show the zones and areas demonstrate the original results, whereas black or gray ones are converted ones. Some of the data for Si-Ti-Zr ternary amorphous alloys in the original database [12] for Si and Ti contents were corrected according to the original reference [23], resulting in change in the plots in the original literature [16] in the areas of right triangle surrounded by broken line in Figure 3a. The x-axis (δ^2) in Figure 3d is intentionally set up in the rage of 5 × 10⁻² to 5 × 10³.



The actual features of H-E alloys and BMGs are analyzed with the help of the plots of ternary amorphous alloys based on the two sets of diagrams mentioned above. Figure 3b shows that the density of the plots of the ternary amorphous alloys in zone S in $\Delta H_{\text{mix}} - \delta$ diagram are less, in particular, at a part of the half to two-thirds from the left-side in zone S. This indicates that ΔH_{mix} and δ for most of the H-E alloys in zone S differ from those for the ternary amorphous alloys. On the other hand, zone S' for ordered alloys with ordered solid solutions are covered by the plots of the ternary amorphous alloys, indicating that the ordered alloys has the same trends with amorphous alloys. Besides, the half-down of the ellipse of zone B_1 almost matches the boundary of the plots in Figure 3b. These results for zones S, S', B_1 and B_2 were firstly clarified by computing ΔH_{mix} , δ and $S_{\sigma}/k_{\rm B}$ simultaneously in the present study. Figure 3b revealed that the H-E alloys possess smaller atomic size difference than BMGs, which is shown in the fact that zone S is at the left side of zones B's. In addition, the H-E alloys have the smaller and negative ΔH_{mix} than BMGs. The H-E alloys with disordered solid solutions are distinguished from ordered equi-atomic alloys by the boundary to separate zones S and S' at $\delta = 4.6$. The corresponding $S_{\sigma}/k_{\rm B}$ value would be $\sqrt{S_{\sigma}/k_{\rm B}} < 0.2$, and thus, $S_{\sigma}/k_{\rm B} < 0.04$, from Figure 3(c) according to the similarity in plots in Figure 3(b). The $S_{\sigma}/k_{\rm B} = 0.04$ is almost the half of the maximum of $S_{\sigma}/k_{\rm B}$ for Al-Ni system shown in Figure 1 and considerably smaller than ln 2. Hence, the effect of atomic size for H-E alloys in zone S is thermodynamically negligible. However, this relatively-small difference in atomic size than that for BMGs is quite enough to restrict the atomic diffusion in H-E alloys, leading to excellent mechanical properties even at high temperatures [1]. In this sense, the H-E alloys possess an ideal atomic size differences to keep a simple single crystalline structure. The similarity in plots in Figure 3(b,c) suggests a relationship $\sqrt{S_{\sigma}/k_{\rm B}} \propto \delta$, leading to a relationship in Equation (11),

$$\delta = 22\sqrt{S_{\sigma}/k_{\rm B}},\tag{11}$$

or $\delta^2 = 484 \times (S_{\sigma}/k_{\rm B})$ from the statistical analysis shown in Figure 4. In Figure 4, the ternary amorphous alloys are plotted with open circles in Figure 4 to show the relationship between $\sqrt{S_{\sigma}/k_{\rm B}}$ and δ , which is statistically approximated with linear formulae with and without intersection. As a result, the R-squared value (R²) was 0.99753 for the linear approximation with intersect drawn in broken line (a), whereas R² = 0.99753 for the solid thick line (b) without intersection. The solid thin line (c) shows the relationship in Equation (1), indicating that the relationship between $\sqrt{S_{\sigma}/k_{\rm B}}$ and δ for the ternary amorphous alloys can be approximated with Equation (11). The plots in Figure 4 exhibit good agreement with line (c) at $\sqrt{S_{\sigma}/k_{\rm B}} < 0.25$, whereas they show larger deviations at $0.25 < \sqrt{S_{\sigma}/k_{\rm B}} \sim 1$. Figure 4 suggests that Equation (11) holds for ternary amorphous alloys.

Further analysis was performed in detail by focusing on the relationships among H-E alloys, BMGs and H-E BMGs on the basis of $\Delta H_{\text{mix}} - \delta$ and $\Delta H_{\text{mix}} - \delta^2$ diagrams shown in Figure 5. Figure 5a is a revised $\Delta H_{\text{mix}} - \delta$ diagram to the one reported in the authors' previous work [24] to which the sub x-axis according to Equation (11) and the data of 264 BMGs with the critical diameter (d_c) ranging 0.2–12 mm [25] and 25 BMGs with $d_c \ge$ half inch (~ 12.3 mm) [26] are added for comparison. Figure 5a indicates that almost all the BMGs and HE-BMGs are plotted under $S_{\sigma}/k_{\rm B} < 0.7 \sim \ln 2$. The highest $S_{\sigma}/k_{\rm B}$'s are seen in Zn-containing H-E BMGs [4,6], which are classified into Metal-Metal type comprising metallic elements only. On the other hand, some of the BMGs in zone B₁ should contain Fe-TM-B (TM: transition metals) BMGs belonging to Metal-Metalloid type due to the inclusion of metalloid elements from B, C, Si, P and so forth. These BMGs belonging to Metal-Metalloid type also have high $S_{\sigma}/k_{\rm B}$, because of the considerable difference in r_i 's between TM and B. Here, it should be noted that Al_{0.5}TiZrPdCuNi H-E alloy with bcc single structure is separately plotted outside zone S [24]. The Al_{0.5}TiZrPdCuNi H-E alloy was found in a procedure of finding H-E glassy alloy, and thus, the $\Delta H_{\rm mix}$ is larger and negative and δ is larger than the conventional H-E alloys plotted in zone S. A reason for the Al_{0.5}TiZrPdCuNi H-E alloy is found outside zone S had been unclear [24], but Figure 5(a) newly provides the following possible insights. The Al_{0.5}TiZrPdCuNi H-E alloy is plotted at an area with gray solid ellipsoid where the ternary amorphous alloys are not plotted so densely as zone S' and plotted as less densely as zone S. Thus, it is expected that new H-E alloys may found when the alloys have $-50 \leq \Delta H_{\rm mix}/k \text{Jmol}^{-1} \leq -40$ and $8 \leq \delta \leq 10$ as well as $6 \leq \delta \leq 8$ along the curve "Form. a" in Figure 3(a). This expectation to find out new H-E alloys other than the area from zone S.

Figure 4. Relationship between δ and $(S_{\sigma}/k_{\rm B})^{0.5}$ for the 6150 ternary amorphous alloys from 351 systems [22]. The statistical analysis revealed the $\delta \sim 22 \times (S_{\sigma}/k_{\rm B})^{0.5}$.



Figure 5 also provides other features of H-E alloys (zone S), ordered alloys (zone S'), BMGs (zones B₁ and B₂) and HE-BMGs. For instance, zone B₂ for Cu- and Mg-based BMGs tends to be plotted inside the area between the upper- and lower lines extrapolated from zones S and S'. Specifically, the Cu- and Mg-conventional BMGs are plotted along two lines in Figure 5(a), in which a line is extrapolated from the upper-line of zones S and S' with a form of $\Delta H_{\text{mix}} = -1.28 \ \delta + 5.44$ and another one is $\Delta H_{\text{mix}} = -0.8\delta + 3.5$. Furthermore, HE-BMGs have a tendency to be plotted near the boundary of the extrapolated area. Furthermore, almost half of the BMGs in zone B₁ with higher δ values trends to be in the extrapolated area. These tendencies suggest that BMGs in zone B₂ and those in right-half of zone B₁ and HE-BMGs can be categorized into the same group materials in point that their plots are within the lines extrapolated from zones S and S' in Figure 5. This can be a universal interpretation of

the H-E alloys, BMGs and HE-BMGs obtained from the statistical analysis. Hence, the results obtained in the present study to correlate S_{σ} with δ as $S_{\sigma}/k_{\rm B} \sim (\delta/22)^2$ provides the mutual understandings among the H-E alloys, BMGs and HE-BMGs, and will be useful for further development of the alloys in near future. The authors have succeeded in correlating $S_{\sigma}/k_{\rm B}$ with δ , where the former and latter are separately used for describing the atomic size differences for BMGs and H-E alloys, respectively. The authors anticipate that more new H-E alloys with disordered solid solutions. are found based on the results of the present study, as the Al_{0.5}TiZrPdCuNi H-E alloy found in a procedure of developing new H-E glassy alloy can be explained in the present study.

Figure 5. (a) $\Delta H_{\text{mix}} - \delta$ and (b) $\Delta H_{\text{mix}} - \delta^2$ diagrams, in which the data of H-E alloys, ordered alloys, intermetallic phases and BMGs including HE-BMGs. The S_{σ}/k_{B} is estimated from δ with a relationship: $S_{\sigma}/k_{\text{B}} = (\delta/22)^2$.



4. Conclusions

High-entropy (H-E) alloys, bulk metallic glasses (BMGs) and H-E BMGs (HE-BMGs) were analyzed for their configurational and mismatch entropies ($S_{\text{config.}}$ and S_{σ}) as well as mixing enthalpy (ΔH_{mix}) and Delta parameter (δ). The analysis with the help of a database of ternary amorphous alloys revealed that a formula, $S_{\sigma}/k_{\text{B}} \sim (\delta/22)^2$, holds from the comparisons of the plots of the amorphous alloys in $\Delta H_{\text{mix}} - S_{\sigma}/k_{\text{B}}$ and $\Delta H_{\text{mix}} - \delta$ diagrams. The formula, $S_{\sigma}/k_{\text{B}} \sim (\delta/22)^2$, firstly correlates the S_{σ}/k_{B} for BMGs and δ for H-E alloys, leading to the mutual understanding of the both alloys. It was found that the results can be used to explain the Al_{0.5}TiZrPdCuNi alloy is obtainable with different area to zone S for H-E alloys in $\Delta H_{\text{mix}} - \delta$ diagram by focusing on the density of the plots of ternary amorphous alloys.

Acknowledgments

This work was supported by Grant-in-Aid for Scientific Research from Japan Society for the Promotion of Science (JSPS): Grant Program of Scientific Research (B) with program title of "Fabrication of High-Entropy Bulk Metallic Glasses based on Confusion Principle, Clarification of their Properties and their Application" (grant number 24360284).

Conflicts of Interest

The authors declare no conflict of interest.

References

- 1. Yeh, J.W. Recent progress in high-entropy alloys. Ann. Chim., Sci. Mat. 2006, 31, 633-648.
- 2. Inoue, A.; Takeuchi, A. Recent development and application products of bulk glassy alloys. *Acta Mater.* **2011**, *59*, 2243–2267.
- 3. Ma, L.Q.; Wang, L.M.; Zhang, T.; Inoue, A. Bulk glass formation of Ti-Zr-Hf-Cu-M (M = Fe, Co, Ni) alloys. *Mater. Trans.* **2002**, *43*, 277–280.
- 4. Gao, X.Q.; Zhao, K.; Ke, H.B.; Ding, D.W.; Wang, W.H.; Bai, H.Y. High mixing entropy bulk metallic glasses. *J. Non-Cryst. Solids* **2011**, *357*, 3557–3560.
- 5. Takeuchi, A.; Chen, N.; Wada, T.; Yokoyama, Y.; Kato, H.; Inoue, A.; Yeh, J.W. Pd₂₀Pt₂₀Cu₂₀Ni₂₀P₂₀ high-entropy alloy as a bulk metallic glass in the centimeter. *Intermetallics* **2011**, *19*, 1546–1554.
- 6. Zhao, K.; Xia, X.X.; Bai, H.Y.; Zhao, D.Q.; Wang, W.H. Room temperature homogeneous flow in a bulk metallic glass with low glass transition temperature. *Appl. Phys. Lett.* **2011**, *98*, 141913–141913.
- Ding, H.Y.; Yao, K.F. High entropy Ti₂₀Zr₂₀Cu₂₀Ni₂₀Be₂₀ bulk metallic glass. J. Non-Cryst. Solids 2013, 364, 9–12.
- 8. Xu, D.H.; Lohwongwatana, B.; Duan, G.; Johnson, W.L.; Garland, C. Bulk metallic glass formation in binary Cu-rich alloy series— $Cu_{100-x}Zr_x$ (x = 34, 36, 38.2, 40 at.%) and mechanical properties of bulk $Cu_{64}Zr_{36}$ glass. *Acta Mater.* **2004**, *52*, 2621–2624.
- 9. Wang, D.; Li, Y.; Sun, B.B.; Sui, M.L.; Lu, K.; Ma, E. Bulk metallic glass formation in the binary Cu-Zr system. *Appl. Phys. Lett.* **2004**, *84*, 4029–4031.
- 10. Xia, L.; Li, W.H.; Fang, S.S.; Wei, B.C.; Dong, Y.D. Binary Ni-Nb bulk metallic glasses. *J. Appl. Phys.* **2006**, *99*, 026103.
- 11. Zhang, Y.; Zhou, Y., Solid solution formation criteria for high entropy alloys. *Mater. Sci. Forum* **2007**, *561*, 1337–1339.
- 12. Zhang, Y.; Zhou, Y.J.; Lin, J.P.; Chen, G.L.; Liaw, P.K. Solid-solution phase formation rules for multi-component alloys. *Adv. Eng. Mater.* **2008**, *10*, 534–538.
- 13. Ng, C.; Guo, S.; Luan, J.H.; Shi, S.Q.; Liu, C.T. Entropy-driven phase stability and slow diffusion kinetics in an Al_{0.5}CoCrCuFeNi high entropy alloy. *Intermetallics* **2012**, *31*, 165–172.
- 14. Cunliffe, A.; Plummer, J.; Figueroa, I.; Todd, I. Glass formation in a high entropy alloy system by design. *Intermetallics* **2012**, *23*, 204–207.
- 15. Mansoori, G.A.; Carnahan, N.F.; Starling, K.E.; Leland, T.W. Equilibrium thermodynamic properties of mixture of hard spheres. *J. Chem. Phys.* **1971**, *54*, 1523–1525.
- 16. Takeuchi, A.; Inoue, A. Calculations of mixing enthalpy and mismatch entropy for ternary amorphous alloys. *Mater. Trans. JIM* **2000**, *41*, 1372–1378.
- 17. The Japan Institute of Metals. Metal Databook, 4th Ed.; Maruzen Co. Ltd.: Tokyo, Japan, 2004; p. 8.
- De Boer, F.R.B.; R.; Mattens, W.C.M.; Miedema, A.R.; Nissen, A.K. Cohesion in Metals: Transition Metal Alloys; North Holland Physics Publishing, a division of Elsevier Scinece Publishers B.V.: Amsterdam, The Netherlands, 1988; p. 758.

- 19. Hume-Rothery, W.; Mabbott, G.W.; Evans, K.M.C. The freezing points, melting points, and solid solubility limits of the alloys of silver and copper with the elements of the B sub-groups. *Philos. Trans. R. Soc. Lond. A* **1934**, *233*, 1–97.
- 20. Li, C.; Li, J.C.; Zhao, M.; Jiang, Q. Effect of alloying elements on microstructure and properties of multiprincipal elements high-entropy alloys. *J. Alloy. Compd.* **2009**, 475, 752–757.
- Hu, Z.H.; Zhan, Y.Z.; Zhang, G.H.; She, J.; Li, C.H. Effect of rare earth Y addition on the microstructure and mechanical properties of high entropy AlCoCrCuNiTi alloys. *Mater. Design* 2010, *31*, 1599–1602.
- Kawazoe, Y.M., T.; Suzuki, K.; Inoue, A.; Tsai, A.-P.; J.-Z, Yu.; Aihara, T., Jr.; Nakanomo, T. *Phase Diagrams and Physical Properties of Nonequilibrium Alloys, Group III Condensed Matter*; Springer Berlin Heidelberg: Berlin/Heidelberg, Gemery, 1997; p. 295.
- 23. Takeuchi, A.; Yavari, A.R.; Inoue, A. Golden Mean analysis of bulk metallic glasses with critical diameter over half-inch for their mole fractions of compositions. *Intermetallics* **2009**, *17*, 696–703.
- 24. Whang, S.H. Glass forming property of a Ti-Zr-Si system determined by temperature-composition map. *Scripta Metall. Mater.* **1984**, *18*, 309–312.
- Takeuchi, A.; Wang, J.Q.; Chen, N.; Zhang, W.; Yokoyama, Y.; Yubuta, K.; Zhu, S.L. Al_{0.5}TiZrPdCuNi High-Entropy (H-E) alloy developed through Ti₂₀Zr₂₀Pd₂₀Cu₂₀Ni₂₀ H-E glassy alloy comprising inter-transition metals. *Mater. Trans.* 2013, 54, 776–782.
- 26. Yuan, Z.Z.; Bao, S.L.; Lu, Y.; Zhang, D.P.; Yao, L. A new criterion for evaluating the glass-forming ability of bulk glass forming alloys. *J. Alloy. Compd.* **2008**, *459*, 251–260.

© 2013 by the authors; licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution license (http://creativecommons.org/licenses/by/3.0/).